

Yihu! Casting®



Yihu! Casting®

艺辉铸造科技有限公司
Yihui Casting Technology Co.,Ltd

2025.07

广东省广州市番禺区沙南路50号

No.50, Shanan Road, Panyu District, Guangzhou City, Guangdong Province, China

① +86-20-347 34999 / 34734 666 / 8487 1666

② +86-20-8487 2122

✉ info@yihuicasting.com

🌐 yihuicasting.com yihuicasting.cn



浏览官网



Browse Website



工具和耗材 **TOOLS & CONSUMABLES**

广州 Guangzhou / 深圳 Shenzhen / 东莞 Dongguan / 义乌 Yiwu / 梧州 Wuzhou / 香港 HongKong / 泰国 Thailand

ABOUT US

关于艺辉

品质，源于专业和细节的管理，创新，源自心中对远方不断探索。20年的工艺沉淀、形成了艺辉自己独特的品牌精神。

艺辉铸造科技有限公司成立于2003年，办公总部坐落于广州市番禺区，现已发展成为一家集失蜡铸造设备研发、生产、销售、咨询、安装、培训、提供首饰铸造一站式解决方案为一体的国家高新技术企业。通过艺辉人的不断努力，开启了国产自主研发设备的征程，一路上披荆斩棘，突破一个个技术难点，研发出了一系列具有自主知识产权的产品。艺辉铸造科技主营产品：金属铸造设备、铸造蜡、石墨制品、石英制品等。以自有产品为主导，铸造类产品为核心，同时代理世界知名品牌的首饰工具及耗材，已形成了完善的产品体系。产品覆盖所有首饰加工工序，主要适用于首饰、钟表、眼镜、牙科、工艺品等精密铸造行业，并远销东南亚、中东、及欧美等地区。其中自主研发生产的自动化真空加压铸造机，20KG撒珠机，配备智能系统D5真空加压铸造机等产品，打破了行业长期以来，高性能首饰设备长期依赖进口的局面。产品系列包括：设计起版、制模、注蜡、开粉焙烧、熔炼铸造、石墨、石英等，形成了完善的产品及服务体系！

公司于2014年2月26日再次获得了ISO9001:2015质量管理体系认证证书，荣获“国家高新技术企业”称号。标志着公司质量管理在科学化、精细化、标准化方面又走出了重要的一步，公司在各项管理系统整合上已达到了国际标准，能持续稳定地向顾客提供预期和满意的合格产品，努力提升客户满意度的追求和理念，赢得了社会各界及广大消费者的认可和信任。以匠心精神做事，从来料检验、制程检验、成品检验、产品测试全程管控，确保每一台产品都经过性能测试达标后方可入库；公司布局电商部、外贸、广州、深圳、东莞、安徽、浙江、广西涉及国内及海外两大市场；拥有完善的人才梯队，汇集行业内精英，百余人员从事研发、生产、咨询、销售、售后等岗位；销售团队为您提供最专业的服务，从咨询、洽谈、了解、订购、交付、安装、培训、使用、全程跟进等全方面一站式服务。

技术部拥有二十多名高学历工程师，获得40多项专利证书，具备研发、设计、生产、技术支持一体化的服务能力，可以为您量身定制所需产品，OEM加工、ODM设计等；从产品的技术讲解、标书制作、工艺流程、安装使用所遇到的问题提供全方位的技术支持，提供设备安装服务，从设备安装、设备调试、操作流程、维护保养、突发应对等全方面培训，提供专业的首饰铸造、工艺流程、技术培训。从首饰铸造设计起版开始到制模、注蜡、开粉焙烧、熔炼铸造、执模等工艺流程全面技能培训。

多年来，公司生产销售的设备和技术服务受到了外界的一致好评，并与许多知名企业长期合作，共同发展。“秉承工匠精神，持续创新驱动”致力于首饰行业的技术进步，艺辉人将勇于拼搏、创新与客户、员工、供应链、社会共同创造、共享成果与未来，致力于成为全球首饰铸造领域卓越品牌。

Quality stems from professional and detailed management, innovation, and continuous exploration in the heart. The process precipitation and accumulation of nearly 20 years, have formed Yihui's own unique brand spirit.

Yihui casting Technology Co., Ltd. was established in 2003, and is headquartered in Panyu District, Guangzhou City, it has now developed into a national high-tech enterprise company, integrating lost wax casting equipment R&D, production, sales, consulting and proving one stop solution for jewelry casting. Through the continuous efforts of Yihui people. The journey of self independent research and development has been started, a series of products with independent intellectual property rights have been developed, overcome all obstacles along the way, the main products including casting equipments, casting wax, graphite products, ceramic products, etc. Taking self-owned products as the leading factor, casting products as the core, as well as distribute world-known brands of jewelry equipment and consumables, it has formed a complete product system. The products cover all jewelry processing procedures, and are mainly suitable for precision casting industries

such as jewelry, watches, glasses, dentistry, etc. And are exported to all over the world. Among them, the self-developed automatic vacuum pressure casting machine, 20KG vacuum granulating machine, equipped with intelligent system D5 vacuum pressure casting machine other products have broken the long-term dependence on imported high-performance jewelry equipment in this industry. The product series include: designing, molding, wax injection, powder baking, smelting & casting, graphite, ceramic, etc. The company successfully passed the strict inspection and certification of the SGS Quality Certification Center.

On February 26, 2014 and was awarded the title of "National High-tech Enterprise". It marks that the company's quality management has taken another important step in scientific, refined, and standardized. The company has reached international standards in the integration of various management systems, and can continue to provide customers with expected and satisfying qualified products. The pursuit and concept of "enhancing customer satisfaction" has won the recognition and trust of all sectors of society and consumers. Work with the spirit of ingenuity, and control the entire process of raw material inspection, process inspection, finished product inspection, and product testing to ensure that each product can be put into the warehouse after the performance test reaches the standard.

The company has an e-commerce department, foreign trade department, Guangzhou Sales Center, Shenzhen Sales Center, Dongguan Sales Center, Anhui Sales Center, Zhejiang Sales Center, Guangxi Sales Center, involving domestic and overseas markets.

We have a complete talent echelon, bringing together elites in the industry, more than a hundred people engaged in research and development, consulting, sales, after-sales and other positions. The sales team provides you with the most professional services, from consultation, negotiation, ordering, delivery, installation, training, and full follow-up. The R&D department has more than 20 highly educated engineers, has obtained more than 40 patent certificates, and has the services capabilities of R&D, design, production, and technical support. It can tailor the products you need OEM processing, ODM design, etc. The R&D department Provide a full range of technical support from product technical explanation, bidding production, process flow, installation and use and troubleshooting. The R&D department provide equipment installation services from equipment installation, equipment debugging, operating procedures, maintenance emergency response and other training. The R&D department provide professional jewelry casting processing technical training, from the beginning of jewelry casting design to the process of mold making, wax injection, powder baking, smelting & casting and hand polishing, etc, and other skills trainings.

Yihui casting Technology Co., Ltd. has been providing high-quality products and services, to many well-known domestic and foreign companies with the concept of "customer first", technology leadership, enthusiasm and openness, learning and hard work, innovation and double win. The equipments and technical services produced and sold have received unanimous praise, and have long-term cooperation with many well-known enterprises for common development. Adhering to the spirit of craftsmanship and driving continuous innovation is committed to the technological advancement of the jewelry industry. Yihui people will be used to work hard, innovate and create together with customers, employees, supply chain, society, share results and the future, and strive to become a global jewelry casting field Excellent brand.

创始于2003年

SPECIALIZING IN JEWELRY CASTING SINCE 2003

2003

深圳市艺辉首饰器材有限公司成立
Shenzhen Yihui Jewelry Equipments Co., Ltd established.

2005

广州市艺辉铸造科技有限公司成立
Guangzhou Yihicasting Technology Co., Ltd established

2008

艺辉香港公司成立，同年广州运营总部设立
Yihui (HK) Ltd. established, together with establishment of Yihicasting Guangzhou Headquarter

2009

广东瀚辉石墨有限公司成立，专注于石墨石英制品生产
Guangdong Hanhui Graphite Co., Ltd. established, specialize in production of Graphite and ceramic products.

2010

艺辉义乌及东莞长安店开业，同年瑞辉自动化系统（广东）有限公司成立
Under Yihicasting brand, added a shop in Yiwu city and Changan, Dongguan City separately, in the same year, Yihui Casting Technology Co., Ltd. established.

2014

艺辉广西梧州店和深圳布心店开业；深圳李朗旗舰店成功扩大升级，经营面积达到2000多平方；稻晖科技（佛山）有限公司成立
Guangxi Wuzhou store and Shenzhen Buxin store opened, Shenzhen Li Lang flagship store successfully expand upgrading, operating area has reached 2000 square meter. Taohui Technology (Foshan) Co., Ltd established

2015

Yihui Casting 商标注册成功
Yihui Casting trademark registered successfully.

艺辉旗下公司 YIHUI GROUP



2016

艺辉深圳横岗店开业
Opened a shop in Henggang, Shenzhen City.

2017

艺辉番禺沙南旗舰店开业，大罗塘店合并至沙南店
Yihui Shanan flagship shop is opened in Panyu, Daluotang shop merged to Shanan shop.

2019

安徽驰晖新材料有限公司成立
Anhui Chihui New Materials Co., Ltd established

2022

华智科创中心开始营业
Huazhi Technology Innovation Center set up

2024

艺辉铸造（泰国）有限公司成立
Yihui Casting (Thailand) Co., Ltd established



核心理念 Core concept

艺辉：专注于首饰铸造

愿景：成为全球首饰铸造领域卓越品牌

使命：秉承工匠精神，持续创新驱动，致力于首饰行业的技术进步

价值观：客户第一，技术领先，热忱开放，学习拼搏，创新共赢

客户第一：客户是工作的起点和奋斗方向，以满足客户的需求，为所有工作的出发点和落脚点。

技术领先：技术是企业立身之本，做市场竞争的领先者，保持持续领先。

热忱开放：工作热忱，个人开放，积极吸收新鲜事物，积极拥抱变化，不故步自封；团队包容，吸纳各类人才，兼容并蓄，实现自赋能，自推动，自优化，自修复！

学习拼搏：艺辉人在学习中发现更优秀的自己，勇于拼搏，不屈不挠，勇于担当，积极进取，乐于奉献！

创新共赢：持续创新才能创造更高价值，利他心，与客户、员工、供应链、社会共同创造、共享成果与未来。

艺辉不追求短期利益，在创新、文化、制度、核心竞争力等方面保持持续投入和竞争优势，实现企业的协调可持续发展。

Yihui: Focus on jewelry casting

Vision: To become one of global leading brand in jewelry casting area

Mission: Adhering to the spirit of craftsmanship, driven by continuous innovation, devoted to the technical progress in the jewelry industry

Values: Customer first, leading technology, enthusiasm and openness, learning and hard working, innovation and double win

Customer first: The customer is the starting point and direction of our work in order to meet the needs of various customers, the starting point and foothold for all our works.

Leading technology: Technology is the foundation of Yihuicasting, to be the leader in competitive market , as well as to keep constant leading.

Enthusiasm and openness: enthusiasm for work, personal openness, absorb new things and embrace change actively, uncomplacent. team member is inclusive with each other, absorbing all kinds of elites, inclusive and poised mutually, self-empowerment, self-promotion, self-optimization, self-repair!

Learning and hard working: Yihui people shall find better themselves in learning, the courage themselves to hard working, indomitable, positive to take responsibility, proactive, willing to contribute!

Innovation and double win: Constant innovation creates higher value, altruism, and co-create with customers, employees, supply chains. co-creates Society co-creates and shares the fruits and the future and shares the fruits & future together.

Yihuicasting does not pursue short-term benefits, meanwhile maintains continuous investment and competitive advantages in innovation, culture, system, core competitiveness, etc., to achieve coordinated and sustainable development of Yihuicasting.

Yihui Casting®艺辉 | 专注于首饰铸造

提供铸造一站式解决方案 PROVIDE FULL CYCLE CASTING SOLUTION

设备 Equipment

3D打印机、压模机、注蜡机、搅粉机、电炉、压粉机、石膏清洗机、熔金机、铸造机、铸模机等。
3D Printer, Vulcanizer, Wax injector, Vacuum mixer, Burnout oven, Cleaning machine, Melting furnace, Casting machine, Gold bar machine, Granulation machine, etc.

工具和材料 Tools and Materials

树脂、铸造蜡、硅胶、石膏粉、石墨、石英、工匠台、锤子、剪钳、油槽等。
Resin, Casting wax, Silicone rubber, Investment powder, Graphite, Ceramic, Bench, Hammer, Pliers, Steel trough, etc.

铸造 CASTING

培训 Training

从首饰铸造设计起版开始到制模、注蜡、开粉、熔烧、熔炼铸造等工艺流程全方位技能培训。
Comprehensive training of entire jewelry making process, from 3D design, wax injection, mixing, burning, die casting, continuous casting, granulating, grinding and polishing.

工艺技术 Technics and Technology

我们是专业的失蜡铸造整体解决方案提供商，拥有整套失蜡铸造工艺流程技术。
Provide full cycle jewelry casting & jewelry polishing solutions.



创始于 SINCE 2003

珠宝首饰合作工厂 Coopereated Jewelry Factory 5000+

合作院校 Coopereated University 1000+

艺辉对于首饰制造核心理念形成了我们坚定的使命

YIHUI'S CORE PHILOSOPHY OF JEWELRY CASTING HAS FORMED OUR STEADFAST MISSION

卓越的毛坯制备

EXCELLENT RAW PREPARATION

我们坚信，创造卓越的首饰必须始于高品质的毛坯制备。因此，我们深入研究并不断优化整个铸造工艺流程，建立了精密的工艺技术方案，以确保毛坯的卓越质量。这一步骤被视为制造卓越产品的不可或缺的基础。

We firmly believe that creating excellent jewelry must start with high-quality raw preparation. Therefore, we have conducted in-depth research and continuously optimized the entire casting process, and established precise process technology solutions to ensure the excellent quality of the blanks. This step is seen as an indispensable foundation for making superior products.

自动化抛光

AUTOMATIC POLISHING

我们重视降低在抛光和研磨等环节的人力资源投入，积极采用自动化设备进行生产。我们专注于提高生产效率，以确保产品的一致性和高品质。这一理念旨在降低成本的同时保持质量，以满足市场需求。

We pay attention to reducing the human resource investment in polishing and grinding, and actively use automated equipment for production. We focus on improving production efficiency to ensure product consistency and high quality. This concept aims to reduce costs while maintaining high quality to meet market demand.



综上所述，我们构建了两个独立的产品线，一个专注于铸造，另一个专注于抛光，结合设备，材料，工艺技术以及培训，以全面推动我们的愿景，为客户提供建设性的首饰制造工艺及技术服务。

In summary, we have built two separate product lines, one specialize in casting and the other in polishing, combining equipment, materials, process technology, and training to fully drive our vision to provide our customers with excellence in jewelry manufacturing Process and technical services.



我们的客户 Our customers

ASIA

Syria
Saudi Arabia
EAU
Russia
Kazakhstan
Kirghizistan
India
Indonesia
Thailand
Cambodia
Vietnam
Indonesia
Thailand
Cambodia
Vietnam
Pakistan

EUROPE

Portugal
Spain
France
England
Germany
Poland
Denmark
Greece
Romania
Czech Republic

AFRICA

Algeria
Tunisia
Morocco
Libya
Egypt

AMECIA

USA
Mexico
Brazil
Argentina
Peru

OCEANIA

Australia
New Zealand

制模 Molding

01 —— 硅胶 Silicone rubber
02 —— 压模框 Aluminum mould frame
03 —— 压模珠 Mould vulcanizing balls
刀柄 Handles
03 —— 掏底刀/雕蜡刀 Carving knife/Wax carving knife
04 —— 蜡条 Wax ring tube
手镯蜡 Bracelet wax
蜡片 Wax slice

焙烧 Burn

05 —— 树芯模 Sprue wax mould
胶底座 Round shape rubber base
06 —— SUS304钢蛊 SUS304 flask
06 —— 钢蛊套 Flask cover
07 —— 钢蛊钳/夹 Flask tong
坩埚钳 Crucible tong
08 —— 热电偶/投料铲 Thermo couple/Shovel
09 —— 吸水纸 Absorbent paper
美纹胶纸 Masking tape
车花胶 Adhesive tape

执模 Hand polishing

10 —— 工作台 Desk
11 —— 扩大器 Ring stretcher
13 —— 镊子 Tweezer
15 —— 剪钳 Pliers
25 —— 卓弓 Sam bow
26 —— 锯条 Saw blades
27 —— 锉 File
40 —— 铲刀 Graver
43 —— 针钻 Burs and drills
45 —— 铁锤 Hammer
51 —— 錾刻 Chisel carving
56 —— 台木/手环 Bench pin/Bracelet clamp
57 —— 字印 Stamp

镶嵌 Stone inlay

58 —— 微镶机器 Micro stone setting machine
微镶工具 Stone setting tool
61 —— 四方窝砧 Square steel dapping block
62 —— 坑铁 Dapping block
63 —— 套装窝珠作 Punch dapping set
65 —— 镶口模具 Bezel block
70 —— 台灯 Desk lamp

焊接 Soldering

72 —— 手镯切割机/Rotary tumblers
珍珠钻孔机 Pearl Drilling Machine
73 —— 点焊机 Spot Welder
74 —— 火枪 Torch
75 —— 油壶/点火器/焊粉 Oil pot/Lighter/Welding powder
76 —— 风球 Leather air bellow
气体打火器 Gas torch

电镀 Electroplating

78 —— 石英烧杯 Ceramic beaker
洗货挂勾 Hanging hook
过滤纸 Filter paper
79 —— 铂金钛网 Platinum titanium mesh
电金机 Electro plating machine
80 —— 电镀笔笔嘴 Electroplated pen tip
81 —— 塑料量杯 Measuring cup

抛光 Polishing

82 —— EP300电解抛光机 EP300 Electric polishing machine
83 —— 磁力抛光机 Magnetic tumbler

89 —— 涡流机 Polishing tumbler

91 —— LS-32立式离心研磨机 LS-32 Vertical centrifugal grinding machine

92 —— 双层干式滚筒研磨机 Dry barrel polishing machine with double layer

93 —— 震动抛光机 Vibration polishing machine

94 —— 滚桶抛光机 Barrel polishing machine

96 —— 其它抛光机 Other polishing machine

100 —— 打磨机 Polishing machine

103 —— 吊摩机 Flex shaft

107 —— 蒸汽清洗机 Steam cleaning machine

108 —— 抛光台 Buff polishing machine

111 —— 超声波清洗机 Ultrasonic cleaning machine

113 —— 抛光耗材 Polishing consumables

125 —— 硅胶磨头 Polyester polishing bits

133 —— 毛刷 Brush

141 —— 有柄双层百洁布 Nylon Buffing Polishing Wheel

铁芯毛刷 Iron core brush

143 —— 布轮 Buff

145 —— 麻轮 Flax wheel

144 —— 尼龙轮 Nylon wheel

148 —— 羊毛轮 Wool wheel

飞碟轮 Split wheel

149 —— 柏轮 Cloth wheel

海绵抛光轮 Sponge polishing wheel

150 —— 飞翼轮 Non woven polishing wheel

打磨轮 Radial shape disc

151 —— 拉丝轮 Wire drawing wheel

152 —— 金刚石切割片 Diamond cutter

154 —— 砂纸 Sanding paper

155 —— 砂带 Sanding belt

156 —— 飞碟夹 Split lap clamp

夹砂棒 Rod

玛瑙刀 Agate knife

157 —— 钢压 Steel burnisher

159 —— 夹砂针 Saning paper clip

161 —— 旋转锉 Rotary file

162 —— 戒指绒棒 Felt ring buff

手镯棒/手镯内抛光 Felt bangle buff

163 —— 木柄铜丝刷 Brass wire brush with handle

油漆刷 Paint brush

164 —— 防酸手套 Acid proof glove

防护手套 High temp glove

防护服 Protective clothing

手指套 Finger guard

165 —— 毛巾 Towel

抛光粉 Polishing powder

硼酸粉 Boric acid powder

干打磨机 Dry sand-making machine

165 —— 喷沙机 Sanding blasting machine

开料车花 Mechanical engraving

168 —— 雕刻机 Graving machine

171 —— 压片机 Rolling mill

175 —— 戒指内孔刻字机 Inside ring engraver

176 —— 拉线板 Drawingplates

宝石鉴定 Gem Identification

177 —— 鉴定设备 Identification equipment

183 —— 数码摄影箱 Photography Box

测量检测 Measuring instruments

184 —— 戒指尺 Ring stick

186 —— 戒指圈 Ring sizes

187 —— 卡尺 Calipers

189 —— 放大镜 Jewelry loupe

195 —— 显微镜 Microscope

199 —— 电子称 Electronic scales

202 —— 手掌称 Pocket digital scale

硅胶
Silicone rubber

castaldo 压模胶




液体硅橡胶 Liquid silicone rubber

压模框 (可订制)
Aluminum mould frame (tailored)


| 代码 Model | 外框尺寸 External frame size | 内框尺寸 Inner frame size | 高度 Height |
|--------------|-----------------------------|--------------------------|--------------|
| Z.T.MK.01012 | 130×110mm | 90×70mm | 12mm |
| Z.T.MK.01015 | 130×110mm | 90×70mm | 15mm |
| Z.T.MK.01018 | 130×110mm | 90×70mm | 18mm |
| Z.T.MK.01021 | 130×110mm | 90×70mm | 21mm |
| Z.T.MK.01024 | 130×110mm | 90×70mm | 24mm |
| Z.T.MK.01027 | 130×110mm | 90×70mm | 27mm |
| Z.T.MK.01030 | 130×110mm | 90×70mm | 30mm |
| Z.T.MK.01033 | 130×110mm | 90×70mm | 33mm |
| Z.T.MK.01036 | 130×110mm | 90×70mm | 36mm |
| Z.T.MK.01039 | 130×110mm | 90×70mm | 39mm |



| 代码 Model | 外框尺寸 External frame size | 内框尺寸 Inner frame size | 高度 Height |
|--------------|-----------------------------|--------------------------|--------------|
| Z.T.MK.02012 | 150×110mm | 73×47mm | 12mm |
| Z.T.MK.02015 | 150×110mm | 73×47mm | 15mm |
| Z.T.MK.02018 | 150×110mm | 73×47mm | 18mm |
| Z.T.MK.02021 | 150×110mm | 73×47mm | 21mm |
| Z.T.MK.02024 | 150×110mm | 73×47mm | 24mm |
| Z.T.MK.02027 | 150×110mm | 73×47mm | 27mm |
| Z.T.MK.02030 | 150×110mm | 73×47mm | 30mm |
| Z.T.MK.02033 | 150×110mm | 73×47mm | 33mm |
| Z.T.MK.02036 | 150×110mm | 73×47mm | 36mm |



| 代码 Model | 外框尺寸 External frame size | 内框尺寸 Inner frame size | 高度 Height |
|--------------|-----------------------------|--------------------------|--------------|
| Z.T.MK.04012 | 200×150mm | 73×47mm | 12mm |
| Z.T.MK.04015 | 200×150mm | 73×47mm | 15mm |
| Z.T.MK.04018 | 200×150mm | 73×47mm | 18mm |
| Z.T.MK.04021 | 200×150mm | 73×47mm | 21mm |
| Z.T.MK.04024 | 200×150mm | 73×47mm | 24mm |
| Z.T.MK.04027 | 200×150mm | 73×47mm | 27mm |
| Z.T.MK.04030 | 200×150mm | 73×47mm | 30mm |
| Z.T.MK.04033 | 200×150mm | 73×47mm | 33mm |
| Z.T.MK.04036 | 200×150mm | 73×47mm | 36mm |



| 代码 Model | 外框尺寸 External frame size | 内框尺寸 Inner frame size | 高度 Height |
|--------------|-----------------------------|--------------------------|--------------|
| Z.T.MK.06012 | 200×180mm | 73×47mm | 12mm |
| Z.T.MK.06015 | 200×180mm | 73×47mm | 15mm |
| Z.T.MK.06018 | 200×180mm | 73×47mm | 18mm |
| Z.T.MK.06021 | 200×180mm | 73×47mm | 21mm |
| Z.T.MK.06024 | 200×180mm | 73×47mm | 24mm |
| Z.T.MK.06027 | 200×180mm | 73×47mm | 27mm |
| Z.T.MK.06030 | 200×180mm | 73×47mm | 30mm |
| Z.T.MK.06033 | 200×180mm | 73×47mm | 33mm |



压模珠
Mould vulcanizing balls刀柄
Handles英国刀片
Swann morton blades

| 代码 Model | 名称 Description | 尺寸 Size | 包装 Package |
|-------------|-------------------|--------------|---------------|
| TSB.00010 | 10A | 40×7.8×0.4mm | 100 Pcs/Box |
| TSB.00011 | 11 | 41×6.5×0.4mm | 100 Pcs/Box |
| TSB.00012 | 12 | 37×11×0.4mm | 100 Pcs/Box |
| TSB.00192 | 15C | 40×5.8×0.4mm | 100 Pcs/Box |

掏底刀
Carving knife

| 代码 Model | 刀头长度 Knife length | 刀头厚度 Knife thickness | 手柄长度 Handle length | 手柄直径 Handle diameter |
|-------------|----------------------|-------------------------|-----------------------|-------------------------|
| TSB.00065 | 25mm | 0.5mm | 118mm | Φ8mm |

雕蜡刀
Wax carving knife

| 代码 Model | 刀头长度 Knife length | 刀头厚度 Knife thickness | 手柄长度 Handle length | 手柄直径 Handle diameter |
|-------------|----------------------|-------------------------|-----------------------|-------------------------|
| TSB.00053 | 25mm | 0.5mm | 118mm | Φ8mm |




蜡条 Wax ring tube

| 名称 Description | 型号 Model | 单位 Unit: mm | Φ | X | Y | Z |
|---|--------------|-------------|-----|-----|-----|---|
| 蜡条8T.6-138 Wax ring tube 8T.6-138 | T.ET.WR8T76 | 18.3 | 7.6 | 3.0 | 138 | |
| 蜡条8A7.6-138 Wax ring tube 8A7.6-138 | T.ET.WRA76 | 18.3 | 7.6 | 3.0 | 138 | |
| 蜡条6.5A8.8-138 Wax ring tube 6.5A8.8-138 | T.ET.WR65A88 | 17.0 | 8.8 | 3.0 | 138 | |
| 蜡条6.5T8.8-138 Wax ring tube 6.5T8.8-138 | T.ET.WR65T88 | 17.0 | 8.8 | 3.0 | 138 | |
| 蜡条7T8.5-138 Wax ring tube 7T8.5-138 | T.ET.WR7T85 | 17.5 | 8.5 | 3.0 | 138 | |
| 蜡条7A8.5-138 Wax ring tube 7A8.5-138 | T.ET.WR7A85 | 17.5 | 8.5 | 3.0 | 138 | |
| 蜡条7.5T8.1-138 Wax ring tube 7.5T8.1-138 | T.ET.WR75T81 | 17.8 | 8.1 | 2.8 | 138 | |
| 蜡条7.5A8.1-138 Wax ring tube 7.5A8.1-138 | T.ET.WR75A81 | 17.8 | 8.1 | 2.8 | 138 | |
| 蜡条6T9-138 Wax ring tube 6T9-138 | T.ET.WR6T9 | 16.3 | 9 | 3.2 | 138 | |
| 蜡条6A9-138 Wax ring tube 6A9-138 | T.ET.WR6A9 | 16.3 | 9 | 3.2 | 138 | |



手镯蜡 Bracelet wax

| 名称 Description | 型号 Model | 单位 Unit: mm | Φ1 | Φ2 | X | Y | Z |
|-------------------------------------|--------------|-------------|----|-----|-----|----|---|
| 手镯蜡65Q9.3-48 Bracelet wax 65Q9.3-48 | T.ET.BW65Q93 | 65 | 55 | 9.3 | 4.0 | 48 | |
| 手镯蜡70Q8.6-48 Bracelet wax 70Q8.6-48 | T.ET.BW70Q86 | 70 | 60 | 8.6 | 4.0 | 48 | |
| 手镯蜡55Q7.5-48 Bracelet wax 55Q7.5-48 | T.ET.BW55Q75 | 55 | 45 | 7.5 | 4.0 | 48 | |
| 手镯蜡57Q8-48 Bracelet wax 57Q8-48 | T.ET.BW57Q8 | 57 | 47 | 8.0 | 4.0 | 48 | |
| 手镯蜡60Q8.5-48 Bracelet wax 60Q8.5-48 | T.ET.BW60Q85 | 60 | 50 | 8.5 | 3.8 | 48 | |
| 手镯蜡62Q7.2-48 Bracelet wax 62Q7.2-48 | T.ET.BW62Q72 | 62 | 52 | 7.2 | 3.2 | 48 | |



蜡片 Wax slice

| 名称 Description | 型号 Model | 单位 Unit: mm | L | W | H |
|---------------------------|-------------|-------------|----|-----|---|
| 蜡片3.0mm Wax slices-3 mm | T.ET.WS030 | 90 | 70 | 3.0 | |
| 蜡片3.5mm Wax slices-3.5 mm | T.ET.WS035 | 90 | 70 | 3.5 | |
| 蜡片4.0mm Wax slices-4.0 mm | T.ET.WS040 | 90 | 70 | 4.0 | |
| 蜡片4.5mm Wax slices-4.5 mm | T.ET.WS045 | 90 | 70 | 4.5 | |
| 蜡片5.3mm Wax slices-5.3 mm | T.ET.WS053 | 90 | 70 | 5.3 | |
| 蜡片6.3mm Wax slices-6.3 mm | T.ET.WS063 | 90 | 70 | 6.3 | |
| 蜡片7.3mm Wax slices-7.3 mm | T.ET.WS073 | 90 | 70 | 7.3 | |



树芯模 (可订制)
Sprue wax mould (tailored)

| 代码 Model | 直径 Diameter | 长度 Length | 树芯 Sprue |
|-------------|-------------|-----------|----------|
| T.MK.SW0810 | Φ8mm | 250mm | 6 Pcs |
| T.MK.SW0812 | Φ8mm | 304mm | |
| T.MK.SW1006 | Φ10mm | 152mm | |
| T.MK.SW1408 | Φ14mm | 203mm | 5 Pcs |
| T.MK.SW1008 | Φ10mm | 203mm | 5 Pcs |
| T.MK.SW1208 | Φ12mm | 203mm | |
| T.MK.SW0908 | Φ9mm | 203mm | |
| T.MK.SW1409 | Φ14mm | 228mm | |
| T.MK.SW1611 | Φ16mm | 280mm | 4 Pcs |
| T.MK.SW1608 | Φ16mm | 203mm | 5 Pcs |
| T.MK.SW1108 | Φ11mm | 203mm | |
| T.MK.SW1610 | Φ16mm | 254mm | 4 Pcs |
| T.MK.SW1609 | Φ16mm | 228mm | |
| T.MK.SW1410 | Φ14mm | 254mm | 5 Pcs |
| T.MK.SW0809 | Φ8mm | 203mm | |
| T.MK.SW1412 | Φ14mm | 304mm | |
| T.MK.SW2008 | Φ20mm | 203mm | |
| T.MK.SW1810 | Φ18mm | 254mm | 4 Pcs |



宝石花脱模剂
Baoshihua mould release spray
型号 Model: T.MR.00001



蜡件 (树芯)
Wax piece (Sprue wax)

T.CP.00017-C-A Φ14x210mm
T.CP.00017-E-A Φ16x210mm
T.CP.00017-G Φ12x210mm
T.CP.00017-H Φ18x210mm

圆形胶底座
Round shape rubber base



锥形胶底座
Pyramid shape rubber base



| 代码 Model | 尺寸 Size | 中心孔 Centre Hole | 颜色 Colour |
|--------------|---------|-----------------|-----------|
| T.RB.B0025 | 2.5" | Φ9mm | 黑色 Black |
| T.RB.B0030 | 3" | Φ10mm | 黑色 Black |
| T.RB.B0035 | 3.5" | Φ10mm | 黑色 Black |
| T.RB.B0040 | 4" | Φ10mm | 黑色 Black |
| T.RB.B0040-A | 4" | Φ10mm | 黑色 Black |
| T.RB.B0040-A | 4" | Φ10mm | 白色 White |
| T.RB.B0050 | 5" | Φ12mm | 黑色 Black |
| T.RB.B0086 | 8.6" | Φ16mm | 黑色 Black |
| T.RB.D0035 | 3.5" | Φ10mm | 白色 White |
| T.RB.D0040 | 4" | Φ10mm | 白色 White |
| T.RB.B0010 | 10" | - | 黑色 Black |
| T.RB.B0118 | 11.8" | - | 黑色 Black |
| T.RB.B0137 | 13.7" | - | 黑色 Black |
| T.RB.B0157 | 15.7" | - | 黑色 Black |

| 代码 Model | 尺寸 Size | 中心孔 Centre Hole | 颜色 Colour |
|--------------|---------|-----------------|-----------|
| T.RB.A0030 | 3" | Φ10mm | 黑色 Black |
| T.RB.A0035 | 3.5" | Φ10mm | 黑色 Black |
| T.RB.A0040 | 4" | Φ10mm | 黑色 Black |
| T.RB.A0040-A | 4" | Φ10mm | 绿色 Green |
| T.RB.A0040-B | 4" | Φ10mm | 蓝色 Blue |
| TT.RB.C0040 | 4" | Φ10mm | 白色 White |
| T.RB.A0050 | 5" | Φ12mm | 黑色 Black |
| T.RB.A0050 | 5" | Φ12mm | 黑色 Black |
| T.RB.A0062 | 6.26" | Φ15mm | 黑色 Black |

SUS304钢蛊 (可订制) SUS304 flask (Tailored)

优质不锈钢材料，采用特殊工艺，使产品更加耐高温，产品分为一次成型和焊接成型两种，可以根据您的需求选用！

Selected stainless steel, special workmanship make flask more hightemp proof. It can be finished by 1 step, or by welding, depends on your needs.



| 代码 Model | 尺寸 Size | 壁厚 Wall thickness |
|-----------|-----------|-------------------|
| T.FLA2535 | 2.5"×3.5" | 3mm |
| T.FLA2504 | 2.5"×4" | 3mm |
| T.FLA2505 | 2.5"×5" | 3mm |
| T.FLA2506 | 2.5"×6" | 3mm |
| T.FLA2507 | 2.5"×7" | 3mm |
| T.FLA2508 | 2.5"×8" | 3mm |
| T.FLA2509 | 2.5"×9" | 3mm |
| T.FLA2510 | 2.5"×10" | 3mm |
| T.FLA3035 | 3"×3.5" | 3mm |
| T.FLA3004 | 3"×4" | 3mm |
| T.FLA3005 | 3"×5" | 3mm |
| T.FLA3006 | 3"×6" | 3mm |
| T.FLA3007 | 3"×6" | 3mm |
| T.FLA3008 | 3"×8" | 3mm |
| T.FLA3009 | 3"×9" | 3mm |
| T.FLA3010 | 3"×10" | 3mm |
| T.FLA3536 | 3.5"×3.6" | 3mm |
| T.FLA3504 | 3.5"×4" | 3mm |
| T.FLA3505 | 3.5"×5" | 3mm |
| T.FLA3506 | 3.5"×6" | 3mm |
| T.FLA3507 | 3.5"×7" | 3mm |
| T.FLA3508 | 3.5"×8" | 3mm |
| T.FLA3509 | 3.5"×9" | 3mm |
| T.FLA3510 | 3.5"×10" | 3mm |
| T.FLA3511 | 5"×11" | 3mm |
| T.FLA3512 | 5"×12" | 3mm |
| T.FLA5013 | 5"×13" | 3mm |
| T.FLA5014 | 5"×14" | 3mm |
| T.FLA5016 | 5"×16" | 3mm |
| T.FLA6305 | 6.3"×5" | 3mm |
| T.FLA6306 | 6.3"×6" | 3mm |
| T.FLA6307 | 6.3"×7" | 3mm |
| T.FLA6308 | 6.3"×8" | 3mm |
| T.FLA6309 | 6.3"×9" | 3mm |
| T.FLA6310 | 6.3"×10" | 3mm |
| T.FLA6311 | 6.3"×11" | 3mm |
| T.FLA6312 | 6.3"×12" | 3mm |
| T.FLA6313 | 6.3"×13" | 3mm |
| T.FLA6314 | 6.3"×14" | 3mm |
| T.FLA6315 | 6.3"×15" | 3mm |
| T.FLA4075 | 4"×7.5" | 3mm |
| T.FLA8606 | 8.6"×6" | 3mm |

钢蛊套 Flask cover (不含钢蛊 Note: Excluding steel cups)

| 代码 Model | 尺寸 Size | 颜色 Colour | 代码 Model | 尺寸 Size | 颜色 Colour | 代码 Model | 尺寸 Size | 颜色 Colour |
|-------------|----------|-----------|-------------|----------|-----------|-------------|----------|-----------|
| T.FLP0409-B | 4"×9" | 黑色 Black | T.FLP0508-B | 5"×8" | 黑色 Black | T.FLP6312-B | 6.3"×12" | 黑色 Black |
| T.FLP0410-B | 4"×10" | 黑色 Black | T.FLP0509-B | 5"×9" | 黑色 Black | T.FLP6313-B | 6.3"×13" | 黑色 Black |
| T.FLP0405-B | 4"×5" | 黑色 Black | T.FLP0510-B | 5"×10" | 黑色 Black | T.FLP6314-B | 6.3"×14" | 黑色 Black |
| T.FLP0406-B | 4"×6" | 黑色 Black | T.FLP0511-B | 5"×11" | 黑色 Black | T.FLP8608-B | 8.6"×8" | 黑色 Black |
| T.FLP0407-B | 4"×7" | 黑色 Black | T.FLP0512-B | 5"×12" | 黑色 Black | T.FLP8609-B | 8.6"×9" | 黑色 Black |
| T.FLP0408-B | 4"×8" | 黑色 Black | T.FLP0513-B | 5"×13" | 黑色 Black | T.FLP8610-B | 8.6"×10" | 黑色 Black |
| T.FLP0411-B | 4"×11" | 黑色 Black | T.FLP0514-B | 5"×14" | 黑色 Black | T.FLP8611-B | 8.6"×11" | 黑色 Black |
| T.FLP0412-B | 4"×12" | 黑色 Black | T.FLP6308-B | 6.3"×8" | 黑色 Black | T.FLP8612-B | 8.6"×12" | 黑色 Black |
| T.FLP3508-B | 3.5"×8" | 黑色 Black | T.FLP6309-B | 6.3"×9" | 黑色 Black | T.FLP0406-W | 4"×6" | 白色 White |
| T.FLP3509-B | 3.5"×9" | 黑色 Black | T.FLP6310-B | 6.3"×10" | 黑色 Black | T.FLP0409-W | 4"×9" | 白色 White |
| T.FLP3510-B | 3.5"×10" | 黑色 Black | T.FLP6311-B | 6.3"×11" | 黑色 Black | T.FLP0410-W | 4"×10" | 白色 White |




钢坩埚钳
Flask tong

| 代码 Model | 名称 Description | 重量 Weight |
|---------------|--|--------------|
| T.SP.QGZ001 | 0.65m钢坩埚钳 0.65m flask tong | 1.4kg |
| T.SP.QGZ002 | 0.9M 钢坩埚钳 0.9m flask tong | 1.6kg |
| T.SP.QGZ085-A | Φ85mm钢坩埚钳 Φ85mm flask tong | 2.1kg |
| T.SP.QGZ085-B | Φ85mm钢坩埚钳 Φ85mm flask tong | / |
| T.SP.QGZ095 | Φ95mm钢坩埚钳 Φ95mm flask tong | 2.5kg |
| T.SP.QGZ120 | 钢坩埚钳Φ120mm Φ120mm flask tong | 2.5kg |
| T.SP.QGZ160 | Φ160mm钢坩埚钳 Φ160mm flask tong | 2.7kg |
| T.SP.QGZ220 | Φ220mm钢坩埚钳 Φ220mm flask tong | 3kg |
| T.SP.QGZ089 | 3.5寸不锈钢钢坩埚钳 3.5 inch stainless steel flask tong | 2.6kg |
| T.SP.QGZ101 | 4寸不锈钢钢坩埚钳 4 inch stainless steel flask tong | 2.8kg |
| T.SP.QGZ127 | 5寸不锈钢钢坩埚钳 5 inch stainless steel flask tong | 2.9kg |

坩埚钳
Crucible tong

| 名称 Description | 型号 Model |
|--|---------------|
| 0.46m坩埚钳 0.46 m crucible tong | T.SP.00009 |
| 2公斤坩埚钳 (黑柄) 2 kg crucible tong (black) | Z.PMF.SP002SS |
| 4公斤坩埚钳 4 kg crucible tong | Z.PMF.SP004SS |
| 手提炉坩埚钳 Crucible tong for eletrical furnace | T.SP.00015 |
| 8公斤坩埚钳 8 kg crucible tong | Z.PMF.SP008SS |
| 6公斤坩埚钳 6 kg crucible tong | Z.PMF.SP006SS |
| 5公斤坩埚钳 5 kg crucible tong | Z.PMF.SP005SS |

热电偶
Thermo couple

| 名称 Description | 型号 Model | 温度 Temp |
|---|--------------|------------|
| K型手提炉热电偶 K type thermo couple for MF series furance | Z.P.MF.TC002 | 0~1300°C |
| K型熔金机热电偶 K type thermo couple for gold melting furance | Z.P.MF.TC001 | 0~1300°C |
| K型电炉陶瓷热电偶 K type ceramic thermo couple for button oven | T.TC.K0008 | 0~1300°C |
| K型电炉不锈钢热电偶 K type SS ceramic thermo couple for button oven | T.TC.K0009 | 0~1300°C |
| R型热电偶 (DVC) R type thermo couple | T.TC.R0002 | 0~1500°C |
| K型不锈钢热电偶 (进口) K type SS thermo couple | T.TC.K0014-N | 0~1300°C |
| K型不锈钢热电偶 (进口) K type SS thermo couple | T.TC.K0034 | 0~1300°C |
| N型不锈钢热电偶 (进口) N type SS thermo couple | T.VC.S02943 | 0~1300°C |

投料铲
Shovel

| 名称 Description | 型号 Model | 包装 Package |
|---------------------------|-------------|---------------|
| 1#投料铲 1# shovel | T.SV.00001 | 1 pcs |
| 5#投料铲 5# shovel | T.SV.00002 | 1 pcs |
| 手指有耳铲仔 Shovel with handle | T.SV.00003 | 10 pcs |
| 小无耳铲仔 Small shovel | T.SV.00004 | 10 pcs |
| 大无耳铲仔 Big shovel | T.SV.00005 | 10 pcs |

吸水纸 Absorbent paper

P1.0004 13×13cm
规格: 50张/扎 Specification: 50 pcs/roll

采用纤维纸张，有较好的透水性和强度，水泡后不易破损，专业用于不锈钢和铂金铸造石膏粉。

Selected special fibergood water permeability, especially used for stainless steel and platinum casting investment.



吸水纸 Absorbent paper

P1.0002 10×10cm
P1.0003 12×12cm

用于铂金石膏粉，不锈钢石膏粉。采用特种定制纸张，有很强的水渗透性，并可以保持良好的强度，确保石膏盒不会破损和渗漏。

Suitable for platinum casting investment, stainless steel casting investment. Special paper, good water permeability, strong enough to prevent damage and permeability of flask.

美纹胶纸 Masking tape

| 代码 Model | 尺寸 Size | 包装 Package |
|---------------|------------|---------------|
| T.CG.00130-8 | 8mm | 280 Rolls/Box |
| T.CG.00130-9 | 9mm | 260 Rolls/Box |
| T.CG.00130 | 10mm | 240 Rolls/Box |
| T.CG.00130-12 | 12mm | 200 Rolls/Box |
| T.CG.00130-15 | 15mm | 160 Rolls/Box |
| T.CG.00130-18 | 18mm | 130 Rolls/Box |
| T.CG.00150 | 20mm | 120 Rolls/Box |
| T.CG.00150-24 | 24mm | 100 Rolls/Box |
| T.CG.00202 | 30mm | 80 Rolls/Box |
| T.CG.00202-36 | 36mm | 70 Rolls/Box |
| T.CG.00152 | 40mm | 60 Rolls/Box |
| T.CG.00152-45 | 45mm | 60 Rolls/Box |
| T.CG.00065 | 16.5mm | 90 Rolls/Box |
| T.CG.00152 | 40mm | 50 Rolls/Box |



车花胶 Adhesive tape

| 代码 Model | 尺寸 Size | 包装 Package |
|-------------|------------|---------------|
| M.FM.P0008 | 10mm | 138 Pcs/Pack |
| M.FM.P0007 | 15mm | 96 Pcs/Pack |
| M.FM.P0001 | 25mm | 60 Pcs/Pack |
| M.FM.P0041 | 50mm | 30 Pcs/Pack |



工匠台 (可订制) Bench (Tailored)

工匠台采用实木精心打造，表面采用透明环保清漆，适用于执模、微镶等首饰加工，人体工学设计，高档大方，坚固耐用，实用性强。可根据自身需求订制，木质可选白蜡木、橡木等。

The benches are carefully made of solid wood, the surface is transparent and environmentally friendly paint and suitable for jewelry processing such as benching and stone setting, ergonomic design, high-grade and generous, strong and durable, practical. It could be customized according to your requirements, wood can choose ash wood, oak and so on.



T.GI.00216
1500×650×1200mm



T.GI.00224
1770×600×1070mm



T.GI.00226
1430×500×1050mm



T.GI.00227
1600×500×1050mm



T.GI.70001
2000×1800×1150mm

可订制 Tailored



工作台
Bench
T.GI.00206
990×600×900mm



木架微镶台-A
Micro setting bench
T.GI.00012
790×480×910mm



不锈钢功夫台
Stainless steel desk
T.GI.00191
800×400×1200mm



功夫台
Desk
T.GI.00050
800×400×1200mm



木凳子
Wooden stool
T.GI.00053
320×230×450mm



大力士戒指扩大器
Super strong ring enlarger
M.RS.00001
330×95×45mm 1.2kg



单头戒指扩缩器
Single head ring enlarger & reducer
M.RS.00002
HK 6#-36# 450×235×195mm 9.8kg



单头戒指扩缩器
Single head ring enlarger & reducer
M.RS.00002-A
405×235×195mm 9.5kg



12mm, 14mm, 16mm, 20mm, 22mm
90°C, 45°C
戒指折弯器
Ring Bender
M.RS.00006



手镯扩大器
Matt wax ring stick
M.RS.00004



双头戒指扩缩器
Double head ring enlarger & reducer
M.RS.00003
US 4#-14# 315×210×165mm 9.8kg



双头戒指扩缩器
Double head ring enlarger & reducer
M.RS.00003-B
HK 6#-36# 315×210×165mm 9.8kg



韩式戒指扩大器
Korean style ring enlarger
M.RS.00012
280×125×140mm 3.5kg



50mm, 52mm, 54mm, 56mm, 58mm
60mm, 62mm, 64mm, 66mm, 68mm
圆形阶梯手镯扩大器
Matt wax ring stick
M.RS.00007 178×260mm 11KG



42-50mm, 44-52mm, 46-54mm, 48-56
50-58mm, 52-60mm, 54-62mm, 56-64
椭圆形阶梯手镯扩大器
Matt wax ring stick
M.RS.00008



简易扩大器
Simple ring enlarger
M.RS.00015



多功能戒指扩大器
Multi-function ring enlarger
M.RS.00013 130×180×250mm 8.8kg



手动360度戒指扩大器
Manual 360° ring enlarger
M.RS.00014



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-A 183×100×290mm 7.5kg



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-B 183×100×290mm 7.5kg



手镯戒指卷圆一体机
Bracelet ring rolling machine
M.RS.00010-C 183×100×290mm 8.2kg

山特斯镊子
Santus tweezer

1. 优质不锈钢锻造，防锈耐磨硬度强。
 2. 人体工学工艺，拿捏处比尾部厚，使用舒适手感好，可用于夹取精密的电子元件，燕窝，宝石等细密物件。
 1. High quality stainless steel forging, rust proof, wear-resistant, and strong hardness.
 2. Ergonomic craftsmanship, with a thicker grip than the tail, providing a comfortable and tactile feel. It can be used to clamp precision electronic components, bird's nests, gemstones, and other delicate objects.



304防碘伏镊子
304 iodine resistant forceps

采用锯齿防滑槽设计，夹力更强有效防止夹持中物品掉落。
 Adopting a serrated anti slip groove design, the clamping force is stronger and effectively prevents objects from falling during clamping.

| 代码 Model | 长度 Length |
|----------------|--------------|
| A T.TW.00050-1 | 125mm |
| B T.TW.00050-2 | 140mm |
| C T.TW.00050-3 | 160mm |
| D T.TW.00050-4 | 180mm |
| E T.TW.00050-5 | 200mm |
| F T.TW.00050-6 | 250mm |
| G T.TW.00050-7 | 300mm |



加厚不锈钢直尖头镊子
Thick stainless steel straightpointed tweezers

| 代码 Model | 长度 Length |
|--------------|--------------|
| T.TW.00051-1 | 125mm |
| T.TW.00051-2 | 140mm |
| T.TW.00051-3 | 160mm |
| T.TW.00051-4 | 180mm |
| T.TW.00051-5 | 200mm |
| T.TW.00051-6 | 250mm |



AA夹
AA tweezer



10" T.TW.00013



日本三山剪钳GN-200
Japan GN-200 3 peaks piler

型号: T.SP.QGN200
切割能力: 硬钢线1.5mm、铁线4.0mm、铜线4.0mm
产品重量: 255g/把 | 包装装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGN200
Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire
Product weight: 255g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳GN-200J
Japan GN-200J 3 peaks piler

型号: T.SP.QGN200J
切割能力: 硬钢线0.5mm, 铁线2.0mm, 铜线2.0mm
产品重量: 255g/把 | 包装装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGN200J
Cutting ability: 0.5mm hard steel wire, 2.0mm iron wire, 2.0mm copper wire
Product weight: 255g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳EC-200
Japan EC-200 3 peaks piler

型号: T.SP.EC200
切割能力: 硬钢线1.5mm、铁线4.0mm、铜线4.0mm
产品重量: 265g/把 | 包装装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.EC200
Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire
Product weight: 265g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山剪钳GC-200
Japan GC-200 3 peaks piler

型号: T.SP.QGC200
切割能力: 硬钢线1.5mm、铁线4.0mm、铜线4.0mm
产品重量: 270g/把 | 包装装尺寸: 263x81x20mm | 6把/盒

Model: T.SP.QGC200
Cutting ability: 1.5mm hard steel wire, 4.0mm iron wire, 4.0mm copper wire
Product weight: 270g/Pcs | Packaging size: 263x81x20mm | 6 Pcs/Box



日本三山水口剪钳PNP-150G
Japan 3 peaks piler PNP-150G

型号: T.SP.QPNP150G
切割能力: 合成树脂塑料5.0mm
产品重量: 150g/把 | 包装装尺寸: 207x70x15mm | 6把/盒

Model: T.SP.QPNP150G
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 150g/Pcs | Packaging size: 207x70x15mm | 6 Pcs/Box



日本三山水口剪钳PNP-125
Japan 3 peaks piler PNP-125

型号: T.SP.QPNP125
切割能力: 合成树脂塑料5.0mm
产品重量: 95g/把 | 包装装尺寸: 179x70x14mm | 6把/盒

Model: T.SP.QPNP125
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 95g/Pcs | Packaging size: 179x70x14mm | 6 Pcs/Box



三山水口钳190G
Japan 3 peaks piler 190G

型号: T.SP.Q190G
切割能力: 合成树脂塑料8.0mm
产品重量: 220g/把 | 包装装尺寸: 256x77x20mm | 6把/盒

Model: T.SP.Q190G
Cutting ability: Synthetic resin plastic 8.0mm
Product weight: 220g/Pcs | Packaging size: 256x77x20mm | 6 Pcs/Box



日本三山白色圆嘴钳
Japan white round nose pliers

型号: T.SP.QSP27
切割能力: 合成树脂塑料8.0mm
产品重量: 150g/把 | 包装装尺寸: 207x70x15mm | 6把/盒

Model: T.SP.QSP27
Cutting ability: Synthetic resin plastic 8.0mm
Product weight: 150g/Pcs | Packaging size: 207x70x15mm | 6 Pcs/Box



马牌水口剪PL-726
KEIBA side sprue cutter PL-726

型号: T.SP.QPL726
切割能力: 剪水口或者塑胶5.0mm
产品重量: 130g/把 | 包装装尺寸: 270x80x5mm | 6把/盒

Model: T.SP.QPL726
Cutting ability: Cutting nozzle or plastic 5.0mm
Product weight: 130g/Pcs | Packaging size: 270x80x5mm | 6 Pcs/Box



马牌剪PL-717
KEIBA side sprue cutter PL-717

型号: T.SP.QPL717
切割能力: 剪水口或者塑胶6.0mm
产品重量: 215g/把 | 包装装尺寸: 270x60x7mm | 6把/盒

Model: T.SP.QPL717
Cutting ability: Cutting nozzle or plastic 6.0mm
Product weight: 215g/Pcs | Packaging size: 270x60x7mm | 6 Pcs/Box



马牌水口剪PL-725
KEIBA side sprue cutter PL-725

型号: T.SP.QPL725
切割能力: 剪水口或者塑胶4.0mm
产品重量: 85g/把 | 包装装尺寸: 270x60x7mm | 6把/盒

Model: T.SP.QPL725
Cutting ability: Cutting nozzle or plastic 4.0mm
Product weight: 85g/Pcs | Packaging size: 270x60x7mm | 6 Pcs/Box



白柄剪 EN-115
White handle cutter EN-115

型号: T.SP.QT004
切割能力: 铜软线0.13-1.2mm
产品重量: 50g/把 | 包装装尺寸: 180x65mm | 6把/盒

Model: T.SP.QT004
Cutting ability: Copper flexible wire 0.13-1.2mm
Product weight: 50g/Pcs | Packaging size: 180x65mm | 6 Pcs/Box



红柄剪 ENI-100
Red handle cutter ENI-100

型号: T.SP.QT101
切割能力: 铜软线0.13-1.2mm
产品重量: 50g/把 | 包装装尺寸: 180x65mm | 6把/盒

Model: T.SP.QT101
Cutting ability: Copper flexible wire 0.13-1.2mm
Product weight: 50g/Pcs | Packaging size: 180x65mm | 6 Pcs/Box



斜嘴钳 NP-125PH-S
Side sprue cutter NP-125PH-S

型号: T.SP.NP125PH
切割能力: 铁线1.5mm, 铜线2.6mm, 多股胶合线2.0mm
产品重量: 100g/把 | 包装装尺寸: 179x70x20mm | 6把/盒

Model: T.SP.NP125PH
Cutting ability: 1.5mm iron wire, 2.6mm copper wire, 2.0mm multi strand glued wire
Product weight: 100g/Pcs | Packaging size: 179x70x20mm | 6 Pcs/Box



斜嘴钳 NP-150PH-S
Side sprue cutter NP-150PH-S

型号: T.SP.NP150PH
切割能力: 铁线1.9mm, 铜线3.2mm, 多股胶合线2.0mm
产品重量: 170g/把 | 包装装尺寸: 207x70x20mm | 6把/盒

Model: T.SP.NP150PH
Cutting ability: 1.9mm iron wire, 3.2mm copper wire, 2.0mm multi strand glued wire
Product weight: 170g/Pcs | Packaging size: 207x70x20mm | 6 Pcs/Box



水口钳AP-125G-S
Side sprue cutter AP-125G-S

型号: T.SP.AP125G
切割能力: 合成树脂塑料5.0mm
产品重量: 105g/把 | 包装装尺寸: 179x70x18mm | 6把/盒

Model: T.SP.AP125G
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 105g/Pcs | Packaging size: 179x70x18mm | 6 Pcs/Box



水口钳AP-150G-S
Side sprue cutter AP-150G-S

型号: T.SP.AP150G
切割能力: 合成树脂塑料5.0mm
产品重量: 155g/把 | 包装装尺寸: 207x70x19mm | 6把/盒


Model: T.SP.AP150G
Cutting ability: Synthetic resin plastic 5.0mm
Product weight: 155g/Pcs | Packaging size: 207x70x19mm | 6 Pcs/Box



山特斯尖嘴钳ST-502F
Santus round nose pliers ST-502F

型号: T.SP.QST502F
特点: 无牙, 夹持不损坏物件
总长度: 133mm | 6把/盒

Model: T.SP.QST502F
Features: No teeth, no damage to objects during clamping
Total length: 133mm | 6 Pcs/Box



山特斯5寸斜嘴钳ST-A04H
Santus side sprue cutter ST-A04H

型号: T.SP.QSTA04H
切割能力: 铜软线0.13-1.2mm
总长度: 120mm

Model: T.SP.QSTA04H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 120mm



山特斯5寸斜嘴钳ST-A05H
Santus side sprue cutter ST-A05H

型号: T.SP.QSTA05H
切割能力: 铜软线0.13-1.2mm
总长度: 127mm

Model: T.SP.QSTA05H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 127mm



山特斯5寸斜嘴钳ST-A05H
Santus side sprue cutter ST-A05H

型号: T.SP.QSTA05H
切割能力: 铜软线0.13-1.2mm
总长度: 127mm

Model: T.SP.QSTA05H
Cutting ability: 1.2mm in plastic water outlet and soft copper wire
Total length: 127mm



山特斯有牙弯嘴钳ST-503
Santus curved nose pliers ST-503

山特斯有牙弯嘴钳ST-503
Santus curved nose pliers ST-503

型号: T.SP.QST503A
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 132mm

Model: T.SP.QST503A
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 132mm



山特斯无牙弯嘴钳ST-503
Santus curved nose pliers ST-503

山特斯无牙弯嘴钳ST-503
Santus curved nose pliers ST-503

型号: T.SP.QST503B
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 132mm

Model: T.SP.QST503B
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 132mm



山特斯圆嘴钳ST-5HF
Santus round nose pliers ST-5HF

山特斯圆嘴钳ST-5HF
Santus round nose pliers ST-5HF

型号: T.SP.QST5HF
功能范围: 软铜线1.2mm, 剪线绕线
总长度: 135mm | 6把/盒

Model: T.SP.QST5HF
Functional scope: 1.2mm soft copper wire, wire cutting and winding
Total length: 135mm | 6 Pcs/Box



国产无牙尖嘴钳MTC-15PS
Flat nose plier MTC-15PS

型号: T.SP.QT022
特点: 无牙, 夹持不损坏物件
总长度: 123mm | 6把/盒

Model: T.SP.QT022
Features: No teeth, no damage to objects during clamping
Total length: 123mm | 6 Pcs/Box



无牙尖嘴钳MTC-15PS
Flat nose plier MTC-15PS

型号: T.SP.QMTC15PS
特点: 无牙, 夹持不损坏物件
总长度: 123mm | 6把/盒

Model: T.SP.QMTC15PS
Features: No teeth, no damage to objects during clamping
Total length: 123mm | 6 Pcs/Box



国产斜口钳MTC-2D
Flat nose plier MTC-2D

型号: T.SP.QT037
切割能力: 铜软线2.0mm
总长度: 115mm | 6把/盒

Model: T.SP.QT037
Features: 2.0mm in plastic water outlet and soft copper wire
Total length: 115mm | 6 Pcs/Box



斜口钳MTC-2D
Flat nose plier MTC-2D

型号: T.SP.QMTC2D
切割能力: 铜软线2.0mm
总长度: 115mm | 6把/盒

Model: T.SP.QMTC2D
Features: 2.0mm in plastic water outlet and soft copper wire
Total length: 115mm | 6 Pcs/Box



斜口钳MTC-21
Flat nose plier MTC-21

型号: T.SP.QMTC21
切割能力: 铜软线1.8mm
总长度: 125mm | 6把/盒

Model: T.SP.QMTC21
Features: 1.8mm in plastic water outlet and soft copper wire
Total length: 125mm | 6 Pcs/Box



斜口钳MTC-22
Flat nose plier MTC-22

型号: T.SP.QMTC2D
切割能力: 铜软线2.0mm
总长度: 150mm | 6把/盒

Model: T.SP.QMTC2D
Features: 2.0mm in plastic water outlet and soft copper wire
Total length: 150mm | 6 Pcs/Box



鹿牌尖嘴钳
ANTILOPE lat nose plier

型号: T.SP.QLP001
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 75g/把 | 20把/盒

Model: T.SP.QLP001
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 75g/Pcs | 20 Pcs/Box



鹿牌圆嘴钳
ANTILOPE round nose plier

型号: T.SP.QLP002
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 80g/把 | 20把/盒

Model: T.SP.QLP002
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 80g/Pcs | 20 Pcs/Box



鹿牌平嘴钳
ANTILOPE flat nose pliers

型号: T.SP.QLP003
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 80g/把 | 20把/盒

Model: T.SP.QLP003
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 80g/Pcs | 20 Pcs/Box



箭牌尖嘴钳
Wrigley pointed nose pliers

型号: T.SP.QJP001
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SP.QJP001
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



箭牌圆嘴钳
Wrigley round nose pliers

型号: T.SP.QJP003
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SP.QJP003
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



箭牌平嘴钳
Wrigley flat nose pliers

型号: T.SP.QJP002
特点: 无牙, 夹持不损坏物件
总长度: 130mm | 产品重量: 75g/把 | 10把/盒

Model: T.SP.QJP002
Features: No teeth, no damage to objects during clamping
Total length: 130mm | Product weight: 75g/Pcs | 10 Pcs/Box



剪钳 Pliers



型号 Model: T.SPS166
总长度 Total length: 120mm
重量 Weight: 63g/Pcs



型号 Model: T.SPS190-14
总长度 Total length: 150mm
重量 Weight: 135g/Pcs



型号 Model: T.SPS272
总长度 Total length: 140mm
重量 Weight: 90g/Pcs



型号 Model: T.SPS281
总长度 Total length: 173mm
重量 Weight: 133g/Pcs



型号 Model: T.SPS206
总长度 Total length: 140mm
重量 Weight: 90g/Pcs



型号 Model: T.SPS192
总长度 Total length: 130mm
重量 Weight: 73g/Pcs



型号 Model: T.SPS380FF
总长度 Total length: 125mm
重量 Weight: 75g/Pcs



型号 Model: T.SPS380RF
总长度 Total length: 120mm
重量 Weight: 57g/Pcs



型号 Model: T.SPS200
总长度 Total length: 130mm
重量 Weight: 83g/Pcs



型号 Model: T.SPS208
总长度 Total length: 135mm
重量 Weight: 82g/Pcs



型号 Model: T.SPS380RR
总长度 Total length: 120mm
重量 Weight: 56g/Pcs



型号 Model: T.SPS381
总长度 Total length: 165mm
重量 Weight: 123g/Pcs



型号 Model: T.SPS209
总长度 Total length: 130mm
重量 Weight: 80g/Pcs



型号 Model: T.SPS210
总长度 Total length: 135mm
重量 Weight: 77g/Pcs



型号 Model: T.SPS382
总长度 Total length: 140mm
重量 Weight: 147g/Pcs



型号 Model: T.SPS383
总长度 Total length: 150mm
重量 Weight: 150g/Pcs



型号 Model: T.SPS545-3
总长度 Total length: 135mm
重量 Weight: 98g/Pcs



型号 Model: T.SP.281
总长度 Total length: 173mm
重量 Weight: 133g/Pcs



弹簧平钳
Spring pliers
型号 Model : T.SP.QT005-A
总长度 Total length: 150mm



弹簧平钳
Spring pliers
型号 Model : T.SP.QT005-B
总长度 Total length: 150mm



型号 Model: T.SPS196
总长度 Total length: 145mm
重量 Weight: 134g/Pcs



型号 Model: T.SP.322
总长度 Total length: 145mm
重量 Weight: 138g/Pcs



型号 Model: T.SPS380RR
总长度 Total length: 120mm
重量 Weight: 56g/Pcs



型号 Model: T.SP.QT052
总长度 Total length: 150mm
重量 Weight: 110g/Pcs



韩国SB206剪钳
Korea SB 206 piler
型号 Model : T.SP.QSB206
总长度 Total length: 160mm



韩国SB203剪钳（尾部平）
Korea SB 203 piler with flat end
型号 Model : T.SP.QSB203-1
总长度 Total length: 195mm




韩国SB203剪钳（尾部圆）
Korea SB 203 piler with round end
型号 Model : T.SP.QSB203-2
总长度 Total length: 195mm



气动剪钳HS-35P
Side sprue cutter
型号 Model: T.SP.QT028



气动剪钳H-30T
Side sprue cutter
型号 Model: T.SP.QT059



切割能力Cutting ability
铁线2.8mm, 铜线3.3mm
2.8mm iron wire, 3.3mm copper wire

气动剪钳刀头
Side sprue cutter
型号 Model: T.SP.QT029

进口电动剪钳
Import electric shear



T.SP.OMU16



T.SP.OMU22



T.SP.OTP50



T.SP.OTP70



T.SP.TP110

| 代码 Model | T.SP.OMU16 | T.SP.OMU22 | T.SP.OTP50 | T.SP.OTP70 | T.SP.TP110 |
|----------------------|-------------------------------------|------------------------------|---------------|---------------|---------------|
| 切割最大 Cut max | Φ16mm | Φ22mm R=70kg/mm ² | 50x17mm | 70x15mm | 110x10mm |
| 电源 Power supply | 230V/50Hz 120V/60Hz(a richiesta) | 230V/50Hz | 230V/50Hz | 230V/50Hz | 230V/50Hz |
| 瓦 Watt | 1100W | 1150W | 1150W | 1150W | 1150W |
| 转速 Rpm | 10.000/min. | 10.000/min. | 14.000/min. | 14.000/min. | 14.000/min. |
| 液压压力 Hydraulic Rower | 14 ton | 22 ton | 30 ton | 30 ton | 30 ton |
| 压力 Pressure | 560 bar | 700 bar | 700 bar | 700 bar | 700 bar |
| 尺寸 Dimensions | 520x120x130mm | 450x140x235mm | 500x140x250mm | 550x150x250mm | 570x250x250mm |
| 重量 Weight | 9.1kg | 13kg | 22kg | 27kg | 40kg |




卓弓
Sam bow
T.RC.ZG001



活动卓弓
Adjustable sam bow
T.RC.ZG002



瑞士鱼牌锯条
Switzerland GLARDON VALLORBE saw blades




双剑卓条
Double ended file



德国双剑卓条
Germany double ended file

| 代码 Model | 规格 specification | 代码 Model | 规格 specification | 代码 Model | 规格 specification |
|------------|------------------|------------|------------------|------------|------------------|
| T.SB.Z0001 | 2/0 | T.SB.Z0016 | 2/0 | T.SB.Z0031 | 0# |
| T.SB.Z0002 | 3/0 | T.SB.Z0017 | 3/0 | T.SB.Z0032 | 1# |
| T.SB.Z0003 | 4/0 | T.SB.Z0018 | 4/0 | T.SB.Z0033 | 2# |
| T.SB.Z0004 | 5/0 | T.SB.Z0019 | 5/0 | T.SB.Z0034 | 3# |
| T.SB.Z0005 | 6/0 | T.SB.Z0020 | 6/0 | T.SB.Z0035 | 4# |
| T.SB.Z0006 | 7/0 | T.SB.Z0021 | 7/0 | T.SB.Z0036 | 5# |
| T.SB.Z0007 | 8/0 | T.SB.Z0022 | 8/0 | T.SB.Z0037 | 6# |
| T.SB.Z0008 | 0# | T.SB.Z0023 | 0# | T.SB.Z0038 | 8# |
| T.SB.Z0009 | 1# | T.SB.Z0024 | 1# | T.SB.Z0039 | 2/0 |
| T.SB.Z0010 | 2# | T.SB.Z0025 | 2# | T.SB.Z0040 | 3/0 |
| T.SB.Z0011 | 3# | T.SB.Z0026 | 3# | T.SB.Z0041 | 4/0 |
| T.SB.Z0012 | 4# | T.SB.Z0027 | 4# | T.SB.Z0042 | 5/0 |
| T.SB.Z0013 | 5# | T.SB.Z0028 | 5# | T.SB.Z0043 | 6/0 |
| | | T.SB.Z0029 | 6# | T.SB.Z0044 | 7/0 |
| | | T.SB.Z0030 | 8# | T.SB.Z0045 | 8/0 |



- 卓条齿非常均衡，不会有断断续续的齿。
- 卓条非常有弹性不易断，可以任意方向折。
- Saw blades are made evenly on double-end saw.
- It saw have good flexibility, you can fold it without break.



▲锯条 Saw blades

扁锉
Flat file

| 代码 Model | 名称 Designation | 尺寸 Size | 包装 Package |
|-----------------|-------------------------------|------------|---------------|
| T.SB.Y0006-F-4 | 粗齿扁锉 Flat bastard file | 4" | 10Pcs/Box |
| T.SB.Y0006-F-6 | 粗齿扁锉 Flat bastard file | 6" | 10Pcs/Box |
| T.SB.Y0006-F-8 | 粗齿扁锉 Flat bastard file | 8" | 10Pcs/Box |
| T.SB.Y0006-F-10 | 粗齿扁锉 Flat bastard file | 10" | 10Pcs/Box |
| T.SB.Y0006-F-12 | 粗齿扁锉 Flat bastard file | 12" | 5Pcs/Box |
| T.SB.Y0006-F-14 | 粗齿扁锉 Flat bastard file | 14" | 5Pcs/Box |
| T.SB.Y0006-M-4 | 中齿扁锉 Medium toothed flat file | 4" | 10Pcs/Box |
| T.SB.Y0006-M-6 | 中齿扁锉 Medium toothed flat file | 6" | 10Pcs/Box |
| T.SB.Y0006-M-8 | 中齿扁锉 Medium toothed flat file | 8" | 10Pcs/Box |
| T.SB.Y0006-M-10 | 中齿扁锉 Medium toothed flat file | 10" | 10Pcs/Box |
| T.SB.Y0006-M-12 | 中齿扁锉 Medium toothed flat file | 12" | 5Pcs/Box |
| T.SB.Y0006-M-14 | 中齿扁锉 Medium toothed flat file | 14" | 5Pcs/Box |
| T.SB.Y0006-S-6 | 细齿扁锉 Fine toothed flat file | 6" | 10Pcs/Box |
| T.SB.Y0006-S-8 | 细齿扁锉 Fine toothed flat file | 8" | 10Pcs/Box |
| T.SB.Y0006-S-10 | 细齿扁锉 Fine toothed flat file | 10" | 10Pcs/Box |
| T.SB.Y0006-S-12 | 细齿扁锉 Fine toothed flat file | 12" | 5Pcs/Box |

半圆锉
Half circle file

| 代码 Model | 名称 Designation | 尺寸 Size | 包装 Package |
|-----------------|---|------------|---------------|
| T.SB.Y0005-F-6 | 粗齿半圆锉 Coarse toothed semi-circular file | 6" | 10Pcs/Box |
| T.SB.Y0005-F-8 | 粗齿半圆锉 Coarse toothed semi-circular file | 8" | 10Pcs/Box |
| T.SB.Y0005-F-10 | 粗齿半圆锉 Coarse toothed semi-circular file | 10" | 10Pcs/Box |
| T.SB.Y0005-F-12 | 粗齿半圆锉 Coarse toothed semi-circular file | 12" | 5Pcs/Box |
| T.SB.Y0005-F-14 | 粗齿半圆锉 Coarse toothed semi-circular file | 14" | 5Pcs/Box |
| T.SB.Y0005-M-4 | 中齿半圆锉 Mid toothed semi-circular file | 4" | 10Pcs/Box |
| T.SB.Y0005-M-6 | 中齿半圆锉 Mid toothed semi-circular file | 6" | 10Pcs/Box |
| T.SB.Y0005-M-8 | 中齿半圆锉 Mid toothed semi-circular file | 8" | 10Pcs/Box |
| T.SB.Y0005-M-10 | 中齿半圆锉 Mid toothed semi-circular file | 10" | 10Pcs/Box |
| T.SB.Y0005-M-12 | 中齿半圆锉 Mid toothed semi-circular file | 12" | 5Pcs/Box |
| T.SB.Y0005-M-14 | 中齿半圆锉 Mid toothed semi-circular file | 14" | 5Pcs/Box |
| T.SB.Y0005-S-6 | 细齿半圆锉 Fine toothed semi-circular file | 6" | 10Pcs/Box |
| T.SB.Y0005-S-8 | 细齿半圆锉 Fine toothed semi-circular file | 8" | 10Pcs/Box |
| T.SB.Y0005-S-10 | 细齿半圆锉 Fine toothed semi-circular file | 10" | 10Pcs/Box |
| T.SB.Y0005-S-12 | 细齿半圆锉 Fine toothed semi-circular file | 12" | 5Pcs/Box |

方锉
Square file

| 代码 Model | 名称 Designation | 尺寸 Size | 包装 Package |
|-----------------|---------------------------------|------------|---------------|
| T.SB.Y0001-F-6 | 粗齿方锉 Coarse toothed square file | 6" | 10Pcs/Box |
| T.SB.Y0001-F-8 | 粗齿方锉 Coarse toothed square file | 8" | 10Pcs/Box |
| T.SB.Y0001-F-10 | 粗齿方锉 Coarse toothed square file | 10" | 10Pcs/Box |
| T.SB.Y0001-F-12 | 粗齿方锉 Coarse toothed square file | 12" | 5Pcs/Box |
| T.SB.Y0001-M-6 | 中齿方锉 Medium toothed square file | 6" | 10Pcs/Box |
| T.SB.Y0001-M-8 | 中齿方锉 Medium toothed square file | 8" | 10Pcs/Box |
| T.SB.Y0001-M-10 | 中齿方锉 Medium toothed square file | 10" | 10Pcs/Box |
| T.SB.Y0001-M-12 | 中齿方锉 Medium toothed square file | 12" | 5Pcs/Box |

三角锉
Triangle file

| 代码 Model | 名称 Designation | 尺寸 Size | 包装 Package |
|-----------------|--------------------------------------|------------|---------------|
| T.SB.Y0004-F-6 | 粗齿三角锉 Rough toothed triangular file | 6" | 10Pcs/Box |
| T.SB.Y0004-F-8 | 粗齿三角锉 Rough toothed triangular file | 8" | 10Pcs/Box |
| T.SB.Y0004-F-10 | 粗齿三角锉 Rough toothed triangular file | 10" | 10Pcs/Box |
| T.SB.Y0004-F-12 | 粗齿三角锉 Rough toothed triangular file | 12" | 5Pcs/Box |
| T.SB.Y0004-M-4 | 中齿三角锉 Medium toothed triangular file | 4" | 10Pcs/Box |
| T.SB.Y0004-M-5 | 中齿三角锉 Medium toothed triangular file | 5" | 10Pcs/Box |
| T.SB.Y0004-M-6 | 中齿三角锉 Medium toothed triangular file | 6" | 10Pcs/Box |
| T.SB.Y0004-M-8 | 中齿三角锉 Medium toothed triangular file | 8" | 10Pcs/Box |
| T.SB.Y0004-M-10 | 中齿三角锉 Medium toothed triangular file | 10" | 10Pcs/Box |
| T.SB.Y0004-M-12 | 中齿三角锉 Medium toothed triangular file | 12" | 5Pcs/Box |

圆锉
Round file

| 代码 Model | 名称 Designation | 尺寸 Size | 包装 Package |
|-----------------|--------------------------------|------------|---------------|
| T.SB.Y0003-F-6 | 粗齿圆锉 Coarse toothed round file | 6" | 10Pcs/Box |
| T.SB.Y0003-F-8 | 粗齿圆锉 Coarse toothed round file | 8" | 10Pcs/Box |
| T.SB.Y0003-F-10 | 粗齿圆锉 Coarse toothed round file | 10" | 10Pcs/Box |
| T.SB.Y0003-F-12 | 粗齿圆锉 Coarse toothed round file | 12" | 5Pcs/Box |
| T.SB.Y0003-M-4 | 中齿圆锉 Medium toothed round file | 4" | 10Pcs/Box |
| T.SB.Y0003-M-6 | 中齿圆锉 Medium toothed round file | 6" | 10Pcs/Box |
| T.SB.Y0003-M-8 | 中齿圆锉 Medium toothed round file | 8" | 10Pcs/Box |
| T.SB.Y0003-M-10 | 中齿圆锉 Medium toothed round file | 10" | 10Pcs/Box |
| T.SB.Y0003-M-12 | 中齿圆锉 Medium toothed round file | 12" | 5Pcs/Box |
| T.SB.Y0003-M-14 | 中齿圆锉 Medium toothed round file | 14" | 5Pcs/Box |

带柄扁锉
Flat file with handle

| 代码 Model | 规格 Specifications | 尺寸 Size |
|---------------|---------------------------------------|------------|
| T.SB.Y0007-6 | 粗齿 Coarse toothed / 中齿 Medium toothed | 6" |
| T.SB.Y0007-8 | 粗齿 Coarse toothed / 中齿 Medium toothed | 8" |
| T.SB.Y0007-10 | 粗齿 Coarse toothed / 中齿 Medium toothed | 10" |
| T.SB.Y0007-12 | 粗齿 Coarse toothed / 中齿 Medium toothed | 12" |

带柄半圆锉
Half circle file with handle

| 代码 Model | 规格 Specifications | 尺寸 Size |
|---------------|---------------------------------------|------------|
| T.SB.Y0008-6 | 粗齿 Coarse toothed / 中齿 Medium toothed | 6" |
| T.SB.Y0008-8 | 粗齿 Coarse toothed / 中齿 Medium toothed | 8" |
| T.SB.Y0008-10 | 粗齿 Coarse toothed / 中齿 Medium toothed | 10" |
| T.SB.Y0008-12 | 粗齿 Coarse toothed / 中齿 Medium toothed | 12" |



带柄三角锉
Triangle file with handle

| 代码 Model | 规格 Specifications | 尺寸 Size |
|---------------|---------------------------------------|------------|
| T.SB.Y0009-6 | 粗齿 Coarse toothed / 中齿 Medium toothed | 6" |
| T.SB.Y0009-8 | 粗齿 Coarse toothed / 中齿 Medium toothed | 8" |
| T.SB.Y0009-10 | 粗齿 Coarse toothed / 中齿 Medium toothed | 10" |
| T.SB.Y0009-12 | 粗齿 Coarse toothed / 中齿 Medium toothed | 12" |



带柄圆锉
Round file with handle

| 代码 Model | 规格 Specifications | 尺寸 Size |
|---------------|---------------------------------------|------------|
| T.SB.Y0010-6 | 粗齿 Coarse toothed / 中齿 Medium toothed | 6" |
| T.SB.Y0010-8 | 粗齿 Coarse toothed / 中齿 Medium toothed | 8" |
| T.SB.Y0010-10 | 粗齿 Coarse toothed / 中齿 Medium toothed | 10" |
| T.SB.Y0010-12 | 粗齿 Coarse toothed / 中齿 Medium toothed | 12" |



带柄方锉
Square file with handle

| 代码 Model | 规格 Specifications | 尺寸 Size |
|---------------|---------------------------------------|------------|
| T.SB.Y0011-6 | 粗齿 Coarse toothed / 中齿 Medium toothed | 6" |
| T.SB.Y0011-8 | 粗齿 Coarse toothed / 中齿 Medium toothed | 8" |
| T.SB.Y0011-11 | 粗齿 Coarse toothed / 中齿 Medium toothed | 10" |
| T.SB.Y0011-12 | 粗齿 Coarse toothed / 中齿 Medium toothed | 12" |



黑柄套装锉

Black handle file set
T.SB.00169-16
Φ3×L140mm




黑柄套装锉

Black handle file set
T.SB.00169-17
Φ4×L160mm




黑柄套装锉

Black handle file set
T.SB.00169-18
Φ5×L180mm



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

| 代码 Model | 名称 Designation | L | W | Φ1 | 厚度 Thickness | 重量 Size | 包装 Package |
|---------------|------------------------------|-------|-------|------|-----------------|------------|---------------|
| T.SB.00169-7 | 扁锉 Flat file | 140mm | 6.2mm | Φ3mm | 1.42mm | 102g | 10 Pcs/Set |
| T.SB.00169-8 | 半圆锉 Half circle file | 140mm | 5.4mm | Φ3mm | 1.9mm | 97g | 10 Pcs/Set |
| T.SB.00169-9 | 圆锉 Round file | 140mm | 3.1mm | Φ3mm | 3.1mm | 98g | 10 Pcs/Set |
| T.SB.00169-10 | 三角锉 Triangle file | 140mm | 3.5mm | Φ3mm | 3.4mm | 97g | 10 Pcs/Set |
| T.SB.00169-11 | 方锉 Square file | 140mm | 2.7mm | Φ3mm | 2.7mm | 88g | 10 Pcs/Set |
| T.SB.00169-12 | 半圆锉 Half circle file | 140mm | 5mm | Φ3mm | 2mm | - | 10 Pcs/Set |
| T.SB.00169-13 | 尖扁挫 Flat pointed file | 140mm | 5.9mm | Φ3mm | 1.4mm | - | 10 Pcs/Set |
| T.SB.00169-14 | 刀挫 Knife file | 140mm | 5.2mm | Φ3mm | 2.9mm | - | 10 Pcs/Set |
| T.SB.00169-15 | 椭圆形锉 Elliptical file | 140mm | 3.3mm | Φ3mm | 2.8mm | - | 10 Pcs/Set |
| T.SB.00169-16 | 椭圆形锉 Elliptical file | 140mm | 5.1mm | Φ3mm | 2.2 | - | 10 Pcs/Set |
| T.SB.00169-17 | 光三角锉 Optical triangular file | 140mm | 5.1mm | Φ3mm | 2.2mm | - | 10 Pcs/Set |



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

| 代码 Model | 名称 Designation | L | W | Φ1 | 厚度 Thickness | 重量 Size | 包装 Package |
|---------------|--------------------------------|-------|-------|------|-----------------|------------|---------------|
| T.SB.00169-18 | 扁锉 Flat file | 160mm | 7.5mm | Φ4mm | 2.2mm | 180g | 10 Pcs/Set |
| T.SB.00169-19 | 半圆锉 Half circle file | 160mm | 7.5mm | Φ4mm | 2.2mm | 180g | 10 Pcs/Set |
| T.SB.00169-20 | 圆锉 Round file | 160mm | 3.9mm | Φ4mm | 3.9mm | 182g | 10 Pcs/Set |
| T.SB.00169-21 | 三角锉 Triangle file | 160mm | 4.9mm | Φ4mm | 4.8mm | 181g | 10 Pcs/Set |
| T.SB.00169-22 | 方锉 Square file | 160mm | 3.6mm | Φ4mm | 3.6mm | 167g | 10 Pcs/Set |
| T.SB.00169-23 | 双半圆锉 Double semi-circular file | 160mm | 6.4mm | Φ4mm | 2.9mm | - | 10 Pcs/Set |
| T.SB.00169-24 | 尖扁挫 Flat pointed file | 160mm | 7.7mm | Φ4mm | 1.9mm | - | 10 Pcs/Set |
| T.SB.00169-25 | 刀挫 Knife file | 160mm | 7.2mm | Φ4mm | 2.4mm | - | 10 Pcs/Set |
| T.SB.00169-26 | 椭圆形锉 Elliptical file | 160mm | 4.3mm | Φ4mm | 2.9mm | - | 10 Pcs/Set |
| T.SB.00169-27 | 光三角锉 Optical triangular file | 160mm | 6.9mm | Φ4mm | 2.9mm | - | 10 Pcs/Set |



红柄套装锉(粗齿)
Red handle set file (Coarse teeth)

| 代码 Model | 名称 Designation | L | W | Φ1 | 厚度 Thickness | 重量 Size | 包装 Package |
|---------------|--------------------------------|-------|-------|------|-----------------|------------|---------------|
| T.SB.00169-28 | 扁挫 Flat file | 180mm | 9.8mm | Φ5mm | 2.3mm | 319g | 10 Pcs/Set |
| T.SB.00169-29 | 半圆挫 Half circle file | 180mm | 8.6mm | Φ5mm | 3.3mm | 292g | 10 Pcs/Set |
| T.SB.00169-30 | 圆挫 Round file | 180mm | 5.1mm | Φ5mm | 5.1mm | 292g | 10 Pcs/Set |
| T.SB.00169-31 | 三角挫 Triangle file | 180mm | 6.3mm | Φ5mm | 6.2mm | 292g | 10 Pcs/Set |
| T.SB.00169-32 | 方挫 Square file | 180mm | 4.6mm | Φ5mm | 4.6mm | 278g | 10 Pcs/Set |
| T.SB.00169-33 | 双半圆挫 Double semi-circular file | 180mm | 7.9mm | Φ5mm | 3.4mm | - | 10 Pcs/Set |
| T.SB.00169-34 | 尖扁挫 Flat pointed file | 180mm | 10mm | Φ5mm | 2.3mm | - | 10 Pcs/Set |
| T.SB.00169-35 | 刀挫 Knife file | 180mm | 8.6mm | Φ5mm | 3.3mm | - | 10 Pcs/Set |
| T.SB.00169-36 | 椭圆形挫 Elliptical file | 180mm | 5.6mm | Φ5mm | 4.9mm | - | 10 Pcs/Set |
| T.SB.00169-37 | 光三角挫 Optical triangular file | 180mm | 8.6mm | Φ5mm | 3.3mm | - | 10 Pcs/Set |




红柄套装锉(小柄)
Red handle set file (Small handle)

| 代码 Model | 尺寸 Size | 重量 Weight |
|--------------|------------|--------------|
| T.SB.00169 | 3×140×10mm | 86g |
| T.SB.00169-2 | 4×160×10mm | 146g |
| T.SB.00169-3 | 5×180×10mm | 242g |



红柄套装锉(大柄)
Red handle set file (Large handle)

| 代码 Model | 尺寸 Size | 重量 Weight |
|--------------|------------|--------------|
| T.SB.00169 | 3×140×10mm | 86g |
| T.SB.00169-2 | 4×160×10mm | 146g |
| T.SB.00169-3 | 5×180×10mm | 242g |



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON BALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2401 Pilier / Pillar / Flachstumpf / Plana

| 00 | 0 | 1 | 2 | 3 | 4 | 6 | L = mm A x B = mm |
|--------------|--------------|--------------|--------------|--------------|---|---|----------------------|
| LA2401-100-0 | LA2401-100-1 | LA2401-100-2 | LA2401-100-3 | LA2401-100-4 | | | 100 3.5x0.9 |
| LA2401-140-0 | LA2401-140-1 | LA2401-140-2 | LA2401-140-3 | LA2401-140-4 | | | 140 4.8x1.1 |
| LA2401-160-0 | LA2401-160-1 | LA2401-160-2 | LA2401-160-3 | LA2401-160-4 | | | 160 5.4x1.2 |
| LA2401-180-0 | LA2401-180-1 | LA2401-180-2 | LA2401-180-3 | LA2401-180-4 | | | 180 6.0x1.3 |
| LA2401-200-0 | LA2401-200-1 | LA2401-200-2 | LA2401-200-3 | LA2401-200-4 | | | 200 6.5x1.3 |

LA2402 Mironde / Halfround / Halbrund / Mediacaña

| 00 | 0 | 1 | 2 | 3 | 4 | 6 | L = mm A x B = mm |
|--------------|--------------|--------------|--------------|--------------|---|---|----------------------|
| LA2402-100-0 | LA2402-100-1 | LA2402-100-2 | LA2402-100-3 | LA2402-100-4 | | | 100 3.8x1.1 |
| LA2402-140-0 | LA2402-140-1 | LA2402-140-2 | LA2402-140-3 | LA2402-140-4 | | | 140 5.1x1.5 |
| LA2402-160-0 | LA2402-160-1 | LA2402-160-2 | LA2402-160-3 | LA2402-160-4 | | | 160 5.6x1.7 |
| LA2402-180-0 | LA2402-180-1 | LA2402-180-2 | LA2402-180-3 | LA2402-180-4 | | | 180 5.9x2.0 |
| LA2402-200-0 | LA2402-200-1 | LA2402-200-2 | LA2402-200-3 | LA2402-200-4 | | | 200 6.3x2.0 |

LA2403 Feuille de sauge / Crossing / Vogelzunge / Almendra


| 00 | 0 | 1 | 2 | 3 | 4 | 6 | L = mm A x B = mm |
|--------------|--------------|--------------|--------------|--------------|---|---|----------------------|
| LA2403-100-0 | | LA2403-100-2 | LA2403-100-3 | LA2403-100-4 | | | 100 3.5x1.4 |
| LA2403-140-0 | LA2403-140-1 | LA2403-140-2 | LA2403-140-3 | LA2403-140-4 | | | 140 4.4x1.8 |
| LA2403-160-0 | LA2403-160-1 | LA2403-160-2 | LA2403-160-3 | LA2403-160-4 | | | 160 5.1x2.0 |
| LA2403-180-0 | LA2403-180-1 | LA2403-180-2 | LA2403-180-3 | LA2403-180-4 | | | 180 5.8x2.2 |
| LA2403-200-0 | LA2403-200-1 | LA2403-200-2 | LA2403-200-3 | LA2403-200-4 | | | 200 6.0x2.4 |

LA2405 Couteau / Knife / Messer / Cuchillo

| 00 | 0 | 1 | 2 | 3 | 4 | 6 | L = mm A x B = mm |
|--------------|--------------|--------------|--------------|--------------|---|---|----------------------|
| LA2405-100-0 | LA2405-100-1 | LA2405-100-2 | LA2405-100-3 | LA2405-100-4 | | | 100 4.0x1.1 |
| LA2405-140-0 | LA2405-140-1 | LA2405-140-2 | LA2405-140-3 | LA2405-140-4 | | | 140 5.0x1.4 |
| LA2405-160-0 | LA2405-160-1 | LA2405-160-2 | LA2405-160-3 | LA2405-160-4 | | | 160 5.4x1.5 |
| LA2405-180-0 | LA2405-180-1 | LA2405-180-2 | LA2405-180-3 | LA2405-180-4 | | | 180 6.0x1.7 |
| LA2405-200-0 | LA2405-200-1 | LA2405-200-2 | LA2405-200-3 | LA2405-200-4 | | | 200 6.4x1.8 |

LA2406 Couteau / Knife / Messer / Cuchillo

| 00 | 0 | 1 | 2 | 3 | 4 | 6 | L = mm A x B = mm |
|--------------|--------------|--------------|--------------|--------------|---|---|----------------------|
| LA2406-100-0 | | LA2406-100-2 | LA2406-100-3 | LA2406-100-4 | | | 100 3.4x0.9 |
| LA2406-140-0 | LA2406-140-1 | LA2406-140-2 | LA2406-140-3 | LA2406-140-4 | | | 140 4.8x1.1 |
| LA2406-160-0 | LA2406-160-1 | LA2406-160-2 | LA2406-160-3 | LA2406-160-4 | | | 160 5.4x1.2 |
| LA2406-180-0 | LA2406-180-1 | LA2406-180-2 | LA2406-180-3 | LA2406-180-4 | | | 180 6.0x1.2 |
| LA2406-200-0 | LA2406-200-1 | LA2406-200-2 | LA2406-200-3 | LA2406-200-4 | | | 200 6.5x1.4 |



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2407 Triangulaire / Three-square / Dreikant / Triangular



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LA2407-100-0 | LA2407-100-1 | LA2407-100-2 | LA2407-100-3 | LA2407-100-4 | | |
| LA2407-140-00 | LA2407-140-0 | LA2407-140-1 | LA2407-140-2 | LA2407-140-3 | LA2407-140-4 | LA2407-140-6 |
| LA2407-160-00 | LA2407-160-0 | LA2407-160-1 | LA2407-160-2 | LA2407-160-3 | LA2407-160-4 | LA2407-160-6 |
| LA2407-180-00 | LA2407-180-0 | LA2407-180-1 | LA2407-180-2 | LA2407-180-3 | LA2407-180-4 | |
| LA2407-200-00 | LA2407-200-0 | LA2407-200-1 | LA2407-200-2 | LA2407-200-3 | LA2407-200-4 | |

| L = mm | A = mm |
|--------|--------|
| 100 | 2.8 |
| 140 | 3.5 |
| 160 | 3.8 |
| 180 | 4.2 |
| 200 | 4.4 |

LA2408 Carrée / Square / Vierkant / Cuadrada



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LA2408-100-0 | LA2408-100-1 | LA2408-100-2 | LA2408-100-3 | LA2408-100-4 | | |
| LA2408-140-00 | LA2408-140-0 | LA2408-140-1 | LA2408-140-2 | LA2408-140-3 | LA2408-140-4 | |
| LA2408-160-00 | LA2408-160-0 | LA2408-160-1 | LA2408-160-2 | LA2408-160-3 | LA2408-160-4 | LA2408-160-6 |
| LA2408-180-00 | LA2408-180-0 | LA2408-180-1 | LA2408-180-2 | LA2408-180-3 | LA2408-180-4 | |
| LA2408-200-00 | LA2408-200-0 | LA2408-200-1 | LA2408-200-2 | LA2408-200-3 | LA2408-200-4 | |

| L = mm | A = mm |
|--------|--------|
| 100 | 1.7 |
| 140 | 2.2 |
| 160 | 2.4 |
| 180 | 2.6 |
| 200 | 2.8 |

LA2409 Ovale / Oval / Oval / Oval



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|--------------|---|---|---|---|---|---|
| LA2409-140-1 | | | | | | |

| L = mm | A x B = mm |
|--------|------------|
| 140 | 3.5x2.4 |
| 160 | 3.9x2.5 |

LA2410 Ronde / Round / Rund / Redonda



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LA2410-100-0 | LA2410-100-1 | LA2410-100-2 | LA2410-100-3 | LA2410-100-4 | | |
| LA2410-140-00 | LA2410-140-0 | LA2410-140-1 | LA2410-140-2 | LA2410-140-3 | LA2410-140-4 | LA2410-140-6 |
| LA2410-160-00 | LA2410-160-0 | LA2410-160-1 | LA2410-160-2 | LA2410-160-3 | LA2410-160-4 | LA2410-160-6 |
| LA2410-180-00 | LA2410-180-0 | LA2410-180-1 | LA2410-180-2 | LA2410-180-3 | LA2410-180-4 | |
| LA2410-200-00 | LA2410-200-0 | LA2410-200-1 | LA2410-200-2 | LA2410-200-3 | LA2410-200-4 | |


| L = mm | A = mm |
|--------|--------|
| 100 | 2.1 |
| 140 | 2.8 |
| 160 | 2.9 |
| 180 | 3.2 |
| 200 | 3.5 |

LA2411 Barrette / Barrette / Barett / Barrete



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| LA2411-100-0 | LA2411-100-2 | LA2411-100-3 | LA2411-100-4 | | | |
| LA2411-140-00 | LA2411-140-0 | LA2411-140-1 | LA2411-140-2 | LA2411-140-3 | LA2411-140-4 | LA2411-140-6 |
| LA2411-160-00 | LA2411-160-0 | LA2411-160-1 | LA2411-160-2 | LA2411-160-3 | LA2411-160-4 | LA2411-160-6 |
| LA2411-180-00 | LA2411-180-0 | LA2411-180-1 | LA2411-180-2 | LA2411-180-3 | LA2411-180-4 | |
| LA2411-200-11 | LA2411-200-0 | LA2411-200-1 | LA2411-200-2 | LA2411-200-3 | LA2411-200-4 | |

| L = mm | A x B = mm |
|--------|------------|
| 100 | 3.7x1.4 |
| 140 | 4.7x1.7 |
| 160 | 5.1x1.8 |
| 180 | 5.4x2.0 |
| 200 | 5.8x2.2 |



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注: 瑞士原装进口鱼牌锉规格齐全,
无法一一展示, 详情欢迎来电咨询!)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LA2415 Crochet / Crochet / Flachspitz mit runden Kanten / Gancho




| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|--------------|--------------|--------------|--------------|--------------|--------------|---|
| LA2415-140-0 | LA2415-140-1 | LA2415-140-2 | LA2415-140-3 | LA2415-140-4 | | |
| LA2415-160-0 | LA2415-160-1 | LA2415-160-2 | LA2415-160-3 | LA2415-160-4 | LA2415-160-6 | |

| L = mm | A x B = mm |
|--------|------------|
| 140 | 4.8x1.2 |
| 160 | 5.4x1.3 |

LA2416 Pilier bords ronds / Pillar round edges / Flachstumpf mit runden Kanten /



| 00 | 0 | 1 | 2 | 3 | 4 | 6 |
|-----------|---|---|---|---|---|---|
| LA2416-14 | | | | | | |




瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注：瑞士原装进口鱼牌锉规格齐全，
无法一一展示，详情欢迎来电咨询！)
(Note: Switzerland GLARDON BALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)




LE3001 Aux verges / Dovetail / Für Spindeln / Para husillos



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|---|-------------|---|-------------|---|---|----|--------|------------|
| | LE3001-35-2 | | LE3001-35-4 | | LE3001-35-6 | | | | 35 | 3x1 |
| | | | | | | | | | | |
| | | | | | | | | | | |

LE3004 Couteau pointu / Knife pointed / Messer spitz / Cuchillo punta



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|-------------|---|-------------|-------------|-------------|-------------|----|--------|------------|
| | LE3004-55-0 | LE3004-55-2 | | LE3004-55-4 | LE3004-55-5 | LE3004-55-6 | LE3004-55-8 | | 55 | 5x1.3 |
| | | | | | | | | | | |
| | | | | | | | | | | |

LE3007 Barrette 3 cotés taillés / Barrette 3 sides cut / Barett 3 Seiten gehauen /



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|---|-------------|---|-------------|---|---|----|--------|------------|
| | LE3007-55-2 | | LE3007-55-4 | | LE3007-55-6 | | | | 55 | 4.5x1.3 |
| | | | | | | | | | | |
| | | | | | | | | | | |

LE3008 Mironde / Halfround / Halbrund / Mediacaña



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----|--------|------------|
| | LE3008-40-0 | LE3008-40-2 | LE3008-40-3 | LE3008-40-4 | LE3008-40-5 | LE3008-40-6 | LE3008-40-8 | | 40 | 3.8x1.4 |
| | | | | | | | | | 55 | 4.6x1.6 |
| | | | | | | | | | | |

LE3009 Feuille de sauge / Crossing / Vogelzunge / Almendra



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|---|-------------|---|-------------|-------------|---|----|--------|------------|
| | LE3009-40-2 | | LE3009-40-4 | | LE3009-40-6 | LE3009-40-8 | | | 40 | 3.7x1.4 |
| | | | | | | | | | 55 | 4.6x1.6 |
| | | | | | | | | | | |

LE3010 Barrette / Barrette / Barrett / Barrete




| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|-------------|-------------|-------------|---|-------------|-------------|----|--------|------------|
| | LE3010-40-0 | LE3010-40-2 | LE3010-40-3 | LE3010-40-4 | | LE3010-40-6 | LE3010-40-8 | | 40 | 3.7x1.3 |
| | | | | | | | | | 55 | 4.5x1.3 |
| | | | | | | | | | | |

LE3011 Barrette parallèle / Barrette parallel / Barett parallel / Barrete paralela



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|---|-------------|---|-------------|---|---|----|--------|------------|
| | LE3011-48-2 | | LE3011-48-4 | | LE3011-48-6 | | | | 48 | 4.1x1.2 |
| | | | | | | | | | | |
| | | | | | | | | | | |



瑞士鱼牌锉
Switzerland GLARDON VALLORBE file

(注：瑞士原装进口鱼牌锉规格齐全，
无法一一展示，详情欢迎来电咨询！)
(Note: Switzerland GLARDON BALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)



LE3014 Triangulaire / Three-square / Dreikant / Triangular



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A = mm |
|--|-------------|---|-------------|---|-------------|---|---|----|--------|--------|
| | LE3014-40-2 | | LE3014-40-4 | | LE3014-40-6 | | | | 40 | 2.8 |
| | | | | | | | | | 55 | 3.4 |
| | | | | | | | | | | |

LE3015 Entrée de fourchette / Watch anchor / Ankergabelfeile / Para horquillas de ancora



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|---|-------------|---|---|---|---|----|--------|------------|
| | LE3015-55-6 | | LE3015-55-8 | | | | | | 55 | 4.4x0.8 |
| | | | | | | | | | | |
| | | | | | | | | | | |

LE3016 Entrée / Warding / Flachspitz / Plana de punta



| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A x B = mm |
|--|-------------|-------------|---|-------------|---|-------------|---|----|--------|------------|
| | LE3016-55-0 | LE3016-55-2 | | LE3016-55-4 | | LE3016-55-6 | | | 55 | 4.6x0.9 |
| | | | | | | | | | | |
| | | | | | | | | | | |


LE3020 Carrée / Square / Vierkant / Cuadrada




| | 0 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | L = mm | A = mm |
|--|-------------|-------------|-------------|-------------|----|---|---|----|--------|--------|
| | LE3020-55-0 | LE3020-55-2 | LE3020-55-3 | LE3020-55-4 | LE | | | | | |

**LP1060 Barrette / Barrette / Baret / Barrete**


| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|-------------|------------|------------|------------|------------|------------|---|---|----------|------------|
| | LP1060-4-00 | LP1060-4-0 | LP1060-4-1 | LP1060-4-2 | LP1060-4-3 | LP1060-4-4 | | | 4/100 | 12.4x2.6 |
| | LP1060-6-00 | LP1060-6-0 | LP1060-6-1 | LP1060-6-2 | LP1060-6-3 | LP1060-6-4 | | | 6/150 | 15.5x3.5 |

LP1132 Pilier ordinaire / Pillar / Stiften normal / Plana paralela normal


| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|-------------|------------|------------|------------|------------|------------|---|---|----------|------------|
| | LP1132-6-00 | LP1132-6-0 | LP1132-6-1 | LP1132-6-2 | LP1132-6-3 | LP1132-6-4 | | | 6/150 | 12x4 |
| | LP1132-8-0 | | LP1132-8-2 | | LP1132-8-4 | | | | 8/200 | 14.5x4.5 |

LP1138 Pilier mince / Pillar thin / Stiften dünn / Plana paralela delgada


| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|-------------|------------|------------|------------|---|------------|---|---|----------|------------|
| | LP1138-6-00 | LP1138-6-0 | LP1138-6-1 | LP1138-6-2 | | LP1138-6-4 | | | 6/150 | 10.5x2.4 |

LP1152 Pilier très étroit / Pillar extra slim / Stiften sehr Schmall / Plan paralela muy estrecha

| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|-------------|------------|------------|------------|------------|------------|---|------------|----------|------------|
| | LP1152-6-00 | LP1152-6-0 | LP1152-6-1 | LP1152-6-2 | LP1152-6-3 | LP1152-6-4 | | LP1152-6-6 | 6/150 | 4.5x2.5 |

LP1163 Carrelette / Hand / Ansatz - Flachstumpf / Carleta


| B | 000 | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|---------------|--------------|-------------|-------------|-------------|-------------|-------------|------------|------------|----------|------------|
| | LP1163-4-00 | LP1163-4-0 | LP1163-4-1 | LP1163-4-2 | LP1163-4-3 | LP1163-4-4 | LP1163-4-5 | LP1163-4-6 | | 4/100 | 12.5x3.0 |
| | LP1163-6-000 | LP1163-6-00 | LP1163-6-0 | LP1163-6-1 | LP1163-6-2 | LP1163-6-3 | LP1163-6-4 | LP1163-6-5 | LP1163-6-6 | 6/150 | 18.5x4.0 |
| | LP1163-8-000 | LP1163-8-00 | LP1163-8-0 | LP1163-8-1 | LP1163-8-2 | LP1163-8-3 | LP1163-8-4 | | LP1163-8-6 | 8/200 | 21.3x4.8 |
| | LP1163-10-000 | LP1163-10-00 | LP1163-10-0 | LP1163-10-1 | LP1163-10-2 | LP1163-10-3 | LP1163-10-4 | | | 10/250 | 25.3x6.3 |

LP1168 Carrelette mince / Thin hand / Ansatz - Flachstumpf dünn / Carleta delgada

| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|-------------|------------|------------|------------|---|------------|---|---|----------|------------|
| | LP1168-6-00 | LP1168-6-0 | LP1168-6-1 | LP1168-6-2 | | LP1168-6-4 | | | 6/150 | 16.5x2 |

LP1170 Triangulaire / Three-square / Dreikant / Triangular

| B | 0,3 | 0,4 | 0,5 | 0,6 | 1,3 | | | | L = "/mm | A = mm |
|---|----------------|----------------|----------------|----------------|----------------|--|--|--|----------|--------|
| | LP1170-4-2-0,3 | LP1170-4-2-0,4 | LP1170-4-2-0,5 | LP1170-4-2-0,6 | LP1170-4-2-1,3 | | | | 4/100 | 10 |

**LP1360 Triangulaire / Three-square / Dreikant / Triangular**

| B | 000 | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|--------------|-------------|------------|------------|------------|------------|------------|------------|------------|----------|--------|
| | LP1360-8-000 | LP1360-8-00 | LP1360-8-0 | LP1360-8-1 | LP1360-8-2 | LP1360-8-3 | LP1360-8-4 | | LP1360-8-6 | 6/150 | 10.3 |
| | LP1360-8-000 | LP1360-8-00 | LP1360-8-0 | LP1360-8-1 | LP1360-8-2 | LP1360-8-3 | LP1360-8-4 | LP1360-8-5 | LP1360-8-6 | 8/200 | 14.2 |

LP1366 Triangulaire effilée / Three square narrow / Dreikant schmal /Triangular delgada

| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|--------------|-------------|------------|------------|---|------------|---|---|----------|--------|
| | LP1366-6-000 | LP1366-6-00 | LP1366-6-0 | LP1366-6-1 | | LP1366-6-3 | | | 6/150 | 8.3 |


LP1464 Carrée pointue / Square pointed / Vierkant spitz / Cuadrada aguda

| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|----|---|------------|------------|------------|------------|---|---|----------|--------|
| | | | LP1464-6-1 | LP1464-6-2 | LP1464-6-3 | LP1464-6-4 | | | 6/150 | 5.5 |

LP1480 Carrée à étirer / Square seconds hole / Vierkantfeile f. Zapfenlöcher /Cuadrada para aguja segundero

| B | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|----|---|------------|---|---|---|---|---|----------|--------|
| | | | LP1480-2-2 | | | | | | 2/50 | 1 |

LP1540 Mironde double / Vul-Crylic file / Halbrund doppelt / Mediacaña doble


LP1567 Mironde très effilée / Halfround extra narrow / Halbrund sehr schlank / Mediacaña muy fina

| B | A | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|---|------------|---|------------|---|------------|---|---|---|----------|------------|
| | | LP1567-6-0 | | LP1567-6-2 | | LP1567-6-4 | | | | 6/150 | 9.8x2.8 |
| | | | | | | | | | | | |

LP1660 Ronde ordinaire pointue / Round pointed / Rund normal spitz / Redonda normal aguda

| A | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|------------|------------|------------|------------|---|------------|---|---|----------|--------|
| | LP1660-6-1 | LP1660-6-2 | LP1660-6-3 | LP1660-6-4 | | LP1660-6-6 | | | 6/150 | 5.8 |
| | LP1660-8-1 | LP1660-8-2 | LP1660-8-3 | LP1660-8-4 | | | | | 8/200 | 7.8 |

LP1680 Ronde à étirer / Round seconds hole / Rund f. Zapfenlöcher / Redonda para aguja segundero

| A | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A = mm |
|---|----|--------------|------------|---|---|---|---|---|----------|--------|
| | | LP1680-1,5-2 | | | | | | | 1.5/38 | 1 |
| | | | LP1680-2-4 | | | | | | 2/50 | 1 |

LP1840 A fendre à queue / Screwhead with tang / Einstreichfeile mit Angel / Lima de ranurar con espiga

| B | A | 00 = 1 | 1 = 0.8 | 2 = 0.7 | 3 = 0.6 | 4 = 0.55 | L = "/mm | A x B = mm |
|---|---|-------------|------------|------------|------------|------------|----------|------------|
| | | LP1840-4-00 | LP1840-4-0 | LP1840-4-2 | LP1840-4-3 | LP1840-4-4 | 4/100 | 11x0.5 |

LP1850 A fendre sans queue / Screwhead without tang / Einstreichfeile ohne Angel / Lima de ranurar sin espiga

| B | A | 2 = 0.70 | 4 = 0.55 | 5 = 0.5 | 6 = 0.45 | 8 = 0.35 | L = "/mm | A x B = mm |
|---|---|------------|------------|------------|------------|------------|----------|------------|
| | | LP1850-3-2 | LP1850-3-4 | LP1850-3-5 | LP1850-3-6 | LP1850-3-8 | 3/75 | 9x0.5 |

LP1960 Feuille de sauge / Crossing / Vogelzunge / Almendra

| B | A | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|---|-------------|------------|------------|------------|------------|------------|---|---|----------|------------|
| | | LP1960-6-00 | LP1960-6-0 | LP1960-6-1 | LP1960-6-2 | LP1960-6-3 | LP1960-6-4 | | | 6/150 | 14.8x5 |
| | | LP1960-8-00 | LP1960-8-0 | LP1960-8-1 | LP1960-8-2 | LP1960-8-3 | LP1960-8-4 | | | 8/200 | 21.3x6.3 |

LP1990 Oval poinçons / Diesinker oval / Raumfeilen oval / Lima oval para punzones

| B | A | 00 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | L = "/mm | A x B = mm |
|---|---|----|------------|---|---|---|---|---|---|----------|------------|
| | | | LP1990-6-2 | | | | | | | 6/150 | 8.6x4.4 |

锉
Files

| 名称 Description | 型号 Model |
|---|-------------|
| 大板锉 Hand file | T.SB.00029 |
| 双头锉 Double ended wax file | T.SB.00030 |
| 红柄卜锉 (国产) Halfround file with red handle | T.SB.00046 |
| 三角锉 (国产) Triangle file with red handle | T.SB.00048 |
| 小三角锉 (国产) Small triangle file | T.SB.00049 |
| 金刚锉 Diamond file | T.SB.00050 |
| 平锉 (国产) Flat file | T.SB.00055 |
| 竹叶锉 (国产) Barrette file | T.SB.00056 |
| 方锉 (进口) Square file | T.SB.00057 |
| 8寸双头蜡锉 8" double-end wax files | ALP1540-8 |


铲刀
Graver

| 名称 Description | 型号 Model |
|---|-------------|
| 6#鱼牌铲刀401-6 6# GLARDON VALLORBE graver 401-6 | T.SB.00014 |
| 8#鱼牌铲刀401-8 8# GLARDON VALLORBE graver 401-8 | T.SB.00015 |
| 10#鱼牌铲刀401-10 10# GLARDON VALLORBE graver 401-10 | T.SB.00016 |
| 0#鱼牌三角铲刀403-0 0# GLARDON VALLORBE graver 403-0 | T.SB.00017 |
| 1#鱼牌三角铲刀403-1 1# GLARDON VALLORBE graver 403-1 | T.SB.00018 |
| 2#鱼牌三角铲刀403-2 2# GLARDON VALLORBE graver 403-2 | T.SB.00019 |
| 3#鱼牌三角铲刀403-3 3# GLARDON VALLORBE graver 403-3 | T.SB.00020 |
| 4#鱼牌三角铲刀403-4 4# GLARDON VALLORBE graver 403-4 | T.SB.00021 |
| 5#鱼牌三角铲刀403-5 5# GLARDON VALLORBE graver 403-5 | T.SB.00022 |



**LO0401 Bord plat / Flat edge / Flach / Borde plano**

HSS L = 65 mm WS L = 80 mm



| | |
|---------------|--------------|
| LO0401-2-HSS | LO0401-2-WS |
| LO0401-4-HSS | LO0401-4-WS |
| LO0401-6-HSS | LO0401-6-WS |
| LO0401-8-HSS | LO0401-8-WS |
| LO0401-10-HSS | LO0401-10-WS |
| LO0401-12-HSS | LO0401-12-WS |
| LO0401-14-HSS | LO0401-14-WS |
| LO0401-16-HSS | LO0401-16-WS |
| LO0401-18-HSS | LO0401-18-WS |
| LO0401-20-HSS | LO0401-20-WS |
| LO0401-24-HSS | LO0401-24-WS |

N° A = mm

| | |
|----|-----|
| 2 | 0.2 |
| 4 | 0.4 |
| 6 | 0.6 |
| 8 | |
| 10 | |
| 12 | |
| 14 | |
| 16 | |
| 18 | |
| 20 | |
| 24 | |

LO0402 Bord rond / Round edge / Boll / Borde redondo

HSS L = 65 mm WS L = 80 mm



| | |
|---------------|--------------|
| LO0402-2-HSS | LO0402-2-WS |
| LO0402-4-HSS | LO0402-4-WS |
| LO0402-6-HSS | LO0402-6-WS |
| LO0402-8-HSS | LO0402-8-WS |
| LO0402-10-HSS | LO0402-10-WS |
| LO0402-12-HSS | LO0402-12-WS |
| LO0402-14-HSS | LO0402-14-WS |
| LO0402-16-HSS | LO0402-16-WS |
| LO0402-18-HSS | LO0402-18-WS |
| LO0402-20-HSS | LO0402-20-WS |
| LO0402-24-HSS | LO0402-24-WS |

N° A = mm

| | |
|----|-----|
| 2 | 0.2 |
| 4 | 0.4 |
| 6 | 0.6 |
| 8 | 0.8 |
| 10 | 1.0 |
| 12 | 1.2 |
| 14 | 1.4 |
| 16 | 1.6 |
| 18 | 1.8 |
| 20 | 2.0 |
| 24 | 2.4 |

LO0403 Onglette / Onglette / Spitz / De punta



HSS L = 65 mm WS L = 80 mm



| | |
|----------------|---------------|
| LO0403-5/0-HSS | LO0403-5/0-WS |
| LO0403-4/0-HSS | LO0403-4/0-WS |
| LO0403-3/0-HSS | LO0403-3/0-WS |
| LO0403-2/0-HSS | LO0403-2/0-WS |
| LO0403-0-HSS | LO0403-0-WS |
| LO0403-1-HSS | LO0403-1-WS |
| LO0403-2-HSS | LO0403-2-WS |
| LO0403-3-HSS | LO0403-3-WS |
| LO0403-4-HSS | LO0403-4-WS |
| LO0403-5-HSS | LO0403-5-WS |
| LO0403-6-HSS | LO0403-6-WS |
| LO0403-7-HSS | LO0403-7-WS |
| LO0403-8-HSS | LO0403-8-WS |

N° A = mm

| | |
|-----|------|
| 5/0 | 1.16 |
| 4/0 | 1.24 |
| 3/0 | 1.35 |
| 2/0 | 1.45 |
| 0 | 1.58 |
| 1 | 1.78 |
| 2 | 1.94 |
| 3 | 2.16 |
| 4 | 2.54 |
| 5 | 2.74 |
| 6 | 2.94 |
| 7 | 3.14 |
| 8 | 3.36 |

瑞士鱼牌锉
Switzerland GLARDON VALLORBE file(注：瑞士原装进口鱼牌锉规格齐全，
无法一一展示，详情欢迎来电咨询！)
(Note: Switzerland GLARDON VALLORBE
saw blades are of full specifications.
Welcome to contact for more details!)**LO0404 Ovale / Oval / Oval / Oval**

WS L = 80 mm



| |
|-----------|
| LO0404-15 |
| LO0404-17 |
| LO0404-19 |
| LO0404-21 |
| LO0404-23 |
| LO0404-25 |

N° A = mm

| | |
|----|-----|
| 15 | 1.5 |
| 17 | 1.7 |
| 19 | 1.9 |
| 21 | 2.1 |
| 23 | 2.3 |
| 25 | 2.5 |

LO0405 A biseau / Bevel / Facetten / Chaflán

WS L = 80 mm



| |
|-----------|
| LO0405-2 |
| LO0405-4 |
| LO0405-6 |
| LO0405-8 |
| LO0405-10 |
| LO0405-12 |
| LO0405-14 |
| LO0405-16 |
| LO0405-18 |
| LO0405-20 |

N° A = mm

| | |
|----|-----|
| 2 | 0.2 |
| 4 | 0.4 |
| 6 | 0.6 |
| 8 | 0.8 |
| 10 | 1.0 |
| 12 | 1.2 |
| 14 | 1.4 |
| 16 | 1.6 |
| 18 | 1.8 |
| 20 | 2.0 |

LO0406 Tranchante / Knife / Messer / Cuchillo

HSS L = 65 mm WS L = 80 mm



| | |
|---------------|--------------|
| LO0406-18-HSS | LO0406-18-WS |
| LO0406-20-HSS | LO0406-20-WS |
| LO0406-22-HSS | LO0406-22-WS |
| LO0406-24-HSS | LO0406-24-WS |
| LO0406-26-HSS | LO0406-26-WS |
| LO0406-28-HSS | LO0406-28-WS |
| LO0406-30-HSS | LO0406-30-WS |
| LO0406-32-HSS | LO0406-32-WS |

N° A = mm

| | |
|----|-----|
| 18 | 1.8 |
| 20 | 2.0 |
| 22 | 2.2 |
| 24 | 2.4 |
| 26 | 2.6 |
| 28 | 2.8 |
| 30 | 3.0 |
| 32 | 3.2 |

LO0408 A revider plate / Flat narrow back / Flach zum Ausrunden / Plano

WS L = 80 mm



针钻系列 Burs and drills

德国蓝盒针钻系列
Germany KOMET burs series

F1波针 F1 round burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0099-T.SL.KF0119 | 003-023 |
| T.SL.KF0120-T.SL.KF0127 | 024-040 |
| T.SL.KF0142-T.SL.KF0180 | 042-080 |

F3轮针 F3 wheel burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0202-T.SL.KF0219 | 006-023 |

F5伞针 F5 pointed burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0305-T.SL.KF0319 | 009-023 |
| T.SL.KF0320-T.SL.KF0323 | 025-031 |

F6桃针 F6 bud burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0405-T.SL.KF0419 | 009-023 |
| T.SL.KF0420-T.SL.KF0423 | 025-031 |

F36直牙针 F36 cylinder burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0502-T.SL.KF0519 | 006-023 |
| T.SL.KF0520-T.SL.KF0522 | 025-027 |

F38斜牙针 F38 cone burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0621-T.SL.KF0619 | 005-023 |
| T.SL.KF0620 | 025 |

F203钻针 F203 twist drill

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0701-T.SL.KF0719 | 005-023 |

F249雕刻针 F249 carving burs set

| 型号 Model | 直径 Diameter (mm) |
|-------------------------|------------------|
| T.SL.KF0805-T.SL.KF0819 | 009-023 |

规格说明 Specifications: 005 = 0.5mm, 010 = 1mm.....080 = 8mm

F253厚飞碟 F253 bearing cutter

| 型号 Model | 直径 Diameter (mm) |
|------------------------|------------------|
| T.SLKF0905-T.SL.KF0919 | 005-023 |
| T.SLKF0921-T.SL.KF0933 | 025-037 |

58#钻针 58# twist drill

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.38006-T.SL.38023 | 005-023 |

HB#薄飞碟 HB# bearing cutter

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.HB009-T.SL.HB023 | 009-023 |

HD#厚飞碟 HD# bearing cutter

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.HD008-T.SL.HD023 | 008-023 |
| T.SL.HD024-T.SL.HD040 | 024-040 |
| T.SL.HD042-T.SL.HD045 | 042-045 |

S密口吸珠 S bearing cutter

| 型号 Model | 直径 Diameter (mm) |
|---------------------|------------------|
| T.SL.S008-T.SL.S023 | 008-023 |
| T.SL.S040 | 040 |

HH超薄飞碟 HH bearing cutter

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.HH009-T.SL.HH023 | 009-023 |

DENTSPLY
MAILLEFER

瑞士万利发针钻系列
Switzerland maillefer burs series

23#波针 23# round burs set

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.23005-T.SL.23023 | 005-023 |
| T.SL.23024-T.SL.23040 | 024-040 |
| T.SL.23045-T.SL.23065 | 045-065 |



25#轮针 25# wheel burs set

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.25006-T.SL.25023 | 006-023 |



34#直牙针 34# cylinder burs set

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.34007-T.SL.34023 | 007-023 |

38#斜牙针 38# cone burs set

| 型号 Model | 直径 Diameter (mm) |
|-----------------------|------------------|
| T.SL.38006-T.SL.38023 | 006-023 |

德国DZ钨钢波针
German DZ Round burs set


| 代码 Model | 规格 specification | 代码 Model | 规格 specification | 代码 Model | 规格 specification |
|-------------|------------------|-------------|------------------|-------------|------------------|
| T.SL.WGDZ03 | 003 | T.SL.WGDZ10 | 010 | T.SL.WGDZ17 | 017 |
| T.SL.WGDZ04 | 004 | T.SL.WGDZ11 | 011 | T.SL.WGDZ18 | 018 |
| T.SL.WGDZ05 | 005 | T.SL.WGDZ12 | 012 | T.SL.WGDZ19 | 019 |
| T.SL.WGDZ06 | 006 | T.SL.WGDZ13 | 013 | T.SL.WGDZ20 | 020 |
| T.SL.WGDZ07 | 007 | T.SL.WGDZ14 | 014 | T.SL.WGDZ21 | 021 |
| T.SL.WGDZ08 | 008 | T.SL.WGDZ15 | 015 | T.SL.WGDZ23 | 023 |
| T.SL.WGDZ09 | 009 | T.SL.WGDZ16 | 016 | T.SL.WGDZ27 | 027 |

ISO 500 104
001001 023
(CB1)
O_{max} 100000 min⁻¹
O_{opt.} 15000 min⁻¹
Made in Germany
LOT 00191755KS钨钢波针
KS round burs set


| 代码 Model | 规格 specification | 代码 Model | 规格 specification | 代码 Model | 规格 specification |
|---------------|------------------|---------------|------------------|---------------|------------------|
| T.SL.WGF10105 | 005 | T.SL.WGF10112 | 012 | T.SL.WGF10119 | 019 |
| T.SL.WGF10106 | 006 | T.SL.WGF10113 | 013 | T.SL.WGF10120 | 020 |
| T.SL.WGF10107 | 007 | T.SL.WGF10114 | 014 | T.SL.WGF10121 | 021 |
| T.SL.WGF10108 | 008 | T.SL.WGF10115 | 015 | T.SL.WGF10122 | 022 |
| T.SL.WGF10109 | 009 | T.SL.WGF10116 | 016 | T.SL.WGF10123 | 023 |
| T.SL.WGF10110 | 010 | T.SL.WGF10117 | 017 | | |
| T.SL.WGF10111 | 011 | T.SL.WGF10118 | 018 | | |

白盒钨钢钻针
White box twist drill

| 代码 Model | 规格 specification | 代码 Model | 规格 specification |
|---------------|---------------------|---------------|---------------------|
| T.SL.WGBHZ005 | 005 | T.SL.WGBHZ015 | 015 |
| T.SL.WGBHZ006 | 006 | T.SL.WGBHZ016 | 016 |
| T.SL.WGBHZ007 | 007 | T.SL.WGBHZ017 | 017 |
| T.SL.WGBHZ008 | 008 | T.SL.WGBHZ018 | 018 |
| T.SL.WGBHZ009 | 009 | T.SL.WGBHZ019 | 019 |
| T.SL.WGBHZ010 | 010 | T.SL.WGBHZ020 | 020 |
| T.SL.WGBHZ011 | 011 | T.SL.WGBHZ021 | 021 |
| T.SL.WGBHZ012 | 012 | T.SL.WGBHZ022 | 022 |
| T.SL.WGBHZ013 | 013 | T.SL.WGBHZ023 | 023 |
| T.SL.WGBHZ014 | 014 | | |

铁锤
Gold smith hammer

| 代码 Model | A | B | W | L |
|--------------|------|------|------|-------|
| A T.ET.A0007 | 13mm | 13mm | 40mm | 230mm |
| B T.ET.A0009 | 15mm | 15mm | 48mm | 230mm |
| C T.ET.A0011 | 19mm | 19mm | 55mm | 230mm |
| D T.ET.A0010 | 22mm | 22mm | 63mm | 255mm |
| E T.ET.A0008 | 24mm | 24mm | 70mm | 255mm |

金工锤
Chasing Hammers

| 代码 Model | Φ1 | Φ2 | H | L | 重量 Weight |
|--------------|-------|-------|------|-------|--------------|
| T.ET.A0031-1 | Φ21mm | Φ35mm | 55mm | 275mm | 0.23kg |
| T.ET.A0032-1 | Φ26mm | Φ39mm | 60mm | 300mm | 0.35kg |
| T.ET.A0033-1 | Φ28mm | Φ44mm | 64mm | 330mm | 0.45kg |

金工锤
Chasing Hammers

| 代码 Model | R | Φ2 | H | L | 重量 Weight |
|--------------|--------|-------|------|-------|--------------|
| T.ET.A0031-1 | 10.5mm | Φ35mm | 63mm | 275mm | 0.26kg |
| T.ET.A0032-1 | 13mm | Φ39mm | 68mm | 300mm | 0.36kg |
| T.ET.A0033-1 | 16mm | Φ44mm | 75mm | 330mm | 0.53kg |

锻打横面锤
Forging horizontal hammer

| 代码 Model | W | H | 重量 Weight |
|--------------|-------|-------|--------------|
| T.ET.A0034-1 | Φ32mm | 105mm | 700g |
| T.ET.A0034-2 | Φ35mm | 115mm | 900g |
| T.ET.A0034-3 | Φ38mm | 120mm | 1100g |

锻打竖面锤
Forging vertical hammer

| 代码 Model | W | H | 重量 Weight |
|--------------|-------|-------|--------------|
| T.ET.A0035-1 | Φ34mm | 105mm | 700g |
| T.ET.A0035-2 | Φ38mm | 115mm | 940g |
| T.ET.A0035-3 | Φ41mm | 120mm | 1100g |

安装锤
Plastic head hammer

| 代码 Model | Φ1 | H | L1 | L2 |
|-------------|-------|------|-------|-------|
| T.ET.A0005 | Φ25mm | 65mm | 235mm | 125mm |
| T.ET.A0006 | Φ30mm | 75mm | 255mm | 135mm |

德国猎人尼龙锤
Germany nylon head hammer

| 代码 Model | Φ1 | H | L1 |
|--------------|-------|------|-------|
| T.ET.A0002 | Φ22mm | 70mm | 255mm |
| T.ET.A0003 | Φ27mm | 85mm | 270mm |
| T.ET.A0003-B | Φ27mm | 85mm | 270mm |



| 代码 Model | Φ1 | H | L1 | 重量 Weight |
|--------------|-------|------|-------|--------------|
| T.ET.A0002 | Φ22mm | 70mm | 255mm | 135g |
| T.ET.A0003 | Φ27mm | 85mm | 270mm | 225g |
| T.ET.A0003-B | Φ27mm | 85mm | 270mm | 225g |

錾刻锤
Chisel hammer

| 代码 Model | W | H | 重量 Weight |
|--------------|---------|------|--------------|
| T.ET.A0036-1 | 20×20mm | 65mm | 180g |
| T.ET.A0036-2 | Φ18mm | 65mm | 180g |



| | | | | | | | |
|--|---|---|--|---|---|---|--|
| | | | | | | | |
| 美国平整锤 Planishing Hammer 型号 Model: T.ET.A0017-1 HMR-1 19mm & 19mm | 美国宽型高起锤 Wide Raising Hammer 型号 Model: T.ET.A0017-2 HMR-2 20x10mm & 20x8mm | 美国窄型高起锤 Narrow Raising Hammer 型号 Model: T.ET.A0017-3 HMR-3 20x6mm & 20x5mm | 美国大号压花锤 Large Embossing Hammer 型号 Model: T.ET.A0017-4 HMR-4 15mm & 12mm | 美国大号双边接头锤 Large Insert Hammer 型号 Model: T.ET.A0017-107 HMR-107 25mm | 美国圆头窄款高起锤 Rounded Narrow Raising Hammer 型号 Model: T.ET.A0017-108 HMR-108 19mm & 14mm | 美国圆头宽款高起锤 Rounded Wide Raising Hammer 型号 Model: T.ET.A0017-109 HMR-109 102mm | 美国浅宽夹头锤-重型 Wide Collet Hammer 型号 Model: T.ET.A0017-110 HMR-110 |
| | | | | | | | |
| 美国小号压花锤 Small Embossing Hammer 型号 Model: T.ET.A0017-5 HMR-5 5mm & 3mm | 美国平整锤-单边接头 Planishing Hammer w/ insert Single Ended Version 型号 Model: T.ET.A0017-6 HMR-6 19mm & 19mm | 美国平整锤-双边接头 Double Ended Insert Hammer 型号 Model: T.ET.A0017-7 HMR-7 19mm | 美国圆头窄型高起锤 Rounded Narrow Raising Hammer 型号 Model: T.ET.A0017-8 HMR-8 19mm & 6mm | 美国浅宽夹头锤-中型 Wide Collet Med Hammer 型号 Model: T.ET.A0017-110M HMR-110M | 美国深宽夹头锤-重型 Narrow Collet Hammer 型号 Model: T.ET.A0017-111 HMR-111 | 美国深宽夹头锤-中型 Narrow Collet Med Hammer 型号 Model: T.ET.A0017-111M HMR-111M | 美国大号拉伸锤 Large Stretching Hammer 型号 Model: T.ET.A0017-301 HMR-301 30x24mm & 30x20mm |
| | | | | | | | |
| 美国圆头款型高起锤 Rounded Wide Raising Hammer 型号 Model: T.ET.A0017-9 HMR-9 19x10mm & 19x7mm | 美国尖纹理/高起锤 Sharp Texturing / Raising Hammer 型号 Model: T.ET.A0017-12 HMR-12 19x1mm & 19x1.5mm | 美国短款尖纹理高起锤 Short Sharp Raising Hammer 型号 Model: T.ET.A0017-13 HMR-13 15x1mm & 15x1.5mm | 美国生丝纹理平锤 Raw Silk Hammer 型号 Model: T.ET.A0017-14 HMR-14 19mm & 19mm | 美国窄款拉伸锤 Narrow Stretching Hammer 型号 Model: T.ET.A0017-302 HMR-302 30x15mm & 30x9mm | 美国牛头锤 Bull Peen Hammer 型号 Model: T.ET.A0017-303 HMR-303 35mm & 30mm | 美国压花锤 Embossing Hammer 型号 Model: T.ET.A0017-304 HMR-304 30x20mm & 30x15mm | 美国大号高起锤 Embossing Hammer 型号 Model: T.ET.A0017-305 HMR-305 30x20mm & 30x15mm |
| | | | | | | | |
| 美国生丝十字锤 Raw Silk Rasing Hammer 型号 Model: T.ET.A0017-14A HMR-14A | 美国生丝宽型圆顶锤 Raw Silk Wide Rasing Hammer 型号 Model: T.ET.A0017-14B HMR-14B | 美国圆形纹理锤 Circle Texturing / Raising Hammer 型号 Model: T.ET.A0017-15 HMR-15 5mm & 3mm | 美国嵌花锤 Chasing Hammer 型号 Model: T.ET.A0017-17 HMR-17 29mm & 12mm | 美国精密史密斯平整锤 Precisionsmith Planishing Hammer 型号 Model: T.ET.A0017-401 HMR-401 13x13mm | 美国精密史密斯宽型高起锤 Precisionsmith Wide Raising Hammer 型号 Model: T.ET.A0017-402 HMR-402 13x6mm & 13x4mm | 美国精密史密斯窄型高起锤 Precisionsmith Narrow Raising Hammer 型号 Model: T.ET.A0017-403 HMR-403 13x3.5mm & 13x2.5mm | 美国精密史密斯大号压花锤 Precisionsmith Large Embossing Hammer 型号 Model: T.ET.A0017-404 HMR-404 10x8mm |
| | | | | | | | |
| 美国Janus双面嵌花锤 Janus Chasing Hammer 型号 Model: T.ET.A0017-19 HMR-19 28x28mm | 美国经典嵌花锤-加重版 Classic Chasing Hammer 型号 Model: T.ET.A0017-20 HMR-20 31x13mm | 美国经典嵌花锤-普通版 Medium Classic Chasing Hammer 型号 Model: T.ET.A0017-20M HMR-20M 31x13mm | 美国金匠锤 Goldsmithing Hammer 型号 Model: T.ET.A0017-21 HMR-21 17mm & 12x2mm | 美国精密史密斯小号压花锤 Precisionsmith Small Embossing Hammer 型号 Model: T.ET.A0017-405 HMR-405 4mm & 5mm | 美国精密史密斯铆钉/纹理锤 Precisionsmith Riveting / Texturing Hammer 型号 Model: T.ET.A0017-406 HMR-406 9mm Square & 9x1.5mm | 美国精密史密斯圆头窄锤 Precisionsmith Rounded Narrow Hammer 型号 Model: T.ET.A0017-407 HMR-408 14x4mm & 13x3mm | 美国精密史密斯圆头宽锤 Precisionsmith Rounded Wide Hammer 型号 Model: T.ET.A0017-408 HMR-409 13x6mm & 13x4.5mm |
| | | | | | | | |
| 美国砂岩纹理锤 Cross Hatch Hammer 型号 Model: T.ET.A0017-22 HMR-22 19mm | 美国平整锤 Planishing Hammer 型号 Model: T.ET.A0017-101 HMR-101 23mm & 23mm | 美国砂岩宽型高起锤 Wide Raising Hammer 型号 Model: T.ET.A0017-102 HMR-102 23x12mm & 23x9mm | 美国宽型十字平整锤 Wide Planishing Hammer 型号 Model: T.ET.A0017-102P HMR-102P | 美国精密史密斯尖纹理锤 Precisionsmith Sharp Texturing Hammer 型号 Model: T.ET.A0017-412 HMR-412 14x1.5mm & 14x1mm | 美国精密史密斯小巧锋利锤 Precisionsmith Sharp Petite Hammer 型号 Model: T.ET.A0017-413 HMR-413 6x1mm & 6x0.5mm | 美国精密史密斯嵌花锤 Precisionsmith Chasing Hammer 型号 Model: T.ET.A0017-417 HMR-417 21x9mm | 美国Good十字纹理锤-大小面 Micheal Good Cross Pein Hammer 型号 Model: T.ET.A0017-C1 CP-1 28x9mm & 18x3mm |
| | | | | | | | |
| 美国窄型高起锤 Narrow Raising Hammer 型号 Model: T.ET.A0017-103 HMR-103 23x8mm & 23x6mm | 美国大号压花锤 Large Embossing Hammer 型号 Model: T.ET.A0017-104 HMR-104 19mm & 14mm | 美国小号压花锤 Small Embossing Hammer 型号 Model: T.ET.A0017-105 HMR-105 10mm & 7mm | 美国压模锤 Blocking Hammer 型号 Model: T.ET.A0017-106 HMR-106 19x14mm | 美国Good平整锤-中号面 Micheal Good Cross Pein Hammer 型号 Model: T.ET.A0017-C2 CP-2 24x4mm & 22x3mm | 美国Good平整锤-中号面 Micheal Good Planishing Hammer 型号 Model: T.ET.A0017-P1 P-1 20x12.5mm | 美国嵌花/铆钉锤 Chasing Riveting Hammer Hammer 型号 T.ET.A0017-RC R-RC | 美国金匠/十字头锤 Goldsmithing / Cross Pein Hammer 型号 T.ET.A0017-RG R-GF |



美国1号平整/十字锤
Riveting Hammer
型号 Model: T.ET.A0017-N1
NTAH-1



美国2号尖纹理/十字锤
Double Crosspein Hammer
型号 Model: T.ET.A0017-N2
NTAH-2



美国3号双圆头锤
Double Ballpein Hammer
型号 Model: T.ET.A0017-N3
NTAH-3



美国小号冲压锤
Stamping Hammer
型号 Model: T.ET.A0017-S1
STH-1



美国中号冲压锤
Medium Stamping Hammer
型号 Model: T.ET.A0017-S2
STH-2



美国大号压花锤
Large Stamping Hammer
型号 Model: T.ET.A0017-S3
STH-3



美国錾刻锤套装
Set HMR1-5
型号 Model: T.ET.SET001



美国錾刻锤套装
Set HMR-101 thru 105
型号 Model: T.ET.SET002



美国錾刻锤套装
Set HMR-401 thru 405
型号 Model: T.ET.SET003



美国Michale Good锤子套装
Chasing Hammers Set
Set HMR-G 型号 Model: T.ET.SET004



美国嵌花锤套装
Micheal Good Hammers
Set HMR-C 型号 Model: T.ET.SET005



美国纹理锤
Texture Hammers
Set HMR-T 型号 Model: T.ET.SET006



美国大师精密史密斯锤子套装
Master Precisionsmith Hammers Set
Set HMR-PH 型号 Model: T.ET.SET007



美国大师珠宝成型锤套装
Master Jewelry Forming
Set HMR-M 型号 Model: T.ET.SET008



美国银器锻造套装
Silver Smithing And Forming
Set HMR-S 型号 Model: T.ET.SET009



美国制造锤套装
Set HMR-1 thru 5
MKR1-5 型号 Model: T.ET.SET010



美国制造锤套装
Set HMR-401 thru 405
MKR401-405 型号 Model: T.ET.SET011



美国DVD及工具锤子套装
基础敲击成型-手镯
Basic Hammering and Forming
Video-Cuff Bracelets
JA-1 SET 型号 Model: T.ET.SET012



美国DVD及工具锤子套装
基础敲击成型-吊坠
Hammering and Forming Jewelry
Pendants Video Tool Set
JA-2 SET 型号 Model: T.ET.SET013



美国DVD及工具锤子套装
基础敲击成型-吊坠
Hammering and Forming Jewelry
Pendants Video Tool Set
JA-2 SET 型号 Model: T.ET.SET014



美国DVD及工具锤子套装
进阶边框成型
Expert Bezel Forming Video
Tool Set
JA-3 SET 型号 Model: T.ET.SET014



美国DVD及工具锤子套装
成形空心杯
Forming Hollow Rings Video
Tool Set
JA-4 SET 型号 Model: T.ET.SET015



美国DVD及工具锤子套装
基础敲击成型-手镯及吊坠
Basic Jeweler Hammering and
Forming Video Cuff Braceletsand
Pendants
JA-5 SET 型号 Model: T.ET.SET016




美国DVD及工具锤子套装
基础敲击成型-手镯及吊坠
Basic Jewelry Hammering and
Forming Video Cuff Bracelets,
Pendants, Bezel Forming and
Hollow Ring
JA-6 SET 型号 Model: T.ET.SET017



美国DVD及工具锤子套装
锤击纹理及成型
Lapidary Journal-Jewelry Artist
Video Hammer Textures and Forms
JA-7 SET 型号 Model: T.ET.SET018



美国DVD及工具锤子套装
宽凸袖口
Wide Convex Cuff Video
Tool Set
FP-1 SET 型号 Model: T.ET.SET019




美国DVD及工具锤子套装
宽凹袖口
Wide Concave Video Tool Set
FP-2 SET 型号 Model: T.ET.SET020



美国DVD及工具锤子套装
宽凹袖口
Wide Concave Video and Convex
Cuff Video Master Tool Set
FP-3 SET 型号 Model: T.ET.SET021

肌理锤
Texture Hammer



| 代码 Model | W | H | L |
|----------------|---------|------|-------|
| A T.ET.A0030-1 | 23x23mm | 83mm | 270mm |
| B T.ET.A0030-2 | 23x23mm | 83mm | 270mm |
| C T.ET.A0030-3 | 23x23mm | 83mm | 270mm |
| D T.ET.A0030-4 | 23x23mm | 83mm | 270mm |
| E T.ET.A0030-5 | 23x23mm | 83mm | 270mm |
| F T.ET.A0030-6 | 23x23mm | 83mm | 270mm |



吉言鑄
Auspicious chisel

TJK.00015



圆头唐草錾子
Tang Grass/Tang Pattern Carving Knife

| 代码 Model | 长度 Length | 头部宽度 Head width |
|-------------|-----------|-----------------|
| TJK.00010-1 | 90mm | 2mm |
| TJK.00010-2 | 90mm | 3mm |
| TJK.00010-3 | 90mm | 4mm |
| TJK.00010-4 | 90mm | 5mm |
| TJK.00010-5 | 90mm | 6mm |
| TJK.00010-6 | 90mm | 7mm |
| TJK.00010-7 | 90mm | 8mm |
| TJK.00010-8 | 90mm | 9mm |
| TJK.00010-9 | 90mm | 10mm |


花錾
Flower chisel

代码 Model
编号 Number

TJK.00011-1

A1

TJK.00011-14

A14

TJK.00011-27

B7

TJK.00011-2

A2

TJK.00011-15

A15

TJK.00011-28

B8

TJK.00011-3

A3

TJK.00011-16

A16

TJK.00011-29

B9

TJK.00011-4

A4

TJK.00011-17

A17

TJK.00011-30

B10

TJK.00011-5

A5

TJK.00011-18

A18

TJK.00011-31

B11

TJK.00011-6

A6

TJK.00011-19

A19

TJK.00011-32

B12

TJK.00011-7

A7

TJK.00011-20

A20

TJK.00011-33

B13

TJK.00011-8

A8

TJK.00011-21

B1

TJK.00011-34

B14

TJK.00011-9

A9

TJK.00011-22

B2

TJK.00011-35

B15

TJK.00011-10

A10

TJK.00011-23

B3

TJK.00011-36

B16

TJK.00011-11

A11

TJK.00011-24

B4

TJK.00011-37

B17

TJK.00011-12

A12

TJK.00011-25

B5

TJK.00011-38

B18

yihuicasting.cn / Yihui casting.cn

TJK.00011-26

B6

TJK.00011-39

B19

TJK.00011-52

C11

TJK.00011-27

B7

TJK.00011-40

B20

TJK.00011-53

C13

TJK.00011-28

B8

TJK.00011-41

C1

TJK.00011-54

C14

TJK.00011-29

B9

TJK.00011-42

C2

TJK.00011-55

C15

TJK.00011-30

B10

TJK.00011-43

C3

TJK.00011-56

C16

TJK.00011-31

B11

TJK.00011-44

C4

TJK.00011-57

C17

TJK.00011-32

B12

TJK.00011-45

C5

TJK.00011-58

C18

TJK.00011-33

B13

TJK.00011-46

C6

TJK.00011-59

C19

TJK.00011-34

B14

TJK.00011-47

C7

TJK.00011-60

C20

TJK.00011-35

B15

TJK.00011-48

C8

TJK.00011-61

C21

TJK.00011-36

B16

TJK.00011-49

C9

TJK.00011-62

C22

TJK.00011-37

B17

TJK.00011-50

C10

TJK.00011-63

C23

錾刻刀
Chisel carving knife

| 代码 Model | 形状 Shape | 代码 Model | 形状 Shape |
|-------------|-----------------------------|--------------|------------------------------|
| TJK.00006-1 | 细直线 Fine straight line 1mm | TJK.00006-13 | 深曲 Deep curvature 2mm |
| TJK.00006-2 | 细直线 Fine straight line 3mm | TJK.00006-14 | 深曲 Deep curvature 3mm |
| TJK.00006-3 | 细直线 Fine straight line 5mm | TJK.00006-15 | 深曲 Deep curvature 5mm |
| TJK.00006-4 | 细直线 Fine straight line 7mm | TJK.00006-16 | 半圆压錾 Half circle chisel 2mm |
| TJK.00006-5 | 粗直线 Thick straight line 1mm | TJK.00006-17 | 三角压錾 Triangular chisel 1x3mm |
| TJK.00006-6 | 粗直线 Thick straight line 5mm | TJK.00006-18 | 椭圆压錾 Elliptical chisel 3x4mm |
| TJK.00006-7 | 平曲 Flat curvature 2mm | TJK.00006-19 | 方形压錾 Square chisel 2x2mm |
| TJK.00006-8 | 平曲 Flat curve 3mm | TJK.00006-20 | 空心点錾 Hollow point chisel 1mm |
| TJK.00006-9 | 平曲 | | |



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
T.JK.00008-1
320×285mm



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
T.JK.00008-2
280×190×33mm 1.8kg



松香胶板(木质)-黄胶
Rosin gum board (wood) - yellow gum
T.JK.00008-3
230×230×33mm 1.8kg



松香胶板(木质)-黑胶
Rosin gum board (wood) - black gum
T.JK.00008-3
280×190×33mm 1.8kg



松香胶板(木质)-黑胶
Rosin gum board (wood) - black gum
T.JK.00008-4
230×230×33mm 1.8kg



松香胶板(白铁)-黄胶
Rosin gum board (iron) - yellow gum
T.JK.00008-5
280×190×33mm 4.2kg



松香胶板(白铁)-黄胶
Rosin gum board (iron) - yellow gum
T.JK.00008-6
230×230×33mm 4.2kg



松香胶板(白铁)-黑胶
Rosin gum board (iron) - black gum
T.JK.00008-7
280×190×33mm 1.8kg



松香胶板(白铁)-黑胶
Rosin gum board (iron) - black gum
T.JK.00008-8
230×230×33mm 1.8kg



手镯槽
Bracelet groove
T.JK.00014
L180×W60mm 5kg



国产油石
Polishing stone
T.GI.00041 4" 100x50x12mm
T.GI.00146 5" 125x50x12mm
T.GI.00040 6" 150x50x12mm



不锈钢手环
Bracelet mandrel-stainless steel
T.CG.00068
椭圆形 Oval 42×35mm, 81×63mm
长度 Length: 280mm 重量 Weight: 1kg



不锈钢手环
Bracelet mandrel-stainless steel
T.CG.00097
圆形 Circular Φ72mm, Φ38mm
长度 Length: 280mm 重量 Weight: 1kg



铜手环
Wooden bracelet clamp
T.CG.00081
圆形 Circular Φ72mm, Φ38mm
长度 Length: 280mm 重量 Weight: 1kg



铜手环
Wooden bracelet clamp
T.CG.00080
椭圆形 Oval 40×32mm, 82×66mm
长度 Length: 280mm 重量 Weight: 1kg



木手环
Wooden bracelet clamp
T.GI.00045
椭圆形 Oval



木手环
Wooden bracelet clamp
T.CG.00039
圆形 Circular



塑料手环
Plastic hand ring
T.CG.00110
椭圆形 Oval Φ79mm, Φ40mm
长度 Length: 297mm 重量 Weight: 380g



塑料手环
Plastic hand ring
T.CG.00109
圆形 Circular Φ79mm, Φ36mm
长度 Length: 307mm 重量 Weight: 460g



塑料刻度手环
Plastic scale hand ring
T.CG.00163
圆形 Circular Φ77mm, Φ35mm
长度 Length: 300mm 重量 Weight: 370g



梯形手环
Trapezoid hand ring
T.CG.00113
圆形 Circular Φ68mm, Φ40mm
长度 Length: 294mm 重量 Weight: 445g



戒指木
Wood ring mandrel
T.GI.00071



方形戒指木
Square wood ring mandrel
T.CG.00235



中黄胶锤
Yellow plastic head hammer
T.ET.A0004



台木
Bench pin
T.CG.00001



红木台塞
Bench pin
T.CG.00042

铁马铁砧
Iron horse and anvil



字印 (可订制)
Stamp (tailored)

| 代码 Model | 直径 Diameter |
|--------------|------------------|
| T.CG.ZY001 | 14K曲字印 14K stamp |
| T.CG.ZY002 | 18K曲字印 18K stamp |
| T.CG.ZY003 | 999曲字印 999 stamp |
| T.CG.ZY004 | 925曲字印 925 stamp |
| T.CG.ZY006 | 数字字印 Digit stamp |
| T.CG.ZY007 | 16K字印 16K stamp |
| T.CG.ZY008 | 24K字印 24K stamp |
| T.CG.ZY009 | 797字印 797stamp |
| T.CG.ZY017-B | 916字印 916 stamp |
| T.CG.ZY18-B | 750字印 750 stamp |
| T.CG.ZY19-B | 21K字印 21K stamp |
| T.CG.ZY20-B | 9K字印 9K stamp |
| T.CG.ZY021 | 950字印 950 stamp |



蜂窝状石英焊板
Honeycomb ceramic soldering plate
C.CS.135095002-W
137×97×13mm 150g

数字字印
Digit stamp

| 代码 Model | 字高 Font height |
|--------------|-------------------|
| T.CG.ZY022-1 | 1.5mm |
| T.CG.ZY022-2 | 2.0mm |
| T.CG.ZY022-3 | 2.5mm |
| T.CG.ZY022-4 | 3.0mm |
| T.CG.ZY022-5 | 4.0mm |
| T.CG.ZY022-6 | 5.0mm |
| T.CG.ZY022-7 | 6.0mm |



字母字印
Letter stamp

| 代码 Model | 字高 Font height |
|--------------|-------------------|
| T.CG.ZY023-1 | 1.5mm |
| T.CG.ZY023-2 | 2.0mm |
| T.CG.ZY023-3 | 2.5mm |
| T.CG.ZY023-4 | 3.0mm |
| T.CG.ZY023-5 | 4.0mm |
| T.CG.ZY023-6 | 5.0mm |
| T.CG.ZY023-7 | 6.0mm |
| T.CG.ZY023-8 | 8.0mm |



ABCDEFGHIJKLMNPQRSTUVWXYZ&



万能微镶机
Zoom stereo stone setting microscope
M.MS.WX002



微镶机
Setting microscope
M.MS.WX003



微镶机
Setting microscope
M.MS.WX005



多角度伸缩微镶机
Flexible arm zoom stereo microscope
M.MS.WX001



热能微镶机
Thermal micro setting
M.MS.WX004

小型万能镶石座
Small engraver's block



T.GI.00002 1.5KG



T.GI.00002-1 1.5KG



T.GI.00001-4 1.5KG



T.GI.00067



T.GI.0023-7 13KG



T.GI.00001-5 1.5KG



高精密万能镶石座
High-precision engraver's block
T.GI.00152 10KG



高精密万能镶石座
High-precision engraver's block
Model: T.GI.00023-B 10KG



高精密万能镶石座
High-precision engraver's block
T.GI.00023-C 11KG



活动调节固定戒指器（黑色）
Adjustable and fixed ring device (black)
T.GI.00242



活动调节固定戒指器（白色）
Adjustable and fixed ring device (white)
T.GI.00242-W



微镶戒指套
Ring holder for stone setting
T.GI.00003



多角度的活动万能镶石座
Multi-angle & adjustable engraver's block
T.GI.00001-2 17KG



韩式万能镶石座
Korean engraver's block
T.GI.00001-3 12KG



万能镶石座
Engraver's block
T.GI.00001 8.5KG



手批戒指夹
Hand ring clamp
T.GI.1023-5 0.8KG



万能戒指夹
Engraver's ring clamp
T.GI.1021-3



铝合金金属戒指夹
Aluminum alloy ring clamp
T.GI.00070-3



活动戒指夹
Adjustable ring clamp
T.GI.01030 2.4KG

不锈钢微镶实心球
SS micro setting solid ball



T.GI.00068-1
2#-13#/13-22mm 1.3KG



T.GI.00068-2
2#-13#/13-22mm 1.3KG



T.GI.00004
1.3KG



T.GI.00068
2#-13#/13-22mm 1.4KG

活动戒指夹-微钻套装
Adjustable ring clamp -stone setting set



T.GI.00243-1 3.3kg



T.GI.00243 3.5kg





木柄微镶戒指套(黑)
Wooden handle ring holder for stone setting (black)
T.GI.00069
2#-13#/13-22mm



木柄微镶戒指套(白)
Wooden handle ring holder for stone setting (white)
T.GI.00070
2#-13#/13-22mm



铝柄微镶戒指套
Aluminum handle ring holder for stone setting
T.GI.00070-2
2#-13#/13-22mm

四方窝砧
Square steel dapping block扁窝砧
Flat dapping block

| 型号 Model | 名称 designation | 尺寸 Size | 重量 Weight | 内腔尺寸 Cavity Size (mm) |
|--------------|----------------------------------|--------------|--------------|--|
| T.GI.00065 | 小扁窝砧 Flat steep dapping block | 100×60×20mm | 0.8kg | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 20 |
| T.GI.00065-B | 小扁窝砧 Flat steep dapping block | 60×100×20mm | 0.9kg | 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 |
| T.GI.00066 | 大扁窝砧 Flat steep dapping block | 100×60×30mm | 1.55kg | 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 20 |
| T.GI.00066-B | 大扁窝砧 Flat steep dapping block | 200×170×30mm | 6.8kg | 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38 |
| T.GI.00066-C | 大扁窝砧 Flat steep dapping block | 150×130×30mm | 3.5kg | 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32 |

| 型号 Model | 名称 Designation | 尺寸 Size | 重量 Weight | 内腔尺寸 Cavity Size (mm) |
|----------------|--|---------------|--------------|---|
| T.GI.00222 | 四方窝砧 Square steel dapping block | 25×25×25mm | 0.11 kg | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 |
| T.GI.00222-1 | 四方窝砧 Square steel dapping block | 38×38×38mm | 0.3kg | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 25, 30 |
| T.GI.00057 | 四方窝砧 Square steel dapping block | 50×50×50mm | 0.66kg | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 26, 28, 31, 35, 39 |
| T.GI.00058 | 四方窝砧 Square steel dapping block | 63×63×63mm | 1.4kg | 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 28, 35, 40, 45, 50 |
| T.GI.00058-1 | 四方窝砧 Square steel dapping block | 70×70×70mm | 1.76kg | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 25, 30, 35, 40, 45, 50 |
| T.GI.00058-2 | 四方窝砧 Square steel dapping block | 120×120×120mm | 8kg | 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 50, 60, 70, 80, 90, 100 |
| T.GI.00222-T | 铜四方窝砧 Copper Square steel dapping block | 25×25×25mm | 0.11 kg | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 |
| T.GI.00222-1-T | 铜四方窝砧 Copper square steel dapping block | 38×38×38mm | 0.3kg | 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 25, 30 |
| T.GI.00057-T | 铜四方窝砧 Copper Square steel dapping block | 50×50×50mm | 0.66kg | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 22, 24, 26, 28, 31, 35, 39 |
| T.GI.00057-M | 木四方窝砧 Wood square steel dapping block | 70×70×70mm | | 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30, 35, 40, 45, 50 |

坑铁
Dapping block



特大四面坑铁
Extra Big Dapping block
with 4 sides
T.RC.RR102
50×50×150mm 2.7kg



四方坑铁
Dapping block
T.RC.RR103
60×60×60mm 1.3kg



整形套装
Dapping punches set
T.GI.00244



特大窝珠作套装
Dapping bead
T.CG.00169 24kg
内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14,
15, 16, 17, 18, 25, 28, 32, 36, 40, 45, 50



窝珠作 (冲头) 15支装
Dapping punches (15 Pcs)
T.CG.00003 1.7kg
内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18



窝珠作 (冲头) 17支装
Dapping punches (17 Pcs)
T.CG.00108 0.8kg
内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4,
4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10



套装窝珠作 (冲头) 8支装
Punch dapping set (8 Pcs)
T.CG.00167 3.3kg
内腔尺寸 Cavity Size (mm): 5, 8, 11, 14, 17,
19, 25, 28



套装窝珠作 (冲头) 12支装
Dapping bead (12 Pcs)
T.CG.00170 1.1kg
内腔尺寸 Cavity Size (mm): 3.5, 4, 4.5,
5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 11, 12, 13



量珠棍套装24支装
Dapping bead (24 Pcs)
T.CG.00171 2kg
内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4,
4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 10, 11,
12, 13, 14, 15, 16, 17, 18



套装窝珠作 (冲头) 12支装
Dapping bead (12 Pcs)
T.CG.00172 1.2kg
内腔尺寸 Cavity Size (mm): 1, 2, 3, 4, 5, 6,
7, 8, 9, 10, 11, 12



套装窝珠作 (冲头) 24支装
Punch dapping set (24 Pcs)
T.CG.00168-A 5.5kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
23, 25, 28, 32, 36



套装组合窝珠作 (冲头) 25支
Punch dapping set (25 Pcs)
T.CG.00168-B 12kg
内腔尺寸 Cavity Size (mm): 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21,
23, 25, 28, 30, 32, 35, 40, 45, 50



英国窝铁套装
Dapping bead
T.GI.00233 10.5kg
内腔尺寸 Cavity Size (mm): 50, 57, 63,
70, 76, 82



套装窝珠作 (冲头) 5支装
Dapping bead (5 Pcs)
T.CG.00173 3.4kg
内腔尺寸 Cavity Size (mm): 28, 32, 35, 40, 45



特大窝珠作套装
Dapping bead
T.CG.00174 18kg
内腔尺寸 Cavity Size (mm): 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5,
8, 8.5, 9, 9.5, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 25,
28, 30, 32, 35, 36, 40, 45, 50




椭圆窝珠作套
Dapping bead

T.GI.00233 12.5kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
23, 25, 28, 32, 36



特大窝珠作套装
Dapping bead

T.GI.1019-12 15kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25,
28, 32, 36, 40, 45, 50



特大窝珠作套装
Dapping bead

T.GI.1019-13 36kg
内腔尺寸 Cavity Size (mm): 2, 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24,
25, 28, 30, 32, 35, 40, 45, 50, 60, 70, 80, 90, 100



窝冲24件套
Dapping bead

T.GI.1019-14 6.8kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28,
32, 36, 40, 45, 50



槽窝珠作套装
Dapping bead

T.GI.1019-15 7kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 12, 14, 16, 18, 20, 25, 30



方窝作24件套
Dapping bead (24 Pcs)

T.GI.1019-16 16kg
内腔尺寸 Cavity Size (mm): 3, 4, 5, 6, 7, 8, 9,
10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28,
32, 36, 40, 45, 50



套装窝珠作 29支装
Dapping block (12 Pcs)

T.GI.00250



套装窝作
Dapping bead


T.GI.1019-21



套装窝作
Dapping bead


T.GI.1019-23

镶口模具
Bezel block




水滴形
Drop shape

T.GI.1019-24




长方形
Rectangle shape

T.GI.1019-25



圆形
Round shape

T.GI.1019-26




正方形
Square shape

T.GI.1019-27




正方形
Square shape

T.GI.1019-28




椭圆形
Oval shape

T.GI.1019-29



三角形
Triangle shape

T.GI.1019-30



心形
Heart shape

T.GI.1019-31



四方铁
Dapping block

| 代码 Model | 尺寸 Size | 重量 Weight | 备注 Notes |
|--------------|--------------|--------------|---------------|
| T.GI.00060 | 63×63×30mm | 0.9kg | |
| T.GI.00010 | 75×75×30mm | 1.3kg | |
| T.GI.00062 | 100×100×30mm | 2.3kg | |
| T.GI.00060-1 | 60×60×20mm | 0.6kg | 特硬 Extra hard |
| T.GI.00010-1 | 80×80×30mm | 1.5kg | 特硬 Extra hard |
| T.GI.00062-2 | 100×100×20mm | 1.6kg | 特硬 Extra hard |
| T.GI.00062-1 | 100×100×30mm | 2.3kg | 特硬 Extra hard |



英国圆片冲孔器
Disc Cutter (17 pcs)

T.GI.40001 3.6KG


内腔尺寸 Cavity Size (mm): 3, 6, 9, 13, 16, 19, 22, 25, 32



英国圆片冲孔器
Disc Cutter (8 pcs)

T.GI.40003 15.5KG

内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



五角星/三角形冲压器 (15支)
A star / Triangle (15 pcs)

T.GI.40010


Size: 4 1/8" x 1 3/4" x 1 1/8" 1.2KG
内腔尺寸 Cavity Size (mm): 6x6, 7.7x7.7, 9.5x9.5, 11x11, 13x13, 15x15, 17x17



四叶草冲压器 (6支)
Four leaf clover (6 pcs)

T.GI.40009

Size: 4 1/8" x 1 3/4" x 1 1/8" 1.35KG
内腔尺寸 Cavity Size (mm): 9x9, 12x12, 14x14, 16x16, 18x18, 20x20



长方/四方形冲压器 (11支)
Rectangular / Square (11 pcs)

T.GI.40008

Size: 4 1/8" x 1 3/4" x 1 1/8" 1.35KG
内腔尺寸 Cavity Size (mm): 5.9x5.9, 9.9x9.9, 10.4x10.4, 11.9x11.9, 12.5x12.5, 4x10, 6x10, 7.3x15.3, 8x16, 9.3x19.3, 10x20



英国圆片冲孔器 (17支)
Disc Cutter (17 pcs)

T.GI.400251 3.6KG

内腔尺寸 Cavity Size (mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



英国圆片冲孔器 (8支)
Disc Cutter (8 pcs)

T.GI.40003 15.5KG

内腔尺寸 Cavity Size (mm): 20, 25, 30, 35, 40, 45, 50, 55



圆片冲压器 (5支)
Disc Cutter with (5 pcs)

T.GI.40004 4.3KG

Size: 5 5/8" x 5 5/8" x 1 7/16"
内腔尺寸 Cavity Size: 1", 1 1/4", 1 3/4", 1 1/2", 2"

冲片模具
Punching dies



十字形
Cross shape
T.GI.50005



心形
Heart shape
T.GI.50006




五角星形
Pentagram shape
T.GI.50001



圆片冲压器 (7支)
Disc Cutter Set (7 pcs)

T.GI.40005 0.9KG

Size: 2 1/2" x 2 1/2" x 1"
内腔尺寸 Cavity Size: 1/4", 5/16", 3/8", 1/2", 9/16", 5/8"



圆片冲压器 (14支)
Disc Cutter Set (14 pcs)

T.GI.40006

Size: 4 1/8" x 1 3/4" x 1 1/8" 1.2KG
内腔尺寸 Cavity Size: 7/64", 11/64", 15/64", 3/16", 17/64", 19/64", 5/16", 21/64", 7/16", 15/32", 1/2", 35/64", 5/8"




圆片冲压器 (14支)
Disc Cutter Set (14 pcs)

T.GI.40007

Size: 2 7/8" x 2 7/8" x 1 5/16" 1.2KG
内腔尺寸 Cavity Size: 1/2", 5/8", 3/4", 7/8", 1"



四叶草形
Four-leaf clover
T.GI.50002



三角形
Triangle shape
T.GI.50003



水滴形
Drop shape
T.GI.50004



欧式两用小油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241
Diameter: Φ5, Φ7, Φ9, Φ11, Φ13mm
Pieces: 6×80mm Weight: 2.5KG



两用小油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241-5
Diameter: Φ5, Φ7, Φ9, Φ11, Φ13mm
Pieces: 6×80mm Weight: 2.2KG



两用大油夹 (圆条/平板)
Flat Ingot Mould

T.GI.00241-2
Diameter: Φ4, Φ6, Φ8, Φ10, Φ12mm
Pieces: 8×12mm Weight: 3.8KG



大弧度四方墩
Big square pier

T.GI.1019-18
170×70×70mm 3KG



小弧度四方墩
Small square pier

T.GI.1019-19
170×70×70mm 3KG




台面定位铁
All sizes locating iron

T.GI.1021-2 1.5KG



配件定位铁
Fitting locating iron

T.GI.1021-3



小两用小油夹 (方条/薄片)
Small ingot mould

T.GI.00241-9
Diameter: 5×5, 7×7, 9×9, 11×11, 13×13mm
Pieces: 6×80mm Weight: 2.2KG



牛角站
Horn anvil

T.GI.00009
76×102×100mm



微型牛角站
Mini horn anvil

T.GI.00009-1
118×65×20mm 0.5kg



重型牛角站
Heavy born anvil

Model: T.GI.00009-2
240×130×70mm 5kg



四方墩
Square pier

T.GI.00009-3
200×70×70mm 3KG

油槽
Steel trough



六坑油槽
Steel trough with six holes

T.RC.RR020



八坑油槽
Steel trough with eight holes

T.RC.RR021



吸珠针套装
Bead Tools SET

T.SL.00001



吸珠针
Bead Tools

T.SLX.0000-22
0#~22#



万能镶石座承铁
Iron holder for engraver's block

T.GI.1023-2
2.4KG



台塞套装
Taisai set

T.CG.00227



4寸油槽
4" Steel trough

T.RC.RR022



7寸油槽
7" Steel trough

T.RC.RR027



8寸油槽
8" Steel trough

T.RC.RR035



火漆
Sealing wax

T.GI.00015 12 Pcs/Box



火漆球 (小、中、大)
Sealing wax ball with base (small, medium, large)

2" T.GI.00005, 4" T.GI.00016, 6" T.GI.00037



黑橡胶微镶球底座
Rubber base

Model: T.GI.00110



万能手柄
Universal handle
T.SB.00006



冬菇索咀
Mushroom shape nozzle
T.GI.00042



葫芦索咀
STK steel nozzle
T.GI.00030



双头索咀
Double heads steel bur
T.GI.00029



可调LED灯
Adjustable LED lamp
M.MS.WXPJ18-C



LED灯
LED lamp
M.MS.WXPJ32



LED灯
LED lamp
M.MS.WXPJ34



3寸圆规机剪
3" Compass divider
T.GI.00059



5寸圆规机剪
5" Compass divider
T.GI.00059-1



6寸圆规机剪
6" Compass divider
T.GI.00059-2



宝石爪(3爪)
Gem holder
T.GI.00063



LED环形灯
LED circular lamp
M.MS.WXPJ35



144颗金属灯头LED灯
144 metal lamp heads LED lights
M.MS.WXPJ35-B



三色LED环形灯
Tri color LED circular lamp
M.MS.WXPJ36



火枪底座
Torch holder
T.GI.1019-20



马头木
Matou wood
T.CG.00064 180×35×12mm



坑木
Timber
T.CG.00001-C



戒指木夹
Wooden Ring Clamp
型号 Model: T.GI.00061

放大镜台灯
Magnifying mirror desk lamp



M.MS.WXPJ21 M.MS.WXPJ33



M.MS.WXPJ37 M.MS.WXPJ38



M.MS.WXPJ39 M.MS.WXPJ41



夹式LED台灯
Clip table lamp
M.MS.WXPJ40



钻石台灯
Diamond table lamp
M.MS.WXPJ23



绿台灯
Green desk lamp
M.MS.WXPJ26



LED灯
LED lamp
M.MS.WXPJ18

折叠台灯
Folding desk lamp



颜色: 黑色 / 白色 / 红色 / 黄色 / 金色 / 银色 / 粉红色
Color: Black / White / Red / Yellow / Gold / Silver / Pink
M.MS.WXPJ20



颜色: 黑色 / 白色 / 蓝色 / 红色
Color: Black / White / Blue / Red
M.MS.WXPJ20-B

手镯切割机
Rotary tumblers



型号 Model: M.MF.Q0040
切片尺寸 Slice size: Φ8cm
功率 Power: 220V/370W/2.45A
置物台 Shelf: 平面 Flat / 曲面 curved
转速 Speed: 可变速 Variable speed
尺寸 Size: 390x200x350mm
重量 Weight: 15.5kg

用途: 切割金、银条、手镯等
Usage: Cutting gold and silver bars/bracelets, etc.

手镯切管机
Rotary Tumblers



型号 Model: M.MF.Q0041
方便快捷 Convenience: 快速切割 Fast cutting
功率 Power: 220V/370W/2.45A
置物台 Shelf: 平面 Flat
转速 Speed: 4000rpm
尺寸 Size: 420x265x310mm
重量 Weight: 13.45kg

用途: 切割金、银条等
Usage: Cutting gold and silver bars/bracelets, etc.

珍珠钻孔机
Pearl Drilling Machine

电压 Voltage: 220V/50
马达 Motor: 6000rpm
可钻最大直径 35mm的珍珠
Can hold big pearls upto 35mm



T.GI.00112-A

全套包括 Complete with
5个珍珠索咀 5 pearl chucks: Φ3, Φ5, Φ7, Φ 9, Φ11mm



T.GI.00112



T.GI.00112-B



T.GI.00112-C



30A点焊机
30A Spot Welder

型号 Model: M.SW.00003
电压 Voltage: 110V/220V
尺寸 Size: 270x165x135mm
重量 Weight: 5kg



60A点焊机
60A Spot Welder

型号 Model: M.SW.00009
电压 Voltage: 110V/220V
尺寸 Size: 300x220x750mm
重量 Weight: 6kg



80A高频精密点焊机
80A High-Frequency Precision Spot Welder

型号 Model: M.SW.00009
电压 Voltage: 110V/220V
尺寸 Size: 300x220x750mm
重量 Weight: 6kg



90A高频精密点焊机
90A High-Frequency Precision Spot Welder

型号 Model: M.SW.00026
电压 Voltage: 110V/220V
尺寸 Size: 300x220x750mm
重量 Weight: 6kg



100A变频脉冲焊金机
100A Variable-Frequency Pulse Gold Welding Machine

型号 Model: M.SW.00008
电压 Voltage: 110V/220V
尺寸 Size: 300x220x750mm
重量 Weight: 6kg



150A多功能自动首饰焊机
150A Multi-function Auto Jewelry Welder

型号 Model: M.SW.00024
电压 Voltage: 110V/220V
尺寸 Size: 300x220x150mm
重量 Weight: 7kg



150A多功能自动首饰焊机
150A Multi-function Auto Jewelry Welder
(with protective goggles)

型号 Model: M.SW.00024-B
电压 Voltage: 110V/220V
尺寸 Size: 300x220x150mm
重量 Weight: 9kg



200A护眼多功能自动首饰焊机
200A Eye-Protected Multi-function Automatic Jewelry Welder

型号 Model: M.SW.00024-B
电压 Voltage: 110V/220V
尺寸 Size: 300x220x150mm
重量 Weight: 9kg



100A自动式点焊机
100A Automatic Spot Welder

型号 Model: M.SW.00023
电压 Voltage: 220V/50hz
焊接电压 Solder Voltage: 40V
焊接电流 Solder currency: 5A-600A
焊接时间 Solder time: 3ms-30ms



触屏碰焊机
Touch Screen Spot Welder

电压 Voltage: 110V/220V, 50/60HZ
功率 Power: 150W
功率保险 Power insurance: 5A
输入功率 Input power: 500VA
工作电压 Working voltage: DC 30-40V
焊点直径 Solder joint diameter: 0.1-5mm
保护气体 Protective gas: 氩气 Argon



M.SW.150Ws-A



M.SW.150Ws-B



美国氧气小火枪
USA torch for oxygen

氧气枪配合氧气和丁烷(液化气)使用，每一个枪头的大小不一样，可根据不同的产品，配置不同的枪头使用最高焊接温度可达1700°C，适合熔铸焊接各种精密产品，如黄金、银、K金、铂金、钯金、铜、铅锡合金及一些工艺品焊接等。


The oxygen gun is used in conjunction with oxygen and butane (liquefied gas), and each gun head has a different size. Different gun heads can be configured according to different products. The highest welding temperature can reach 1700 °C, making it suitable for melting and welding various precision products, such as gold, silver, K-gold, platinum, palladium, copper, lead-tin alloys, and some handicraft welding.

枪头Tips: 3#, 4#, 5#, 6#, 7#

T.TO.A0006



台湾氧气枪五个焊咀
Taiwan Torch for oxygen with 5 tips
T.TO.T0005



美国氧气枪
Taiwan Torch made in USA
T.TO.A0005



台湾氧气枪一个焊咀
Taiwan Torch for oxygen with 1 tip
T.TO.T0001



H01-20焊枪
H01-20 torch for oxygen
T.TO.H0120

300型焊枪
300 torch for oxygen
T.TO.00300-R

150E型割枪 (乙炔专用)
150E torch for oxygen
T.TO.0150E-A

150E型割枪 (丙烷专用)
150E torch for oxygen
T.TO.0150E-B



1006白单喉吹
Single tube small oil pot
T.TO.01006



铜加大单喉吹
Single tube small oil pot
T.TO.00004




铜加双大喉吹
Single tube small oil pot
T.TO.00028

喉吹 Welding torch lighter

配全熔焊机或者风球等设备使用，可以熔化金、银、铜等及焊接各种材料工艺品。

Equipped with full fusion welding machines or wind turbines, it can melt gold, silver, copper, and weld various materials and handicrafts.

| 代码 Model | D | W | H | 重量 Weight |
|--------------|-------|------|-------|--------------|
| A T.TO.00002 | Φ12mm | 39mm | 206mm | 75g |
| B T.TO.00001 | Φ16mm | 51mm | 258mm | 105g |
| C T.TO.00003 | Φ20mm | 69mm | 285mm | 155g |



单管小油壶
Single tube small oil pot
T.BK.00001



单管大油壶
Single tube large oil pot
T.BK.00002



单管小油壶
Double tube small oil pot
T.BK.00004



双管大油壶
Double tube large oil pot
T.BK.00004

多方位电子点火器 Electrical torch lighter

尺寸 Size: 75×75×50mm
重量 Weight: 338g



T.TO.00005



T.TO.00005-2

单方位电子点火器 Electrical torch lighter

尺寸 Size: 90×50×70mm
重量 Weight: 209g

T.TO.00009



只需将火吹嘴轻放在点火器上便能将火点燃，适用于熔焊机，皮老虎打火使用。
Simply place the fire nozzle lightly on the igniter to ignite the fire, suitable for welding machines and leather tiger ignition.



进口银焊粉
Imported silver welding powder
T.GI.00072



银焊粉
Silver welding powder
T.GI.00084



高磷铜焊粉
High phosphorus copper welding powder
T.GI.00133
60#~200#



高磷铜焊粉
BHigh phosphorus copper welding powder
T.GI.00133-2
150#~300#



25% 银焊粉
25% Silver welding powder
T.GI.00176



30% 银焊粉
30% Silver welding powder
T.GI.00177



进口黑焊粉
Imported black welding powder
T.GI.00231



进口铜焊粉
Imported copper welding powder
T.GI.HF001



风球
Leather air bellow
T.AB.P0003



风球套装
Leather air bellow kit
T.AB.A0002

用于金银首饰、DIY加工、焊接、融化金銀铜等金属使用。
Used for gold and silver jewelry, DIY processing, welding, melting gold, silver, copper and other metals.

气体打火器 Gas torch

火焰大小可调节，带有锁火功能，可变换直冲或明火，反复充气使用。
The flame size can be adjusted, with a flame locking function, which can be changed to direct or open flames, and can be repeatedly inflated for use.



| 代码 Model | 气体 Gas | 容量 Capacity | 尺寸 Size | 重量 Weight |
|-------------|-----------|----------------|--------------|--------------|
| T.TO.00040 | 丁烷 Butane | 10g | 100×60×140mm | 177g |
| T.TO.00041 | 丁烷 Butane | 10g | 120×45×172mm | 139g |
| T.TO.00042 | 丁烷 Butane | 10g | 120×60×157mm | 206g |
| T.TO.00048 | 丁烷 Butane | 8g | 76×60×150mm | 142g |
| T.TO.GB2001 | 丁烷 Butane | 19g | 85×65×145mm | 235g |
| T.TO.GT3000 | 丁烷 Butane | 20g | 75×62×155mm | 275g |
| T.TO.GT400S | 丁烷 Butane | / | 138×85×170mm | / |
| T.TO.GT5000 | 丁烷 Butane | 20g | 130×75×185mm | 385g |
| T.TO.BH501 | 丁烷 Butane | / | 130×66×165mm | 242g |



吸尘机 Industrial vacuum cleaner

适用于激光打标、喷码、小型雕刻切割、焊锡、浸锡、锡炉、激光焊等工作环境。
Applicable to laser marking, inkjet printing, small size engraving and cutting, soldering, tinning, tin furnace, laser welding and other fields



型号 Model: M.SW.PD018
电压 Voltage: AC220V 50Hz
功率 Power: 100W
风量 Air volume: 225m³/h
进风口法兰 Air inlet flange: Φ50mm
尺寸 Size: 290x245x325mm
重量 Weight: 8KG



型号 Model: M.SW.PD104
电压 Voltage: AC220V 50Hz
功率 Power: 200W
风量 Air volume: 300m³/h
进风口法兰 Air inlet flange: Φ50mm
尺寸 Size: 290x245x325mm
重量 Weight: 10KG



型号 Model: M.SW.PD103
电压 Voltage: AC220V 50Hz
功率 Power: 220W
风量 Air volume: 325m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 410x240x410mm
重量 Weight: 17KG



型号 Model: M.SW.PD016
电压 Voltage: AC220V 50Hz
功率 Power: 120W
风量 Air volume: 250m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 410x240x410mm
重量 Weight: 15KG



型号 Model: M.SW.PD106
电压 Voltage: AC220V 50Hz
功率 Power: 200W
风量 Air volume: 260m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 420x245x450mm
重量 Weight: 17KG



型号 Model: M.SW.PD107
电压 Voltage: AC220V 50Hz
功率 Power: 200W
风量 Air volume: 350m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 420x295x380mm
重量 Weight: 15KG



型号 Model: M.SW.PD108
电压 Voltage: AC220V 50Hz
功率 Power: 150W
风量 Air volume: 300m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 420x245x480mm
重量 Weight: 18KG



型号 Model: M.SW.PD109
电压 Voltage: AC220V 50Hz
功率 Power: 200W
风量 Air volume: 350m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 420x295x380mm
重量 Weight: 15KG



型号 Model: M.SW.PD110
电压 Voltage: AC220V 50Hz
功率 Power: 400W
风量 Air volume: 500m³/h
进风口法兰 Air inlet flange: Φ75mm
尺寸 Size: 420x320x580mm
重量 Weight: 25KG

银焊枝 Silver welding branch

| 代码 Model | 名称 Designation | 尺寸 Size |
|-------------|-------------------|------------|
| T.CG.00121 | 35%银焊枝 | Φ1.0mm |
| T.CG.00122 | 40%银焊枝 | Φ0.6mm |
| T.CG.00123 | 15%银焊枝 | Φ1.0mm |
| T.CG.00143 | 30%银焊枝 | Φ0.6mm |
| T.CG.00192 | 15%银焊枝 | Φ1.5mm |
| T.CG.00198 | 30%银焊枝 | Φ1.0mm |
| T.CG.00212 | 40%银焊枝 | Φ0.4mm |
| T.CG.00215 | 60%银焊枝 | Φ0.4mm |
| T.CG.00216 | 30%银焊枝 | Φ1.5mm |
| T.CG.00217 | 25%银焊枝 | Φ1.6mm |



银焊片 Silver solder joint

| 代码 Model | 名称 Designation | 尺寸 Size |
|--------------|-------------------|------------------|
| A.CW.00013-B | 60%银焊片 | 35.8×19.05×0.3mm |
| A.CW.00013-C | 30%银焊片 | 35.8×19.05×0.3mm |
| A.CW.00011-H | 高温银焊片 | 40×19×0.5mm |
| A.CW.00011-Z | 中温银焊片 | 40×19×0.5mm |
| A.CW.00011-D | 低温银焊片 | 40×19×0.5mm |



铜焊条 Copper welding branch

| | | | | |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| A.CW.00001 Φ0.6mm | A.CW.00003 Φ0.8mm | A.CW.00004 Φ0.3mm | A.CW.00005 Φ0.4mm | A.CW.00006 Φ0.5mm |
|----------------------|----------------------|----------------------|----------------------|----------------------|



铜线 Copper wire

| | | | | |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| A.CW.00050 Φ0.3mm | A.CW.00044 Φ0.5mm | A.CW.00032 Φ0.6mm | A.CW.00015 Φ0.7mm | A.CW.00037 Φ0.8mm |
| A.CW.00014 Φ0.9mm | A.CW.00046 Φ1.0mm | A.CW.00016 Φ1.2mm | A.CW.00022 Φ1.5mm | A.CW.00033 Φ1.7mm |
| A.CW.00045 Φ1.8mm | A.CW.00018 Φ2.0mm | A.CW.00021 Φ2.5mm | A.CW.00017 Φ3.0mm | |



石英烧杯 Ceramic beaker




| 代码 Model | 直径 Diameter | 高度 Height |
|--------------|----------------|--------------|
| C.CA.03000-B | Φ170mm | 350mm |
| C.CA.03000-C | Φ160mm | - |
| C.CA.03000-D | Φ171mm | 350mm |
| C.CA.05000 | Φ180mm | 280mm |
| C.CA.0800 | Φ205mm | 300mm |
| C.CA.170230 | Φ250mm | 160mm |
| C.CA.250160 | Φ250mm | 160mm |
| C.CA.280160 | Φ280mm | 160mm |
| C.CA.300025 | Φ300mm | 250mm |



石英篮 Ceramic basket

| 代码 Model | 直径 Diameter | 高度 Height |
|--------------|----------------|--------------|
| C.CA.00002-B | Φ180mm | 310mm |
| C.CA.00002-C | Φ150mm | 310mm |
| C.CA.00005 | Φ140mm | 330mm |

石英烧杯盖子 Ceramic beaker cover



| 代码 Model | 直径 Diameter | 高度 Height |
|-------------|----------------|--------------|
| C.CA.00003 | Φ210mm | 5mm |
| C.CA.00004 | Φ190mm | 5mm |
| C.CA.00006 | Φ180mm | 5mm |
| C.CA.00008 | Φ200mm | 5mm |

洗货挂勾 Hanging hook



| 代码 Model | 层 Layer |
|--------------|------------|
| M.UC.P0016 | 2 |
| M.UC.P0017 | 3 |
| M.UC.P0032 | 4 |
| M.UC.P0032-B | 4 |




| 代码 Model | 层 Layer |
|--------------|------------|
| M.UC.P0016-B | 2 |
| M.UC.P0017-B | 3 |
| M.UC.P0032-C | 4 |

过滤纸 Filter paper



T.GI.00021
60×60cm 厚 Thick



T.GI.00194
60×60cm 薄 Thin



T.GI.00051
Φ12.5mm



T.GI.00052
Φ18mm



塑料钛篮 (吊酸篮)
Plastic titanium basket (Acid hanging basket)

1000ML T.AB.B0035
2000ML T.AB.B0036
3000ML T.AB.B0032
5000ML T.AB.B0034



钛篮 (吊酸篮)
Titanium basket (Acid hanging basket)

1000ML T.AB.B0037
2000ML T.AB.B0038
3000ML T.AB.B0039
5000ML T.AB.B0022



钛金数控小吊酸炉
Titanium CNC small hanging acid furnace



水线
Waterline

Φ0.2mm T.GI.00086-2
Φ0.3mm T.GI.00086
Φ0.35mm T.GI.00087
Φ0.45mm T.GI.00197
Φ0.6mm T.GI.00160
Φ1mm T.GI.00197-B



T.AB.B016 50×110mm
T.AB.B016-B 50×110mm (带柄 With handle)
T.AB.B017 60×150mm
T.AB.B017-B 60×150mm (带柄 With handle)
T.AB.B002 50×210mm
T.AB.B0040 25×50mm
T.AB.B0041 35×80mm
T.AB.B0042 90×150mm



30安电金机
30A plating machine

M.RH.0030A



30安电金机
30A plating machine

M.RH.0030A-b



20/30安脉冲电金机
20/30A pulse plating machine

M.RH.0020B / M.RH.0030B



数显电金机
Digital plating machine

M.RH.00001
电源 Power supply: 220V
输出 Output: 30V/20A



数显电金机
Digital plating machine

M.RH.00002
电源 Power supply: 220V
输出 Output: 15V/5A



数显电金机
Digital plating machine

M.RH.00003
电源 Power supply: 220V
输出 Output: 30V/5A



数显电金机
Digital plating machine

M.RH.00004
电源 Power supply: 220V
输出 Output: 30V/5A



笔用电金机
Pen plating machine

M.RH.B0001
电源 Power supply: 220V
输出 Output: 12V/5A



A款笔式电镀机
A Pen plating machine

M.RH.B0004
电源 Power supply: 220V
输出 Output: 12V/2A



D款笔式电镀机
D Pen plating machine

M.RH.B0005
电源 Power supply: 220V
输出 Output: 12V/2A



笔用电金机
Pen plating machine

| | |
|---------------------------------|------------------|
| 型号 Model | M.RH.B0002 |
| 输入电压 Input voltage | 115-230V/50-60Hz |
| 最大耗电量 Maximum power consumption | 65VA |
| 最大输出电压 Maximum output voltage | 2-13V |
| 最大输出电流 Maximum output current | 3A |
| 尺寸 Size | 170x160x130mm |
| 重量 Weight | 700g |



电镀笔笔嘴
Nozzle for plating pen

| 代码 Model | 直径 Diameter | 高度 Height |
|--------------|-------------|-----------|
| M.RH.P0002 | Φ3.5mm | 25mm |
| M.RH.P0003 | Φ3mm | 46mm |
| M.RH.P0004 | Φ3.5mm | 20mm |
| M.RH.P0005 | Φ3.5mm | 22.5mm |
| M.RH.P0006-1 | Φ3.5mm | 24mm |
| M.RH.P0006-2 | Φ3.5mm | 24mm |
| M.RH.P0006-3 | Φ3.5mm | 25mm |



A-塑料量杯
Measuring cup

| 代码 Model | 宽度 Width | 高度 Height | 容量 Capacity | 包装 Package |
|------------|----------|-----------|-------------|-------------|
| H.BK.C0004 | 65mm | 96mm | 250ml | 500 Pcs/Box |
| H.BK.C0005 | 65mm | 96mm | 300ml | 500 Pcs/Box |
| H.BK.C0006 | 88mm | 114mm | 500ml | 200 Pcs/Box |
| H.BK.B0007 | 98mm | 143mm | 1000ml | 150 Pcs/Box |
| H.BK.C0001 | 116mm | 203mm | 2000ml | 100 Pcs/Box |
| H.BK.C0003 | 139mm | 217mm | 3000ml | 60 Pcs/Box |
| H.BK.C0002 | 163mm | 261mm | 5000ml | 30 Pcs/Box |



B-塑料量杯
Measuring cup

| 代码 Model | 宽度 Width | 高度 Height | 容量 Capacity | 包装 Package |
|------------|----------|-----------|-------------|--------------|
| H.BK.B0004 | 34mm | 39mm | 25ml | 3000 Pcs/Box |
| H.BK.B0002 | 42mm | 62mm | 50ml | 2000 Pcs/Box |
| H.BK.B0003 | 49mm | 68mm | 100ml | 1000 Pcs/Box |
| H.BK.B0011 | 58mm | 78mm | 150ml | 1000 Pcs/Box |
| H.BK.B0012 | 62mm | 85mm | 200ml | 500 Pcs/Box |
| H.BK.B0013 | 69mm | 95mm | 250ml | 500 Pcs/Box |
| H.BK.B0014 | 69mm | 95mm | 300ml | 500 Pcs/Box |
| H.BK.B0015 | 90mm | 114mm | 500ml | 300 Pcs/Box |
| H.BK.B0016 | 104mm | 140mm | 1000ml | 200 Pcs/Box |



C-塑料量杯
Measuring cup

| 代码 Model | 宽度 Width | 高度 Height | 容量 Capacity | 包装 Package |
|------------|----------|-----------|-------------|---------------|
| H.BK.D0001 | 31mm | 22mm | 10ml | 10000 Pcs/Box |
| H.BK.D0002 | 32mm | 28mm | 15ml | 8000 Pcs/Box |
| H.BK.D0003 | 32mm | 32mm | 20ml | 7500 Pcs/Box |
| H.BK.D0004 | 32mm | 36mm | 30ml | 5000 Pcs/Box |
| H.BK.D0005 | 33mm | 57mm | 50ml | 5000 Pcs/Box |
| H.BK.D0006 | 42mm | 49mm | 60ml | 3500 Pcs/Box |
| H.BK.D0007 | 47mm | 62mm | 100ml | 2500 Pcs/Box |
| H.BK.D0008 | 56mm | 69mm | 200ml | 1600 Pcs/Box |



玻璃量杯
Glass measuring cup

| 代码 Model | 容量 Capacity | 包装 Package |
|------------|-------------|------------|
| H.BK.A0005 | 250ml | 10 Pcs/Box |
| H.BK.A0006 | 5000ml | 8 Pcs/Box |
| H.BK.A0007 | 1000ml | 6 Pcs/Box |
| H.BK.A0008 | 2000ml | 6 Pcs/Box |
| H.BK.A0004 | 3000ml | 8 Pcs/Box |
| H.BK.A0003 | 5000ml | 6 Pcs/Box |

EP300电解抛光机 EP300 ELECTRIC POLISHING MACHINE

适合于金、银、铜、不锈钢材质小件的精密抛光。在隙位、细孔、内凹等部位上发挥出重要作用，抛光不需要任何磨料，完全借助电解作用。电解基本原则高电平去毛刺，中电平整平，低电平出光，分段程序控制。

电解过程安全可靠，电解液不含铬酐、氟化物等有毒有害物质，绿色环保，不燃烧，不爆炸，尾液处理容易。

Suitable for precision polishing of small pieces made of gold, silver, copper, and stainless steel materials. Plays an important role in areas such as gaps, pores, and indentations, polishing does not require any abrasives and relies entirely on electrolysis. The basic principles of electrolysis include deburring at high levels, leveling at medium levels, emitting light at low levels, and segmented program control.

The electrolysis process is safe and reliable, and the electrolyte does not contain toxic and harmful substances such as chromic anhydride and cyanide. It is environmentally friendly, non combustible, non explosive, and easy to handle the tail liquid.

产品特点 PRODUCT FEATURES

循环过滤 CIRCULATING FILTRATION

带有循环过滤系统，提高电解抛光质量。
Equipped with a circulating filtration system to improve the quality of electrolytic polishing.

恒温功能 CONSTANT TEMPERATURE FUNCTION

配备冷暖双控温冷水机，提高电解抛光效率。
Equipped with a dual temperature controlled chiller to improve the efficiency of electrolytic polishing.

回收处理 RECYCLING PROCESSING

一键自动回收，解除回收难的问题。
One click automatic recycling, eliminating the problem of difficult recycling.



抛光前 Before polishing

抛光后 After polishing

| 型号 Model | 电源 Power supply | 功率 Power | 最大电流输出 Maximum current output | 尺寸 Size |
|---------------|-----------------------------------|----------|-------------------------------|----------------|
| Z.M.MT.EP300D | 单相 Single-phase AC220V, 50 / 60Hz | 2.2KW | DC20V, 100A | 700×950×1100mm |

抛光工件数量：5个挂篮，单个放置4~8件工件

Quantity of polished workpieces: 5 hanging baskets, each holding 4-8 workpieces

SP2000磁力抛光机 SP2000 Magnetic polishing machine

应用于首饰铸件表面处理，适用于金、银、铜等合金及其它非磁性材质的抛光，适用于小五金表面去毛刺、去披锋等。

Application scenarios: treatment for the surface of jewelry castings; polishing of alloys like gold, silver and copper alloys and other non-magnetic materials; eliminating burrs on the surface of metals etc.

| | |
|------------------------------|----------------|
| 型号 Model | M.MT.SP2000 |
| 电源 Voltage | AC220V 50-60Hz |
| 功率 Power | 370W |
| 抛光量 Polishing amount | 2000g |
| 抛光桶尺寸 Polishing chamber size | 370×260×200mm |
| 尺寸 Size | 428×428×585mm |
| 净重 Net weight | 24.5Kg |



抛光前 Before polishing

抛光后 After polishing

磁力抛光机系列
Magnetic tumbler series



产品特点

本机适用于金、银、铜、锌合金及其他不导磁材料的抛光、去毛刺、去披锋等。


1. 大功率马达，交替式磁场设计，动力更强劲；
2. 数字式电路，可自由设定正反转时间继电器；
3. 电气控制部分，选用进口配件，机器寿命更长；
4. 设计精巧，操作方便；
5. 搬离抛光桶后自动停机，节能环保。

Product Features

Apply to jewelry surface processing, suitable for the polishing of gold/silver/copper/zinc-alloy and other metals without magnetic. Suitable to make the surface of hardware to be smooth without burrs.

1. Big power motor and alternate magnetic field to machine make it more powerful.
2. With digital circuit, reversible time can be set any time.
3. Electrical parts are made by imported material to extend the life of machine.
4. Elaborate design and convenient operation.
5. When polishing chamber is took out of machine, tumbler will stop automatically to save power.

| 型号 Model | Z.M.MT.PO800 | Z.M.MT.P1000 | Z.M.MT.P1500 | Z.M.MT.P2500 |
|------------------------------|-------------------------|-------------------------|-------------------------|---------------|
| 额定功率 Rated power | 250W | 550W | 750W | 1100W |
| 额定电压 Rated voltage | 110V, 60Hz / 220V, 50Hz | 110V, 60Hz / 220V, 50Hz | 110V, 60Hz / 220V, 50Hz | 220V, 50Hz |
| 电机转速 Motor speed | 2800 rpm/min | 2800 rpm/min | 2800 rpm/min | 1400 rpm/min |
| 抛光量 Polishing amount | 800g | 1000g | 1500g | 2500g |
| 抛光桶尺寸 Polishing chamber size | Φ165×H140mm | Φ210×H150mm | Φ290×H160mm | Φ330×H175mm |
| 外形尺寸 Outline size | 260×250×310mm | 290×290×340mm | 360×400×370mm | 450×420×603mm |
| 包装尺寸 Package size | 360×290×480mm | 390×330×520mm | 470×450×580mm | 530×495×645mm |
| 机器毛重 G.W | 18kg | 22kg | 28kg | 42kg |
| 机器净重 N.W | 16kg | 20kg | 23.5kg | 40kg |



变频调速磁力抛光机
Frequency conversion magnetic polishing machine



| 型号 Model | M.MT.B0260 | M.MT.B0360 | M.MT.B0360-A | M.MT.P0460 |
|----------------------------|---------------|---------------|---------------|---------------|
| 电压 Voltage | 220V | 220V | 220V | 220V/380V |
| 功率 Power | 750W | 1500W | 1500W | 2200W |
| 电机转速 Motor speed | 1800 rpm/min | 1800 rpm/min | 1800 rpm/min | 1800 rpm/min |
| 钢针用量 Steel needle quantity | 0-800G | 0-1000G | 0-1000G | 0-2000G |
| 抛光量 Polishing amount | 0.5-2.5KG | 0.5-5KG | 0.5-5KG | 0.5-10KG |
| 外形尺寸 Outline size | 330x330x380mm | 410x410x430mm | 410x410x430mm | 520x520x680mm |
| 重量 Weight | 28KG | 38KG | 38KG | 80KG |



| 型号 Model | M.MT.B0420 | M.MT.B0520 | M.MT.B0620 |
|----------------------------|----------------|----------------|----------------|
| 电压 Voltage | 220V/380V | 380V | 380V |
| 功率 Power | 1500W | 2200W | 4000W |
| 电机转速 Motor speed | 1800 rpm/min | 1800 rpm/min | 1800 rpm/min |
| 钢针用量 Steel needle quantity | 0-1500G | 0-3000G | 0-4000G |
| 抛光量 Polishing amount | 0.5-8KG | 0.5-12KG | 0.5-15KG |
| 外形尺寸 Outline size | 650x510x1030mm | 600x760x1030mm | 730x930x1130mm |
| 重量 Weight | 63KG | 100KG | 150KG |

强磁研磨抛光机
Strong magnetic polishing machine



M.MT.B0260-B

M.MT.B0360-B

| 型号 Model | M.MT.B0260-B | M.MT.B0360-B |
|----------------------------|---------------|---------------|
| 电压 Voltage | 220V | 220V |
| 功率 Power | 550W | 750W |
| 电机转速 Motor speed | 1400 rpm/min | 1400 rpm/min |
| 钢针用量 Steel needle quantity | 0-600G | 0-800G |
| 抛光量 Polishing amount | 0.5-2KG | 0.5-3KG |
| 外形尺寸 Outline size | 330x330x380mm | 410x410x430mm |
| 重量 Weight | 33KG | 40KG |



M.MT.BJ1200

M.MT.BJ1800

| 型号 Model | M.MT.B360BP | M.MT.B1050 | M.MT.BJ1200 | M.MT.BJ1800 |
|----------------------------|---------------|----------------|----------------|----------------|
| 电压 Voltage | 220V | 380V | 380V | 380V |
| 功率 Power | 1.5KW | 2.5KW | 4.3KW | 8.3KW |
| 电机转速 Motor speed | 2000 rpm/min | 1800 rpm/min | 1800 rpm/min | 1800 rpm/min |
| 钢针用量 Steel needle quantity | 0-2KG | 5-15KG | 10-20KG | 10-20KG |
| 抛光量 Polishing amount | 10KG | 20KG | 30KG | 60KG |
| 外形尺寸 Outline size | 780x640x970mm | 1200x660x680mm | 1350x760x680mm | 1980x760x680mm |
| 重量 Weight | 115KG | 190KG | 225KG | 360KG |

平移式变频调速磁力抛光机
Strong magnetic polishing machine

单组平移磁力抛光机：在原有的普通磁力研磨机的基础上，增加移动机构可消除中心盲区，解决大件长条工件的抛光效果，改善了整个抛光的均匀度，产品在研磨桶内无盲区，特别是磁盘中心及四周围位置。

平移磁力抛光机优点：

- 1、抛大件长条均匀度高，包括亮度和沙面、去毛刺均匀度极高。
- 2、平移抛光机在原有的圆形基础上，因为左右来回移动，大大增加了磁场面积的长度，适合抛较长的产品。(较适合抛管类、块状的产品。如：笔记本电脑底壳)。
- 3、平移设备可配合隔板处理盆状或怕磕碰的产品分隔批量处理。

Single group translational magnetic polishing machine: On the basis of the original ordinary magnetic polishing machine, adding a moving mechanism can eliminate the central breeding area, solve the polishing effect of large and long workpieces, improve the uniformity of the entire polishing, and the product has no blind spots in the grinding barrel, especially in the center and surrounding positions of the disk.

Advantages of translation magnetic polishing machine:

1. The uniformity of throwing large pieces is high, including high brightness and sand surface, as well as extremely high uniformity of deburring.
2. The translation polishing machine, on the basis of the original circular shape, greatly increases the length of the magnetic field area due to its left and right back and forth movement, making it suitable for polishing longer products. (More suitable for products in the form of throwing tubes and blocks, such as laptop bottoms)
3. The translation device can be used in conjunction with partitions to handle batch processing of basin shaped or collision resistant products.



M.MT.B0280-A M.MT.BSK360 M.MT.B0280 M.MT.B0360AD

| 型号 Model | M.MT.B0280-A | M.MT.BSK360 | M.MT.B0280 | M.MT.B0360AD |
|----------------------------|---------------|---------------|----------------|----------------|
| 电压 Voltage | 220V | 220V | 220V/380V | 220V/380V |
| 功率 Power | 550W | 750W | 1100W | 1500W |
| 电机转速 Motor speed | 1400 rpm/min | 1400 rpm/min | 1400 rpm/min | 1400 rpm/min |
| 钢针用量 Steel needle quantity | 0-600G | 0-800G | 0-600G x 2 | 0-800G x 2 |
| 抛光量 Polishing amount | 2.5KG | 3.5KG | 2.5KG x 2 | 3.5KG x 2 |
| 外形尺寸 Outline size | 430x430x930mm | 500x500x930mm | 700x380x1200mm | 860x440x1200mm |
| 重量 Weight | 33KG | 40KG | 65KG | 58KG |



M.MT.P186 M.MT.P186S M.MT.P0130 M.MT.P0100 M.MT.P0108 M.MT.P0090

| 型号 Model | M.MT.P186 | M.MT.P186S | M.MT.P0130 | M.MT.P0100 | M.MT.P0108 | M.MT.P0090 |
|------------------------------|---------------|---------------|---------------|------------------|------------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V | 110V/220V | 110V/220V | 110V/220V | 110V/220V |
| 转速 Speed | 2000 rpm/min | 2000 rpm/min | 2000 rpm/min | 500-2000 rpm/min | 500-2000 rpm/min | 2000 rpm/min |
| 容量 Capacity | 700g | 700g | 500g | 400g | 400g | 400g |
| 抛光桶尺寸 Polishing chamber size | 180x110mm | 180x110mm | 136x100mm | 110x100mm | 110x100mm | 110x100mm |
| 外形尺寸 Outline size | 280x280x360mm | 280x280x360mm | 230x230x320mm | 200x200x290mm | 180x180x280mm | 160x160x280mm |
| 重量 Weight | 11kg | 11kg | 7kg | 5.2kg | 5kg | 5kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories

磁力抛光机KT-185/KT-185S

Magnetic polishing machine KT-185/KT-185S

| 型号 Model | M.MT.P185 | M.MT.P185S |
|------------------------------|---------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V |
| 转速 Speed | 2000 rpm/min | 2000 rpm/min |
| 容量 Capacity | 700g | 700g |
| 抛光桶尺寸 Polishing chamber size | 180x110mm | 180x110mm |
| 外形尺寸 Outline size | 230x230x380mm | 230x230x380mm |
| 重量 Weight | 10kg | 11kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories



M.MT.P185

M.MT.P185S

磁力抛光机KT-205/KT-205S

Magnetic polishing machine KT-205/KT-205S

| 型号 Model | M.MT.PT0205 | M.MT.PT0205S |
|------------------------------|---------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V |
| 转速 Speed | 2800 rpm/min | 2800 rpm/min |
| 容量 Capacity | 900g | 900g |
| 抛光桶尺寸 Polishing chamber size | 200x110mm | 200x110mm |
| 外形尺寸 Outline size | 260x260x420mm | 260x260x420mm |
| 重量 Weight | 15kg | 15kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories



M.MT.PT0205

M.MT.PT0205S



M.MT.P360A

M.MT.P360-300

M.MT.P360S

磁力抛光机KT-306/KT-306A/M.MT.P360-300
Magnetic polishing machine KT-306/KT-306A/M.MT.P360-300

| 型号 Model | M.MT.P360A | M.MT.P360-300 | M.MT.P360S |
|------------------------------|----------------|----------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V | 110V/220V |
| 转速 Speed | 0-1900 rpm/min | 0-1900 rpm/min | 2800 rpm/min |
| 容量 Capacity | 1500g | 1500g | 1500g |
| 抛光桶尺寸 Polishing chamber size | 288x150mm | 288x150mm | 288x150mm |
| 外形尺寸 Outline size | 360x360x490mm | 360x360x490mm | 360x360x490mm |
| 重量 Weight | 25kg | 26kg | 26kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories

磁力抛光机KT-280A/KT-280C
Magnetic polishing machine KT-280A/KT-280C

| 型号 Model | M.MT.P280 | M.MT.P280C |
|------------------------------|---------------|----------------|
| 电压 Voltage | 110V/220V | 110V/220V |
| 转速 Speed | 1400 rpm/min | 0-1900 rpm/min |
| 容量 Capacity | 1200g | 1200g |
| 抛光桶尺寸 Polishing chamber size | 252x145mm | 252x145mm |
| 外形尺寸 Outline size | 310x310x460mm | 310x310x460mm |
| 重量 Weight | 20kg | 21kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories



M.MT.P280

M.MT.P280C

磁力抛光机KT-145/KT-150
Magnetic polishing machine KT-145/KT-150

| 型号 Model | M.MT.P145 | M.MT.P150 |
|------------------------------|---------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V |
| 转速 Speed | 2000 rpm/min | 2000 rpm/min |
| 容量 Capacity | 600g | 600g |
| 抛光桶尺寸 Polishing chamber size | 150x110mm | 150x110mm |
| 外形尺寸 Outline size | 200x200x310mm | 200x200x310mm |
| 重量 Weight | 6kg | 6kg |

容量: 抛光针和附件 Capacity: Polishing pins and accessories



M.MT.P145

M.MT.P150



应用范围

用于金银首饰、钟表眼镜配件、电子零件、纺织轮针及其他细薄精密五金件的去毛刺、倒角与精密抛光。替代人工或布轮打磨等传统低效率的作业方式，实现批量化、自动化的生产流程。

产品特点

旋涡式研磨抛光机采用多项专利技术，确保机器的整体结构科学合理与超细的间隙（0.05~0.1mm左右）以及良好的旋涡流动工作状态，使本机在加工复杂、细薄工件时，具有更好的适用性。

1. 美国杜邦聚安脂（PU）桶体、转盘。
2. 采用高耐磨陶瓷/合金间隙结构。
3. 螺旋间隙调整结构。
4. 具有自动散热功能。
5. 变频控制系统，具有定时工作及正反转功能。
6. 自动循环水装置。

| 名称 Denomination | 型号 Model | 容积 Volume | 工作容积 Barrel capacity | 电压 Voltage | 功率 Power | 外形尺寸 Outline size (LxWxH) | 重量 Weight |
|--------------------|--------------|--------------|-------------------------|---------------|-------------|------------------------------|--------------|
| WE-18升湿式涡流机 | M.GM.WE018 | 18L | 14L | 220V, 50/60Hz | 0.75KW | 700x790x1440mm | 140kg |
| WS-18升湿式双头涡流机 | M.GM.WS018-2 | 2x18L | 2x14L | 220V, 50/60Hz | 2x0.75KW | 1160x790x1440mm | 235kg |
| WS-18升湿式三头涡流机 | M.GM.WE018-3 | 3x18L | 3x14L | 220V, 50/60Hz | 3x0.75KW | 1690x790x1440mm | 330kg |
| WE-36升湿式涡流机 | M.GM.WE036 | 36L | 28L | 380V, 50/60Hz | 2.2KW | 890x800x1440mm | 220kg |

Application

Used for gold and silver jewelry, clocks and watches, glasses accessories, electronic parts, textile needle wheel and other thin precision hardware deburring, chamfering and precise polishing. Replace artificial or cloth round of polishing low efficiency of traditional practices, realizing mass, automation of production processes.

Product Features

Gyrate polishing machine adopt patent technique ensure the machine has a reasonable structure, every small gap (about 0.05~0.1 mm) and well work condition. The feature made machine use-friendly when polish the complicated and thin workpiece.

1. Grinding barrel and rotating disc are made of DuPont polyurethane (PU).
2. The gap adopts the durable ceramic/alloy ring structure.
3. The gap is adjusted by means of helix device.
4. Automatic radiate heat fuction.
5. Inverter device, timer of the operation and normal/reversal rotation.
6. Automatic cycle water device.



LS-32立式离心研磨机 LS-32 vertical centrifugal grinding machine

产品特点 Product Features

1. 行星传动方式，利用离心运动原理，研磨效率高，比普通滚桶提高工效10至15倍。
2. 适用批量小型的工件研磨抛光。
3. 采用同步带传动，运转平稳，噪音小，使用寿命更长。
4. 内桶采用进口聚氨酯胶，耐酸碱、耐磨。
5. 本机采用电子刹车系统，操作更安全，免去人为操作的失误。
6. 带变频调速功能，速度可以随时调节，减少不良率。
7. 内置4个桶，均可拆下来的，方便清洗，4个桶可以同时进行研磨或抛光功能，或者同时加工不同类型的工件，易于分拣。

应用范围 Application

LS-32立式离心研磨机适合铝压铸件、锌压铸件、钟表部件、锁、电子配件各类首饰、珠宝及粉末冶金、树脂等；用作多种行业种类零件的去刺、表面抛光、飞边、倒圆角、除氧化皮、除锈、强化金属表面、光亮抛光、电镀前及化学处理前的表面光整处理。

特别是以某些不能承受较大机械压力的薄壁、窄缝薄壁零件、异形复杂的腔孔的光整加工有其特异的优越功能，经该机型光整加工的零件，不破坏原有的形位精度，而且表面质量有所提高，起到工业美容的作用。

Product Features

1. Planetary transmission mode, using the principle of centrifugal motion. Compared with the ordinary drum, the grinding efficiency is increased 10-15 times.
2. Suitable for grinding and polishing small batch workpieces.
3. Adopt synchronous belt transmission, smooth operation, low noise, long service life.
4. The inner barrel adopts imported polyurethane glue, acid and alkali resistant and wear-resisting.
5. This machine adopts electronic brake system, which makes the operation safer and avoids the mistake of human operation.
6. With frequency control function, the speed can be adjusted at any time to reduce the rate of defects.
7. There are four built-in drums, which can be removed for easy cleaning. The four drums can be ground or polished at the same time, or different types of workpiece can be processed at the same time, which is easy to be selected.

Application

LS-32 vertical centrifugal grinding machine is suitable for aluminum die casting, zinc die casting, clock parts, locks, electronic accessories, all kinds of jewelries and powder metallurgy, resin, etc. It can be used for cutting, surface polishing, flapping, rounding, deoxidizing, derusting, strengthening metal surface, bright polishing, surface finishing before electroplating and chemical treatment of various kinds of parts in difference industries. Particularly, the machine has superior function for the finishing processing of some thin parts, narrow seam thin parts and special-shaped complex cavity holes, which cannot stand the larger mechanical pressure. After the finishing processing by this machine, the original shape and accuracy of the parts won't be destroyed. The surface quality of the parts is improved. It plays the important role in industrial beauty.



双层干式滚筒研磨机 Dry barrel polishing machine with double layer

产品特点 Product Features

双层干式滚筒研磨机利用滚动滑动运动的原理，加装数显计时器及点动开关及行位开关，从而使操作更加安全方便，抛光研磨效率高，运转平稳，噪音小，适用批量中，小型的工件抛光研磨加工，特别适用异型工件。

应用范围 Application

金银铜首饰、服饰配件，电子、塑胶类小零件去披锋(毛刺)、倒角、去斑、去氧化皮、抛光等高精密研磨抛光作业。

Product Features

Dry barrel polishing machine is working by rotating the barrels, with counter and jog switch to make it easier operation and safety. High polishing efficiency, Low noise and rotates smooth. Suitable for polishing medium, small work piece and irregular shape work piece.

Application

Suitable for jewelry products, clothing & accessories, electronic parts, plastic small parts for rough grinding, deburring, surface polishing finishing.



| 型号 Model | 容积 Volume | 电压 Voltage | 功率 Power | 转速 Speed (rpm/min) | 桶身尺寸 Barrel size | 外形尺寸 Outline size (L×W×H) | 重量 Weight |
|------------|-----------|------------|----------|--------------------|------------------|---------------------------|-----------|
| M.MT.GT022 | 600L | 380V | 0.75KW | 33 | 700x1130mm | 1720x850x1800mm | 400kg |



抛光前 Casting Workpieces

抛光后 After Electrolysis

| 型号 Model | 容量 Capacity | 电压 Voltage | 磨料桶数量 Abrasive Barrels No | 功率 Power | 机器尺寸 Machine Size | 重量 Weight |
|--------------|-------------|--------------|---------------------------|----------|-------------------|-----------|
| Z.M.MT.LS-32 | 16L | 220V 50/60HZ | 4x4L | 1.5KW | 1120x880x912mm | 365KG |

震动抛光机
Vibration polishing machine



8寸震动抛光机SP-B
8" Vibration polishing machine SP-B
型号 Model: M.ZD.8SPB-1

12寸震动抛光机SP-7
12" Vibration polishing machine SP-7
型号 Model: M.ZD.12SP7

12寸震动抛光研磨机SP-A
12" Vibration polishing machine SP-A
型号 Model: M.ZD.12SPA



抛光前
Before polishing



抛光后
After polishing



17寸震动抛光机SP-A
17" Vibration polishing machine SP-A
型号 Model: M.ZD.17SPA

17寸震动抛光研磨机SP-C
17" Vibration polishing machine SP-C
型号 Model: M.ZD.17SPC

| 型号 Model | M.ZD.8SPB-1 | M.ZD.12SP7 | M.ZD.12SPA | M.ZD.17SPA | M.ZD.17SPC |
|-------------|---------------|---------------|---------------|---------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V | 110V/220V | 110V/220V | 110V/220V |
| 功率 Power | 150W | 180W | 180W | 200W | 180W |
| 容量 Capacity | 3KG | 6.2KG | 6.2KG | 20KG | 20KG |
| 尺寸 Size | 250x250x400mm | 355x355x400mm | 355x355x400mm | 430x430x410mm | 355x355x400mm |
| 重量 Weight | 8KG | 14KG | 14KG | 23KG | 20KG |

滚桶抛光机
Barrel polishing machine



滚桶抛光机KT-6808
Barrel polishing machine KT-6808
型号 Model: M.MT.GT001

滚桶抛光机KT-2000
Barrel polishing machine KT-2000
型号 Model: M.MT.GT002

滚桶抛光机KT-245
Barrel polishing machine KT-245
型号 Model: M.MT.GT003



电子滚动抛光机KT-250
Electronic barrel polishing machine KT-250
型号 Model: M.MT.GT004



滚桶抛光机KT-3010
Barrel polishing machine KT-3010
型号 Model: M.MT.GT005

| 型号 Model | M.MT.GT001 | M.MT.GT002 | M.MT.GT003 | M.MT.GT004 | M.MT.GT005 |
|----------------------|---------------|---------------|---------------|---------------|---------------|
| 电压 Voltage | 110V/220V | 110V/220V | 110V/220V | 110V/220V | 110V/220V |
| 功率 Power | 60W | 150W | 150 | 150W | 250W |
| 容量 Capacity | 3KG | 5KG | 8KG | 8KG | 12KG |
| 抛光桶 Polishing barrel | 145x150mm | 190x180mm | 250x220mm | 250x220mm | 300x240mm |
| 尺寸 Size | 230x180x240mm | 280x220x290mm | 298x222x325mm | 298x222x325mm | 370x390x430mm |
| 重量 Weight | 5KG | 6KG | 12KG | 12KG | 15KG |

滚桶抛光机1320
Barrel polishing machine 1320

| | |
|-------------|---------------|
| 型号 Model | M.MT.GT006 |
| 电压 Voltage | 110V/220V |
| 功率 Power | 300W |
| 容量 Capacity | 11KG |
| 尺寸 Size | 570x210x390mm |
| 重量 Weight | 18KG |

单桶 / 双桶可选
Single polishing barrel / Double polishing barrel for option
尺寸 Size: 235x310mm, 210x130mm × 2



变频双桶抛光机KT620
Barrel polishing machine 1320

| | |
|----------------------|----------------|
| 型号 Model | M.MT.GT009 |
| 电压 Voltage | 110V/220V |
| 功率 Power | 750W |
| 容量 Capacity | 20KG |
| 抛光桶 Polishing barrel | 310x290mm |
| 尺寸 Size | 1000x450x650mm |
| 重量 Weight | 50KG |




台式滚桶抛光机KT-4200
Barrel polishing machine 1320

| | |
|----------------------|----------------|
| 型号 Model | M.MT.G4200 |
| 电压 Voltage | 110V/220V |
| 容量 Capacity | 40KG |
| 抛光桶 Polishing barrel | 420x300mm |
| 尺寸 Size | 670x3560x630mm |
| 重量 Weight | 50KG |



30型滚桶抛光机
30 type barrel polishing machine
型号 Model: M.MT.GT050
电压 Voltage: 110-220V
容量 Capacity: 0.6L
抛光桶 Polishing barrel: 105x97mm
尺寸 Size: 220x160x170mm




20型滚桶抛光机
20 type barrel polishing machine
型号 Model: M.MT.GT052
电压 Voltage: 110-220V
速度 Speed: 360rpm
容量 Capacity: 0.9L
抛光桶 Polishing barrel: 115x125mm
尺寸 Size: 370x170x180mm



50型滚桶抛光机
50 type barrel polishing machine
型号 Model: M.MT.GT053
电压 Voltage: 110-220V
速度 Speed: 360rpm
容量 Capacity: 0.6L
抛光桶 Polishing barrel: 105x97mm
尺寸 Size: 220x160x170mm
重量 Weight: 2.5KG

10型滚桶抛光机
10 type barrel polishing machine
型号 Model: M.MT.GT051
电压 Voltage: 110-220V
速度 Speed: 360rpm
容量 Capacity: 0.9L
抛光桶 Polishing barrel: 115x125mm
尺寸 Size: 250x170x180mm
重量 Weight: 2.7KG



吸尘抛光机H3600
Polishing machine H3600
型号 Model: M.MT.H3600
电压 Voltage: 220V
功率 Power: 550W
尺寸 Size: 540x350x310mm
重量 Weight: 23.6KG

抛光机H4300
Polishing machine H4300
型号 Model: M.MT.H4300
电压 Voltage: 220V
功率 Power: 430W
尺寸 Size: 400x300x370mm
重量 Weight: 13.4KG

吸布轮抛光机
Dust collection polishing machine
型号 Model: M.MT.DM008-1
电压 Voltage: 110V/220V
功率 Power: 750W
速度 Speed: 0-4300rpm

小型双轴打磨机
Mini double heads grinding machine



型号 Model: M.MT.DM010
电压 Voltage: 110-220V
功率 Power: 250W
速度 Speed: 500-7000rpm




型号 Model: M.MT.DM011
电压 Voltage: 110-220V
功率 Power: 200W
速度 Speed: 500-8000rpm
尺寸 Size: 380x240x250mm



型号 Model: M.MT.DM012
电压 Voltage: 110-220V
功率 Power: 150W
速度 Speed: 500-6000rpm
尺寸 Size: 240x180x150mm



小型单头打磨机
Small one head grinding machine
型号 Model: M.MT.DM002
电压 Voltage: 110V/220V
功效 Power: 550W
尺寸 Size: 660x330x190mm
重量 Weight: 22KG



双头吸尘打磨机
Double heads dust collection grinding machine
型号 Model: M.MT.DM001
电压 Voltage: 110V/220V
打磨马达 Polishing Motor: 1/2HP
吸入马达 Suction Motor: 1/2HP
速度 Speed: 2800rpm
尺寸 Size: 680x540x340mm
重量 Weight: 43KG



吸尘抛光机DM-5
Dust collection polishing machine DM-5
型号 Model: M.MT.DM005-A
电压 Voltage: 110V/220V
功率 Power: 200W
速度 Speed: 500-7000rpm
尺寸 Size: 490x340x260mm
重量 Weight: 11KG



小型双头打磨机
Small double heads grinding machine
型号 Model: M.MT.DM003
电压 Voltage: 220V
功效 Power: 200W
外形尺寸 Outline size: L330xH130mm
重量 Weight: 3.4KG



布轮抛光机
Buff grinding machine
型号 Model: M.MT.DM003-B
电压 Voltage: 220V
功效 Power: 180W
外形尺寸 Outline size: L330xH130mm
重量 Weight: 3.5KG



变频高速吸尘打磨机DM-6
Frequency conversion speed dust collection grinding machine DM-6
型号 Model: M.MT.DM006-A
电压 Voltage: 110V/220V
打磨马达 Polishing Motor: 1/2HP匹
吸入马达 Suction Motor: 1/2HP匹
速度 Speed: 500-3600rpm
尺寸 Size: 550x420x300mm
重量 Weight: 28KG



双头吸尘抛光机H3700S
Double sides polishing machine H3700S
型号 Model: M.MT.H3700S
电压 Voltage: 220V
功率 Power: 690W
尺寸 Size: 795x490x300mm
重量 Weight: 34KG



布轮抛光机
Buff grinding machine
型号 Model: M.MT.DM007
电压 Voltage: 220V
功效 Power: 200W
速度 Speed: 500-7000rpm



打磨机
Polishing machine
型号 Model: M.MT.DM008
电压 Voltage: 10V/220V
功效 Power: 200W
速度 Speed: 500-7000rpm

分体式潜水抛光机KT-400
Under water polishing machine KT-400



| | |
|----------------------|---------------|
| 型号 Model | M.MT.G4200-B |
| 电压 Voltage | 220V |
| 功率 Power | 550W |
| 容量 Capacity | 20KG |
| 抛光桶 Polishing barrel | 320x200mm |
| 尺寸 Size | 290x310x720mm |
| 重量 Weight | 48KG |

多功能切割磨光机
Multi functional cutting and polishing machine

| | |
|-------------------|---------------|
| 型号 Model | M.MT.B0042 |
| 电压 Voltage | 220V |
| 功率 Power | 200W |
| 速度 Speed | 500-7000rpm |
| 外形尺寸 Outline size | 300x250x160mm |
| 重量 Weight | 7kg |



打磨机
Brush micromotor

| | |
|------------|----------------------|
| 型号 Model | M.MT.DM011 |
| 电压 Voltage | 110V/60Hz, 220V/50Hz |
| 功率 Power | 65W |
| 重量 Weight | 1.38kg |



韩国精密磨打机206
Brush micromotor 206

| | |
|------------|---------------|
| 型号 Model | M.MT.DM206 |
| 电压 Voltage | 220V |
| 速度 Speed | 5500-45000rpm |

SP-A90电子打磨机
SP-A90 brush micromotor

| | |
|------------|----------------------|
| 型号 Model | M.MT.DMA90 |
| 电压 Voltage | 110V/60Hz, 220V/50Hz |
| 功率 Power | 65W |
| 速度 Speed | 35000rpm |

进口精密打磨机407
Imported precision brush micromotor 407

| | |
|-------------------|---------------|
| 型号 Model | M.MT.DM407 |
| 电压 Voltage | 220V |
| 功率 Power | 230W |
| 外形尺寸 Outline size | 160x210x100mm |
| 重量 Weight | 2.31KG |

韩国磨打机204
Korea 204 brush micromotor

| | |
|------------|------------|
| 型号 Model | M.MT.DM204 |
| 电压 Voltage | 110V/220V |
| 功率 Power | 65W |
| 速度 Speed | 35000rpm |

N4打磨机
N4 brush micromotor

| | |
|------------|----------------------|
| 型号 Model | M.MT.N4 |
| 电压 Voltage | 110V/60Hz, 220V/50Hz |
| 功率 Power | 65W |
| 速度 Speed | 35000rpm |

N3+H37L1打磨机
N3+H37L1 brush micromotor

| | |
|------------|----------------------|
| 型号 Model | M.MT.H37L1-C |
| 电压 Voltage | 110V/60Hz, 220V/50Hz |
| 功率 Power | 65W |
| 速度 Speed | 35000rpm |

207B + 102LN打磨机
207B + 102LN brush micromotor

| | |
|------------|----------------------|
| 型号 Model | M.MT.DM207B |
| 电压 Voltage | 110V/60Hz, 220V/50Hz |
| 功率 Power | 65W |
| 速度 Speed | 35000rpm |

世洋H37L1打磨机
Saeyang H37L1 brush micromotor

| | |
|-------------------|--------------|
| 型号 Model | M.MT.H37L1 |
| 电压 Voltage | 11V/220V |
| 速度 Speed | 35000rpm |
| 外形尺寸 Outline size | 118x156x78mm |
| 重量 Weight | 1.25KG |

世洋N7M45打磨机
Saeyang N7M45 brush micromotor

| | |
|-------------------|--------------|
| 型号 Model | M.MT.N7M45 |
| 电压 Voltage | 11V/220V |
| 速度 Speed | 45000rpm |
| 外形尺寸 Outline size | 115x147x88mm |
| 重量 Weight | 1.2KG |

世洋NY-SH37LN-FS60打磨机
Saeyang NY-SH37LN-FS60 brush micromotor

| | |
|-------------------|---------------|
| 型号 Model | M.MT.NYSH37LN |
| 功率 Power | 70W |
| 速度 Speed | 0-45000rpm |
| 外形尺寸 Outline size | 250x250x200mm |
| 重量 Weight | 2.5KG |



KT-A02吊摩机
KT-A02 flex shaft

型号 Model: M.FS.00A02
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min

KT-A03吊摩机
KT-A03 flex shaft

型号 Model: M.FS.00A03
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min

KT-A06吊摩机
KT-A06 flex shaft

型号: Model M.FS.00A06
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/24000r/min

KT-A07吊摩机
KT-A07 flex shaft

型号 Model: M.FS.00A07
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min

KT-A04吊摩机
KT-A04 flex shaft

型号 Model: M.FS.00A04
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min

KT-A05吊摩机
KT-A05 flex shaft

型号 Model: M.FS.00A05
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min

KT-A08吊摩机
KT-A08 flex shaft

型号 Model: M.FS.00A08
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min

KT-A09吊摩机
KT-A09 flex shaft

型号 Model: M.FS.00A09
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/19000r/min



KT-A10吊摩机
KT-A10 flex shaft

型号 Model: M.FS.00A10
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/18000r/min



KT-A11吊摩机
KT-A11 flex shaft

型号 Model: M.FS.00A11
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/17000r/min



KT-A15吊摩机
KT-A15 flex shaft

型号 Model: M.FS.00A15
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



CC-30金科达吊摩机
CC-30 flex shaft

型号 Model: M.FS.00001
焊针直径 Welding pen diameter: Φ2.35mm/Φ4.5mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



KT-A12吊摩机
KT-A12 flex shaft

型号 Model: M.FS.00A12
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 180W
负载速度 Rotating speed: 500/5000r/min



KT-A13吊摩机
KT-A13 flex shaft

型号 Model: M.FS.00A13
焊针直径 Welding pen diameter: Φ4mm/Φ6mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min



CH330保利吊摩机
CH330 poli flex shaft

型号 Model: M.FS.00003
焊针直径 Welding pen diameter: Φ2.35mm/Φ4.5mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/18000r/min



SR吊摩机
SR flex shaft

型号 Model: M.FS.00004
焊针直径 Welding pen diameter: Φ2.35mm/Φ4.5mm
电源 Power supply: 110V/220V
频率 Frequency: 50/60Hz
输入功率 Power input: 200W
负载速度 Rotating speed: 500/20000r/min

意大利吊摩机
Pfingst flex shaft


型号 Model: M.FS.00005
 焊针直径 Welding pen diameter: Φ2.35mm/Φ4.5mm
 电源 Power supply: 110V/220V
 频率 Frequency: 50/60Hz
 输入功率 Power input: 200W
 负载速度 Rotating speed: 500/20000r/min

吊摩机SL10-128A
Flex shaft SL10-128A

型号 Model: M.FS.SL128
 焊针直径 Welding pen diameter: Φ4mm
 电源 Power supply: 110V/220V
 频率 Frequency: 50/60Hz
 输入功率 Power input: 250W
 负载速度 Rotating speed: 0-24000r/min

KV002吊摩机
KV002 flex shaft

型号 Model: M.FS.00013
 焊针直径 Welding pen diameter: Φ2.3mm/Φ3mm/Φ4mm/Φ6mm
 电源 Power supply: 110V/240V
 频率 Frequency: 50/60Hz
 输入功率 Power input: 600W
 负载速度 Rotating speed: 500/25000r/min

KV003吊摩机
KV003 flex shaft

型号 Model: M.FS.00014
 焊针直径 Welding pen diameter: Φ4mm/Φ6mm
 电源 Power supply: 110V/220V
 频率 Frequency: 50/60Hz
 输入功率 Power input: 180W
 负载速度 Rotating speed: 500/20000r/min

金科达吊摩机配件 Foredom flex shaft accessories

吊摩机大头
Grinding head
型号 Model: M.FS.P1001吊摩机内芯
Inner core
型号 Model: M.FS.P1002吊摩机外喉
Outer core
型号 Model: M.FS.P1003吊摩机脚踏
Foot pedal
型号 Model: M.FS.P1004吊摩机接头
Connector
型号 Model: M.FS.P1006吊摩机转子
Rotor of flex shaft
型号 Model: M.FS.P1008吊摩机定子
Stator of flex shaft
型号 Model: M.FS.P1009吊摩机碳刷
Carbon brush
型号 Model: M.FS.P1010

保利达吊摩机配件 Poli flex shaft accessories

吊摩机大头
Grinding head
型号 Model: M.FS.P2001吊摩机内芯
Inner core
型号 Model: M.FS.P2002吊摩机外喉
Outer core
型号 Model: M.FS.P2003吊摩机脚踏
Foot pedal
型号 Model: M.FS.P2004吊摩机接头
Connector
型号 Model: M.FS.P2005吊摩机碳刷
Carbon brush
型号 Model: M.FS.P2006吊摩机脚踏绝缘陶瓷板
Foot pedal insulation ceramic plate
型号 Model: M.FS.P2007

SR吊摩机配件 SR flex shaft accessories

吊摩机大头
Grinding head
型号 Model: M.FS.P3008吊摩机内芯
Inner core
型号 Model: M.FS.P3003吊摩机外喉
Outer core
型号 Model: M.FS.P3004吊摩机转子
Rotor of flex shaft
型号 Model: M.FS.P3005吊摩机碳刷
Carbon brush
型号 Model: M.FS.P3001吊摩机脚踏
Foot pedal
型号 Model: M.FS.P3007



T30吊摩机细头
T30 handpiece
M.FS.P0004



T38细头
T38 handpiece
M.FS.P0005



T30吊摩机细头
T30 handpiece
M.FS.PO002-N



T30吊摩机细头
T30 handpiece
M.FS.PO002-G



B型磨头
B type grinding head
型号 Model: M.FS.P4007



B型外喉
B type outer core
型号 Model: M.FS.P4005



B型内喉
B type Inner core
型号 Model: M.FS.P4006



AGP吊摩机碳刷
Carbon brush of AGP flex shaft
型号 Model: M.FS.P4008



SL10-128A脚踏电子调速开关
Fott Pedal electronic speed switch (SL10-128A)
型号 Model: M.FS.P4004



摩机脚踏电子开关
Pedal electronic switch
型号 Model: M.FS.P1005
金科达/保利通用
Foredom/Poli General



吊摩机轴承
Bearing of flex shaft
型号 Model: M.FS.P1007
金科达/保利通用
Foredom/Poli General



SL10-128A脚踏开关瓷板
Pedal switch ceramic plate (SL10-128A)
型号 Model: M.FS.P4003



手柄匙
Handle key
型号 Model: M.FS.P2008
金科达/保利/SR通用
Foredom/Poli/SR General



手柄匙
Chuck key
M.FS.P2008



SL10-128A脚踏开关加长线
SL10-128A Foot pedal switch (extension line)
型号 Model: M.FS.P4002



台式手柄架
Handpiece holder
M.FS.P0075



电刻笔
Electric engraver
M.SP.00016-B 220V/8W/260G

蒸汽清洗机 Steam cleaning machine



型号 Model: M.ST.A0002-A
电压 Voltage: 220V
蒸汽功率 Steam Power: 1200W
温度 Temperature: 140°
实际水量 Actual Water : 1.2L
锅炉容积 Boiler Volume: 2L
蒸汽排放 Steam Drang: 4KG
尺寸 Size: 180x280x320mm



型号 Model: M.ST.A0002-B
电压 Voltage: 220V
蒸汽功率 Steam Power: 1200W
温度 Temperature: 150°
实际水量 Actual Water : 1.2L
锅炉容积 Boiler Volume: 2L
蒸汽排放 Steam Drang: 2-5KG
尺寸 Size: 200x310x330mm



型号 Model: M.ST.A0003-4
电压 Voltage: 220V
蒸汽功率 Steam Power: 2400W
温度 Temperature: 140°
实际水量 Actual Water : 2.2L
锅炉容积 Boiler Volume: 3L
蒸汽排放 Steam Drang: 4KG
尺寸 Size: 240x380x390mm



型号 Model: M.ST.A0003-6
电压 Voltage: 220V
蒸汽功率 Steam Power: 2400W
温度 Temperature: 152°
实际水量 Actual Water : 2.2L
锅炉容积 Boiler Volume: 3L
蒸汽排放 Steam Drang: 6KG
尺寸 Size: 240x380x390mm



型号 Model: M.ST.A0003-8
电压 Voltage: 220V
蒸汽功率 Steam Power: 2400W
温度 Temperature: 165°
实际水量 Actual Water : 2.2L
锅炉容积 Boiler Volume: 3L
蒸汽排放 Steam Drang: 8KG
尺寸 Size: 240x380x390mm



型号 Model: M.ST.A0003-A
电压 Voltage: 220V
蒸汽功率 Steam Power: 2900W
温度 Temperature: 140-165°C
实际水量 Actual Water : 1.2L
锅炉容积 Boiler Volume: 3L
蒸汽排放 Steam Drang: 4-8KG
尺寸 Size: 240x380x390mm



型号 Model: M.ST.A0004
电压 Voltage: 220V/110V
功率 Power: 1600W
蒸汽压力 Steam pressure: 5-6 Bar
锅炉容积 Boiler Volume: 4L
尺寸 Size: 340x310x350mm
重量 Weight: 11KG



型号 Model: M.ST.A0002-C
电压 Voltage: 220V/110V
功率 Power: 1600W
蒸汽压力 Steam pressure: 4-5 Bar
锅炉容积 Boiler Volume: 2L
尺寸 Size: 240x310x350mm
重量 Weight: 10KG



型号 Model: M.ST.0002
电压 Voltage: 220V/50Hz
功率 Power input: 4000W
容量 Capacity: 2.5L
主机尺寸 Size: 435x300x355mm
水箱尺寸 Tank size: 230x180x245mm
重量 Weight: 19.5Kg



型号 Model: M.ST.00012-2
电压 Voltage: 220V
功率 Power: 3500W

单头吸尘抛光机
One side buff polishing machine

| | |
|--------------------|----------------|
| 型号 Model | Z.M.MT.Z100E |
| 电压 Voltage | 220V |
| 打磨功率 Power | 750W |
| 吸尘功率 Sucking power | 550W |
| 重量 Weight | 80kg |
| 转速 Speed (rpm/min) | 2800 |
| 外形尺寸 Outline size | 900x586x1250mm |

可订制110V Can customise 110V



双头双位吸尘抛光机
Two sides two position buff polishing machine

| | |
|--------------------|-----------------|
| 型号 Model | Z.M.MT.Z200E |
| 电压 Voltage | 220V |
| 打磨功率 Power | 750W |
| 吸尘功率 Sucking power | 750W |
| 重量 Weight | 123kg |
| 转速 Speed (rpm/min) | 2800 |
| 外形尺寸 Outline size | 1600x580x1185mm |

可订制110V Can customise 110V



双头双位吸尘抛光机
Two sides two position buff polishing machine

| | |
|--------------------|-----------------|
| 型号 Model | Z.M.MT.Z200E-DZ |
| 电压 Voltage | 220V |
| 打磨功率 Power | 750W |
| 吸尘功率 Sucking power | 750W |
| 重量 Weight | 125kg |
| 转速 Speed (rpm/min) | 2800 |
| 外形尺寸 Outline size | 1530x525x1185mm |



双头双位吸尘抛光机
Two sides two position buff polishing machine

| | |
|--------------------|------------------|
| 型号 Model | Z.M.PM-7000 |
| 电压 Voltage | 220V |
| 打磨功率 Power | 750W |
| 吸尘功率 Sucking power | 4000W |
| 转速 Speed (rpm/min) | 4000 |
| 外形尺寸 Outline size | 1600×1150×1555mm |

可订制110V Can customise 110V



单头布轮抛光机
One side buff polishing machine

| | |
|-------------------|----------------|
| 型号 Model | M.MT.B0001 |
| 电压 Voltage | 220V |
| 功率 Power | 550W |
| 外形尺寸 Outline size | 950x500x1170mm |

可订制110V Can customise 110V



双头布轮抛光机
Double sides buff polishing machine

| | |
|-------------------|-----------------|
| 型号 Model | M.MT.B0002 |
| 电压 Voltage | 220V |
| 功率 Power | 550W+550W |
| 外形尺寸 Outline size | 1470x500x1170mm |

可订制110V Can customise 110V



单头飞碟抛光机
One head split lapping machine

| | |
|-------------------|----------------|
| 型号 Model | M.MT.B0003 |
| 电压 Voltage | 220V |
| 功率 Power | 550W |
| 外形尺寸 Outline size | 950x500x1170mm |

可订制110V Can customise 110V



抛光一体机(加双变频)
All-in-one polishing machine
(dual-frequency converting)

| | |
|-------------------|----------------|
| 型号 Model | M.MT.B0015 |
| 电压 Voltage | 220V |
| 功率 Power | 550W |
| 外形尺寸 Outline size | 950x500x1170mm |

可订制110V Can customise 110V



不锈钢双头布轮抛光机(带调速)
Stainless steel double sides buff
polishing machine (with speed regulation)

| | |
|-------------------|-----------------|
| 型号 Model | M.MT.B0013 |
| 电压 Voltage | 220V |
| 功率 Power | 550W+550W |
| 外形尺寸 Outline size | 1480x570x1130mm |

可订制110V Can customise 110V



双头吸尘布轮抛光机
Double side dust buff polishing machine

| | |
|-------------------|-----------------|
| 型号 Model | M.MT.B0023 |
| 电压 Voltage | 220V |
| 功率 Power | 550W+550W |
| 外形尺寸 Outline size | 1470x500x1170mm |

可订制110V Can customise 110V



超声波清洗机
Ultrasonic cleaning machine



| 名称 Description | 型号 Model | 电压 Voltage | 超声功率 Power | 加热功率 Power | 清洗槽尺寸 Power |
|--|------------|------------|------------|------------|---------------|
| 6头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1006 | 220V | 300W | 1KW | 290×200×230mm |
| 12头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1012 | 220V | 600W | 2KW | 370×280×300mm |
| 18头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1018 | 220V | 900W | 4KW | 460×330×400mm |
| 24头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1024 | 220V | 200W | 4KW | 600×400×400mm |
| 30头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1030 | 220V | 500W | 6KW | 600×500×400mm |
| 36头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1036 | 220V | 1800W | 6KW | 650×500×400mm |
| 40头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1040 | 220V-380V | 2000W | 9KW | 700×500×400mm |
| 48头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1048 | 220V-380V | 2400W | 9KW | 700×500×400mm |
| 72头超声波清洗机 Ultrasonic cleaning machine | M.UC.A1072 | 220V-380V | 3600W | 12KW | 800×550×500mm |

数码超声波清洗机 Digital ultrasonic cleaning machine

产品特点:
 外壳采用优质防指纹不锈钢压花板制作，美观大方。
 清洗槽采用优质SUS304不锈钢一次冲压成形，无焊接，防水性能好。
 采用德国最先进的换能器粘接工艺，实现清洗槽内无焊接印进一步提高换能器转换效率及其使用寿命。
 业内首创休眠模式，一键唤醒功能，更节能、更安全。
 独有脱气功能，实现真正意义的超声真空，电路转换效率高：98%，无功损耗极低。
 工作时间数码控制，LED数字显示1~99分钟任意可调，满足不同的清洗需求；清洗温度在0~80°C范围内任意可调。
 6升以上含排水口及散热装置。

技术参数

1. 使用电压: 220V 50Hz
2. 超声频率: 40KHz

Product Features:

1. The shell is made of high quality anti-fingerprint stainless steel embossed plate, nice.
2. A cleaning tank made of high quality SUS304 stainless steel stamping, no welding is good, waterproof performance.
3. Germany's most advanced transducer bonding process to achieve the cleaning tank without welding and India to further improve the conversion efficiency of the transducer and its service life.
4. The industry's first sleep mode, a key-on wakeup function, more energy efficient and safer.
5. The unique degas function, the real significance of ultrasound vacuum circuit high conversion efficiency: 98%, reactive power loss is very low.
6. The working time digital control, LED digital display 1~99 minutes adjustable, to meet the different needs cleaning; cleaning temperature in the range of 0~80 °C adjustable.



内槽 Tank



排水口 Outfall



型号 Model: M.UC.230HD



型号 Model: M.UC.240HD



型号 Model: M.UC.340HD



型号 Model: M.UC.360HD



型号 Model: M.UC.410HD



型号 Model: M.UC.615HD



型号 Model: M.UC.820HD





型号 Model: M.UC.1030HD

Technical Parameters

1. Voltage: 220V 50Hz
2. Ultrasonic frequency: 40KHz

| 名称 Description | 型号 Model | 功率 Power | 时间可调 Adjustable time | 温度可调 Adjustable temperature | 容积 capacity | 内槽尺寸 Tank dimension | 外形尺寸 Outer dimension |
|---|-------------|-------------|-------------------------|--------------------------------|----------------|------------------------|-------------------------|
| 2头3升超声波清洗机 3L Ultrasonic cleaning machine | M.UC.230HD | 120W | 1~99 | 0~80°C | 3.2L | 224x140x100mm | 270x170x240mm |
| 2头4升超声波清洗机 4L Ultrasonic cleaning machine | M.UC.240HD | 120W | | | 4.5L | 300x155x100mm | 312x162x240mm |
| 3头4升超声波清洗机 4L Ultrasonic cleaning machine | M.UC.340HD | 180W | | | 4.5L | 300x155x100mm | 312x162x240mm |
| 3头6升超声波清洗机 6L Ultrasonic cleaning machine | M.UC.360HD | 180W | | | 6.5L | 300x155x150mm | 330x180x330mm |
| 4头10升超声波清洗机 10L Ultrasonic cleaning machine | M.UC.410HD | 240W | | | 10L | 300x240x150mm | 330x270x330mm |
| 6头15升超声波清洗机 15L Ultrasonic cleaning machine | M.UC.615HD | 360W | | | 15L | 330x300x150mm | 360x330x330mm |
| 8头22升超声波清洗机 22L Ultrasonic cleaning machine | M.UC.822HD | 480W | | | 22L | 500x300x150mm | 550x330x330mm |
| 10头30升超声波清洗机 30L Ultrasonic cleaning machine | M.UC.1030HD | 600W | | | 30L | 500x300x200mm | 550x330x380mm |



SY塑质研磨石 SY Plastic abrasive stone

| 型号 Model | 尺寸 Size (W×H) | 颜色 Color | 形状 Shape | 用途 Function |
|-------------|------------------|-------------|--------------|----------------|
| SYJ10H00 | 10×10mm | 黑色 Black | 三角形 Triangle | |
| SYJ10A00 | 10×10mm | 灰色 Grey | 三角形 Triangle | |
| SYJ10R00 | 10×10mm | 红色 Red | 三角形 Triangle | |
| SYJ10G00 | 10×10mm | 绿色 Green | 三角形 Triangle | |
| SYJ10O00 | 10×10mm | 橙色 Orange | 三角形 Triangle | |
| SYJ10B00 | 10×10mm | 蓝色 Blue | 三角形 Triangle | |
| SYJ10P00 | 10×10mm | 粉红 Pink | 三角形 Triangle | |
| SYJ10W00 | 10×10mm | 白色 White | 三角形 Triangle | |
| SYY10H00 | 10×10mm | 黑色 Black | 圆锥形 Cone | |
| SYY10A00 | 10×10mm | 灰色 Grey | 圆锥形 Cone | |
| SYY10R00 | 10×10mm | 红色 Red | 圆锥形 Cone | |
| SYY10G00 | 10×10mm | 绿色 Green | 圆锥形 Cone | |
| SYY10O00 | 10×10mm | 橙色 Orange | 圆锥形 Cone | |
| SYY10B00 | 10×10mm | 蓝色 Blue | 圆锥形 Cone | |
| SYY10P00 | 10×10mm | 粉红 Pink | 圆锥形 Cone | |
| SYY10W00 | 10×10mm | 白色 White | 圆锥形 Cone | |



适用于软金属产品，如金、银、铜、铝等，工件刮痕少。

Suitable for soft metal products, such as gold, silver, copper, aluminum, etc., with fewer scratches on the workpiece.

SC塑质研磨石 SC Plastic abrasive stone








| 型号 Model | 尺寸 Size (W×H) | 颜色 Color | 形状 Shape | 用途 Function |
|-------------|------------------|-------------|--------------|----------------|
| SCJ10H00 | 10×10mm | 黑色 Black | 三角形 Triangle | |
| SCJ10A00 | 10×10mm | 灰色 Grey | 三角形 Triangle | |
| SCJ10R00 | 10×10mm | 红色 Red | 三角形 Triangle | |
| SCJ10G00 | 10×10mm | 绿色 Green | 三角形 Triangle | |
| SCJ10O00 | 10×10mm | 橙色 Orange | 三角形 Triangle | |
| SCJ10B00 | 10×10mm | 蓝色 Blue | 三角形 Triangle | |
| SCJ10P00 | 10×10mm | 粉红 Pink | 三角形 Triangle | |
| SCY10H00 | 10×10mm | 黑色 Black | 圆锥形 Cone | |
| SCY10A00 | 10×10mm | 灰色 Grey | 圆锥形 Cone | |
| SCY10R00 | 10×10mm | 红色 Red | 圆锥形 Cone | |
| SCY10G00 | 10×10mm | 绿色 Green | 圆锥形 Cone | |
| SCY10O00 | 10×10mm | 橙色 Orange | 圆锥形 Cone | |
| SCY10B00 | 10×10mm | 蓝色 Blue | 圆锥形 Cone | |
| SCY10P00 | 10×10mm | 粉红 Pink | 圆锥形 Cone | |



适用于硬金属产品，如钛、不锈钢、铁等，切削力强；不能用于镶嵌锆石的工件。

Suitable for hard metal products such as titanium, stainless steel, and iron, with strong cutting force, not applicable for workpieces with stone setting.

AO塑质研磨石
AO Plastic abrasive stone

| 型号 Model | 尺寸 Size (W×H) | 颜色 Color | 形状 Shape | 用途 Function |
|-------------|------------------|-------------|--------------|---|
| AOJ10H00 | 10×10mm | 黑色 Black | 三角形 Triangle |  |
| AOJ10A00 | 10×10mm | 灰色 Grey | 三角形 Triangle |  |
| AOJ10R00 | 10×10mm | 红色 Red | 三角形 Triangle |  |
| AOJ10G00 | 10×10mm | 绿色 Green | 三角形 Triangle |  |
| AOJ10O00 | 10×10mm | 橙色 Orange | 三角形 Triangle |  |
| AOJ10B00 | 10×10mm | 蓝色 Blue | 三角形 Triangle |  |
| AOJ10P00 | 10×10mm | 粉红 Pink | 三角形 Triangle |  |
| AOY10H00 | 10×10mm | 黑色 Black | 圆锥形 Cone |  |
| AOY10A00 | 10×10mm | 灰色 Grey | 圆锥形 Cone |  |
| AOY10R00 | 10×10mm | 红色 Red | 圆锥形 Cone |  |
| AOY10G00 | 10×10mm | 绿色 Green | 圆锥形 Cone |  |
| AOY10O00 | 10×10mm | 橙色 Orange | 圆锥形 Cone |  |
| AOY10B00 | 10×10mm | 蓝色 Blue | 圆锥形 Cone |  |
| AOY10P00 | 10×10mm | 粉红 Pink | 圆锥形 Cone |  |

适用于非金属产品，如亚克力、宝石等；磨光效果好。

Suitable for non-metallic products such as acrylic and gemstones, provides excellent polishing results.

ZO塑质研磨石
ZO Plastic abrasive stone

| 型号 Model | 尺寸 Size (W×H) | 颜色 Color | 形状 Shape | 用途 Function |
|-------------|------------------|-------------|--------------|---|
| ZOJ10H00 | 10×10mm | 黑色 Black | 三角形 Triangle |  |
| ZOJ10A00 | 10×10mm | 灰色 Grey | 三角形 Triangle |  |
| ZOJ10R00 | 10×10mm | 红色 Red | 三角形 Triangle |  |
| ZOJ10G00 | 10×10mm | 绿色 Green | 三角形 Triangle |  |
| ZOJ10O00 | 10×10mm | 橙色 Orange | 三角形 Triangle |  |
| ZOJ10B00 | 10×10mm | 蓝色 Blue | 三角形 Triangle |  |
| ZOJ10P00 | 10×10mm | 粉红 Pink | 三角形 Triangle |  |
| ZOY10H00 | 10×10mm | 黑色 Black | 圆锥形 Cone |  |
| ZOY10A00 | 10×10mm | 灰色 Grey | 圆锥形 Cone |  |
| ZOY10R00 | 10×10mm | 红色 Red | 圆锥形 Cone |  |
| ZOY10G00 | 10×10mm | 绿色 Green | 圆锥形 Cone |  |
| ZOY10O00 | 10×10mm | 橙色 Orange | 圆锥形 Cone |  |
| ZOY10B00 | 10×10mm | 蓝色 Blue | 圆锥形 Cone |  |
| ZOY10P00 | 10×10mm | 粉红 Pink | 圆锥形 Cone |  |

适用于硬金属产品，如钛、不锈钢、铁等，磨光效果比AO系列研磨石好。


Suitable for hard metal products such as titanium, stainless steel, and iron etc., polishing effect is better than the AO series.


塑质研磨石
Plastic abrasive stone

| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 粗细度 Fineness |
|--------------------------|------------|---------------|---------------|-----------------|
| T.PW.SSJZ010-P180# | 10×10mm | 浅红色 Light red | 金字塔 Pyramid | 180# |
| T.PW.SSYZ010-P180# | 10×10mm | 浅红色 Light red | 圆锥形 Cone | 180# |
| T.PW.SSJZ010-G240# | 10×10mm | 青绿色 Green | 金字塔 Pyramid | 240# |
| T.PW.SSYZ010-G240# | 10×10mm | 青绿色 Green | 圆锥形 Cone | 240# |
| T.PW.SSJZ010-G400# | 10×10mm | 青绿色 Green | 金字塔 Pyramid | 400# |
| T.PW.SSYZ010-G400# | 10×10mm | 青绿色 Green | 圆锥形 Cone | 400# |
| T.PW.SSJZ010-O600#-B | 10×10mm | 橙色 Orange | 金字塔 Pyramid | 600# |
| T.PW.SSYZ010-O600#-B | 10×10mm | 橙色 Orange | 圆锥形 Cone | 600# |
| T.PW.SSJZ010-Y600# | 10×10mm | 黄色 Yellow | 金字塔 Pyramid | 600# |
| T.PW.SSYZ010-Y600# | 10×10mm | 黄色 Yellow | 圆锥形 Cone | 600# |
| T.PW.SSJZ010-B800# | 10×10mm | 蓝色 Blue | 金字塔 Pyramid | 800# |
| T.PW.SSYZ010-B800# | 10×10mm | 蓝色 Blue | 圆锥形 Cone | 800# |
| T.PW.SSJZ010-P800# | 10×10mm | 粉红色 Pink | 金字塔 Pyramid | 800# |
| T.PW.SSYZ010-W1000# | 10×12mm | 白色 White | 圆锥形 Cone | 1000# |
| T.PW.SSJZ010-W1000# | 10×10mm | 白色 White | 金字塔 Pyramid | 1000# |
| T.PW.SSJZ010-P1200# | 10×10mm | 粉红色 Pink | 金字塔 Pyramid | 1200# |
| T.PW.SSYZ010-P1200# | 10×10mm | 粉红色 Pink | 圆锥形 Cone | 1200# |
| T.PW.SSJZ010-P1200#-B | 10×10mm | 粉红色 Pink | 金字塔 Pyramid | 1200# |
| T.PW.SSYZ010-P1200#-B | 10×10mm | 粉红色 Pink | 圆锥形 Cone | 1200# |
| T.PW.SSYZ012-P800#-H | 12×12mm | 粉红色 Pink | 圆锥形 Cone | 800# |
| T.PW.SSYZ012-P1200#-H | 12×12mm | 粉红色 Pink | 圆锥形 Cone | 1200# |
| T.PW.SSYZ012-P800#-H-YS | - | 粉色 Pink | 不定形 Shapeless | 800# |
| T.PW.SSYZ012-P1200#-H-YS | - | 粉色 Pink | 不定形 Shapeless | 1200# |
| T.PW.SSYZ010-P1000#-D | 10×10mm | 粉红色 Pink | 圆锥形 Cone | 1000# |
| T.PW.SSYZ015-P1000#-D | 15×15mm | 粉红色 Pink | 圆锥形 Cone | 1000# |
| T.PW.SSYZ010-G400#-YS | - | 青绿色 Green | 不定形 Shapeless | 400# |


耐磨胶石
Wear-resistant plastic abrasive stone

| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 粗细度 Fineness |
|----------------------|------------|-----------------|---------------|-----------------|
| T.PW.PL-G600#-YS | - | 绿色 Green | 不定形 Shapeless | 600# |
| T.PW.PLJZ010-600# | 10×10mm | 浅绿色 light green | 金字塔 Pyramid | 600# |
| T.PW.PLYZ010-600# | 10×10mm | 浅绿色 light green | 圆锥形 Cone | 600# |
| T.PW.SSJZ010-P320#-Y | 10×10mm | 红色 Red | 三角形 Triangle | 320# |
| T.PW.SSYZ010-P320#-Y | 10×10mm | 红色 Red | 圆锥形 Cone | 320# |


首饰精磨胶石
Fine polishing plastic abrasive stone

| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 粗细度 Fineness |
|-------------------------|------------|-------------|---------------|-----------------|
| T.PW.PSJZ001-1300#-Y | 10×10mm | 粉红色 Pink | 金字塔 Pyramid | 1300# |
| T.PW.PSYZ001-1300#-Y | 10×10mm | 粉红色 Pink | 圆锥形 Cone | 1300# |
| T.PW.PSYZ001-1300#-Y-YS | - | 粉色 Pink | 不定形 Shapeless | 1300# |




瓷质抛光珠 (高铝瓷)

Ceramic polishing beads (high alumina porcelain)

| 代码 Model | 尺寸 Size | 材质 Material | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|------------------|------------|-------------------|-------------------------|------------------------|----------------------|
| T.PW.SCSJ0303 | 3×3mm | 白色 White | 三角形 Triangle | 幼磨 Fine grinding force | |
| T.PW.SCSJ0404 | 4×4mm | 白色 White | 三角形 Triangle | 幼磨 Fine grinding force | |
| T.PW.SCSJ0505 | 5×5mm | 白色 White | 三角形 Triangle | 幼磨 Fine grinding force | |
| T.PW.SCSJ0606 | 6×6mm | 白色 White | 三角形 Triangle | 幼磨 Fine grinding force | |
| T.PW.SCYZ01303 | 1.3×3mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ01303-L | 1.3×3mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ01505 | 1.5×5mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ01505-L | 1.5×5mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ0306-L | 3×6mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ0516 | 5×16mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYZ0723 | 7×23mm | 白色 White | 圆柱形 Cylinder | 幼磨 Fine grinding force | |
| T.PW.SCXYZ0204 | 2×4mm | 白色 White | 斜圆柱形 Angle cut cylinder | 幼磨 Fine grinding force | |
| T.PW.SCXYZ0306 | 3×6mm | 白色 White | 斜圆柱形 Angle cut cylinder | 幼磨 Fine grinding force | |
| T.PW.SCXYZ0408 | 4×8mm | 白色 White | 斜圆柱形 Angle cut cylinder | 幼磨 Fine grinding force | |
| T.PW.SCXYZ0510 | 5×10mm | 白色 White | 斜圆柱形 Angle cut cylinder | 幼磨 Fine grinding force | |
| T.PW.SCYQ002-W | Φ2mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ003-W | Φ3mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ004-W | Φ4mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ005-W | Φ5mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ006-W | Φ6mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ008-W | Φ8mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ010-W | Φ10mm | 白色 White | 圆球形 Balls | 幼磨 Fine grinding force | |
| T.PW.SCYQ002-Y | Φ2mm | 姜黄色 Ginger yellow | 圆球形 Balls | 幼磨 Fine grinding force | |

高分珠
High zirconium polishing beads

| 代码 Model | 尺寸 Size | 材质 Material | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|-------------|------------|----------------|-------------|-------------|-----------------------|
| T.PW.GF010 | Φ1.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GF015 | Φ1.5mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GF020 | Φ2.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GF030 | Φ3.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GF040 | Φ4.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |

抛光锆珠
Polished zirconium beads

| 代码 Model | 尺寸 Size | 材质 Material | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|----------------|------------|----------------|-------------|-------------|-----------------------|
| T.PW.GZ001A-GS | Φ1.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ015A-GS | Φ1.5mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ002A-GS | Φ2.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ003A-GS | Φ3.0mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |

复合抛光珠
Mixed polished beads

| 代码 Model | 尺寸 Size | 材质 Material | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|-------------------|------------|----------------|-------------|-------------|-----------------------|
| T.PW.GZ001-FH-501 | Φ1mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ015-FH-501 | Φ1.5mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ002-FH-501 | Φ2mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |
| T.PW.GZ003-FH-501 | Φ3mm | 锆 Zirconium | 白色 White | 圆球形 Balls | 零 Zero grinding force |

日本扁豆
Japan flat beans

| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|-------------|------------|-------------|---------------|-----------------------|
| T.PW.BD02-Y | Φ2mm | 黄色 Yellow | 不定形 Shapeless | 零 Zero grinding force |
| T.PW.BD03-Y | Φ3mm | 黄色 Yellow | 不定形 Shapeless | 零 Zero grinding force |
| T.PW.BD04-Y | Φ4mm | 黄色 Yellow | 不定形 Shapeless | 零 Zero grinding force |
| T.PW.BD05-Y | Φ5mm | 黄色 Yellow | 不定形 Shapeless | 零 Zero grinding force |

抛光黄珠
Yellow grinding beads


| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|-------------|------------|-------------|-------------|-----------------------|
| T.PW.00059 | Φ2mm | 黄色 Yellow | 圆球形 Balls | 零 Zero grinding force |
| T.PW.00062 | Φ3mm | 黄色 Yellow | 圆球形 Balls | 零 Zero grinding force |
| T.PW.00060 | Φ4mm | 黄色 Yellow | 圆球形 Balls | 零 Zero grinding force |
| T.PW.00064 | Φ5mm | 黄色 Yellow | 圆球形 Balls | 零 Zero grinding force |

瓷质抛光珠 (高频瓷)
Ceramic polishing beads (high frequency porcelain)

| 代码 Model | 尺寸 Size | 颜色 Color | 形状 Shape | 切割力 Cutting force |
|----------------|------------|-------------|--------------|------------------------|
| T.PW.SCYZ01303 | 1.3×3mm | 白色 White | 圆柱形 Cylinder | 微 Micro grinding force |
| T.PW.SCYZ01505 | 1.5×5mm | 白色 White | 圆柱形 Cylinder | 微 Micro grinding force |
| T.PW.SCYQ002-Y | Φ2mm | 白色 White | 圆球形 Balls | 微 Micro grinding force |
| T.PW.SCYQ003-G | Φ3mm | 白色 White | 圆球形 Balls | 微 Micro grinding force |

干式抛光介质-玉米芯
Dry polishing media (corn cob)

| 代码 Model | 尺寸 Size | 材质 Material | 粗细度 Fineness |
|-------------|------------|------------------|-----------------|
| T.PW.C4-Y | 5-6mm | 原料 Raw materials | 4# |
| T.PW.C5-Y | 4-5mm | 原料 Raw materials | 5# |
| T.PW.C6-Y | 3.5-4mm | 原料 Raw materials | 6# |
| T.PW.C8-Y | 2.8-3.5mm | 原料 Raw materials | 8# |
| T.PW.C10-Y | 2.2-2.8mm | 原料 Raw materials | 10# |
| T.PW.C12-Y | 2-2.2mm | 原料 Raw materials | 12# |
| T.PW.C4 | 5-6mm | 开好料 Processed | 4# |
| T.PW.C5 | 4-5mm | 开好料 Processed | 5# |
| T.PW.C6 | 3.5-4mm | 开好料 Processed | 6# |
| T.PW.C8 | 2.8-3.5mm | 开好料 Processed | 8# |
| T.PW.C10 | 2.2-2.8mm | 开好料 Processed | 10# |
| T.PW.C12 | 2-2.2mm | 开好料 Processed | 12# |



干式抛光介质-核桃壳
Dry polishing media (walnut)

| 代码 Model | 尺寸 Size | 材质 Material | 粗细度 Fineness |
|---------------|------------|------------------|-----------------|
| T.PW.GHTW3-Y | 6-8mm | 原料 Raw materials | 3# |
| T.PW.GHTW4-Y | 5-6mm | 原料 Raw materials | 4# |
| T.PW.GHTW5-Y | 4-5mm | 原料 Raw materials | 5# |
| T.PW.GHTW6-Y | 3-4mm | 原料 Raw materials | 6# |
| T.PW.GHTW8-Y | 2.8-3.5mm | 原料 Raw materials | 8# |
| T.PW.GHTW10-Y | 2.2-2.8mm | 原料 Raw materials | 10# |
| T.PW.GHTW12-Y | 2-2.2mm | 原料 Raw materials | 12# |
| T.PW.GHTW14-Y | 1.6-2mm | 原料 Raw materials | 14# |
| T.PW.GHTW20-Y | 0.8-1mm | 原料 Raw materials | 20# |
| T.PW.GHTW24-Y | 0.6-0.8mm | 原料 Raw materials | 24# |
| T.PW.GHTW36-Y | 0.4-0.5mm | 原料 Raw materials | 36# |
| T.PW.GHTW3 | 6-8mm | 开好料 Processed | 3# |
| T.PW.GHTW4 | 5-6mm | 开好料 Processed | 4# |
| T.PW.GHTW5 | 4-5mm | 开好料 Processed | 5# |
| T.PW.GHTW6 | 3-4mm | 开好料 Processed | 6# |
| T.PW.GHTW8 | 2.8-3.5mm | 开好料 Processed | 8# |
| T.PW.GHTW10 | 2.2-2.8mm | 开好料 Processed | 10# |
| T.PW.GHTW12 | 2-2.2mm | 开好料 Processed | 12# |
| T.PW.GHTW14 | 1.6-2mm | 开好料 Processed | 14# |
| T.PW.GHTW20 | 0.8-1mm | 开好料 Processed | 20# |
| T.PW.GHTW24 | 0.6-0.8mm | 开好料 Processed | 24# |
| T.PW.GHTW36 | 0.4-0.5mm | 开好料 Processed | 36# |


干式抛光介质-木粒
Dry polishing media(wood chips)

| 代码 Model | 尺寸 Size | 形状 Shape | 粗细度 Fineness | 包装 Package |
|---------------|------------|-------------|----------------------|---------------|
| T.PW.GMLY004 | 33×12×12mm | 菱形 Rhombus | 粗抛 Primary polishing | 30KG/包/Pack |
| T.PW.GMLY005 | 27×8×8mm | 菱形 Rhombus | 中抛 Medium polishing | 25KG/包/Pack |
| T.PW.GMLSF004 | 4×4×4mm | 方形 Square | 精抛 Fine polishing | 25KG/包/Pack |


混合抛光料
Mixed polishing compound
T.PW.PGG66

12#混合抛光料 (含锆珠)
12# mixed polishing compound (containing zirconium beads)
T.PW.PGG67

钢珠
Steel ball

| 代码 Model | 尺寸 Size | 形状 Shape | 材质 Material |
|-----------------|------------|-------------|----------------|
| T.PW.SGY001-201 | Φ1mm | 圆球形 Balls | 201 |
| T.PW.SGY002-201 | Φ2mm | 圆球形 Balls | 201 |
| T.PW.SGY003-201 | Φ3mm | 圆球形 Balls | 201 |
| T.PW.SGY004-201 | Φ4mm | 圆球形 Balls | 201 |
| T.PW.SGY005-201 | Φ5mm | 圆球形 Balls | 201 |
| T.PW.SGY006-201 | Φ6mm | 圆球形 Balls | 201 |
| T.PW.SGY007-201 | Φ7mm | 圆球形 Balls | 201 |
| T.PW.SGY008-201 | Φ8mm | 圆球形 Balls | 201 |
| T.PW.SGY009-201 | Φ9mm | 圆球形 Balls | 201 |
| T.PW.SGY010-201 | Φ10mm | 圆球形 Balls | 201 |
| T.PW.SGY001-304 | Φ1mm | 圆球形 Balls | 304 |
| T.PW.SGY002-304 | Φ2mm | 圆球形 Balls | 304 |
| T.PW.SGY003-304 | Φ3mm | 圆球形 Balls | 304 |
| T.PW.SGY004-304 | Φ4mm | 圆球形 Balls | 304 |
| T.PW.SGY005-304 | Φ5mm | 圆球形 Balls | 304 |
| T.PW.SGY006-304 | Φ6mm | 圆球形 Balls | 304 |
| T.PW.SGY007-304 | Φ7mm | 圆球形 Balls | 304 |
| T.PW.SGY008-304 | Φ8mm | 圆球形 Balls | 304 |
| T.PW.SGY009-304 | Φ9mm | 圆球形 Balls | 304 |
| T.PW.SGY010-304 | Φ10mm | 圆球形 Balls | 304 |
| T.PW.SGY001-316 | Φ1mm | 圆球形 Balls | 316 |
| T.PW.SGY002-316 | Φ2mm | 圆球形 Balls | 316 |
| T.PW.SGY003-316 | Φ3mm | 圆球形 Balls | 316 |
| T.PW.SGY004-316 | Φ4mm | 圆球形 Balls | 316 |
| T.PW.SGY005-316 | Φ5mm | 圆球形 Balls | 316 |



飞碟钢珠
Ball cone steel tumbling media

| 代码 Model | 尺寸 Size | 材质 Material | 形状 Shape |
|-----------------|------------|----------------|------------------|
| T.PW.SGF24-201 | 2.5×4mm | 201 | 飞碟 Flying saucer |
| T.PW.SGF35-201 | 3.5×5.5mm | 201 | 飞碟 Flying saucer |
| T.PW.SGF47-201 | 4.5×7mm | 201 | 飞碟 Flying saucer |
| T.PW.SGF57-201 | 5×7mm | 201 | 飞碟 Flying saucer |
| T.PW.SGF812-201 | 8×12mm | 201 | 飞碟 Flying saucer |


钢制抛光介质
Other shape steel polishing media

| 代码 Model | 尺寸 Size | 材质 Material | 形状 Shape |
|-----------------|------------|----------------|-------------------------|
| T.PW.SGJ27-201 | 2×7.5mm | 201 | 双头尖 Double pointed head |
| T.PW.SGYZ24-201 | 2×4mm | 201 | 圆柱形 Cylinder |
| T.PW.SGYZ28-201 | 2×8mm | 201 | 圆柱形 Cylinder |
| T.PW.SGTY34-204 | 3×4mm | 201 | 且形 Oval |





磁力抛光针
Magnetic polishing pins

| 代码 Model | 尺寸 Size | 形状 Shape |
|-------------|---------------|--------------------------|
| T.MPP2050 | Φ0.2×L5mm | 平头 Flat head |
| T.MPP3050 | Φ0.3×L5mm | 平头 Flat head |
| T.MPP4050 | Φ0.4×L5mm | 平头 Flat head |
| T.MPP5050 | Φ0.5×L5mm | 平头 Flat head |
| T.MPP6050 | Φ0.6×L5mm | 平头 Flat head |
| T.MPP8050 | Φ0.8×L5mm | 平头 Flat head |
| T.MPP2050-A | Φ0.2×L5mm | 平头 Flat head |
| T.MPP3050-A | Φ0.3×L5mm | 平头 Flat head |
| T.MPP4050-A | Φ0.4×L5mm | 平头 Flat head |
| T.MPP5050-A | Φ0.5×L5mm | 平头 Flat head |
| T.MPP6050-A | Φ0.6×L5mm | 平头 Flat head |
| T.MPY2050 | Φ0.2×L5mm | 圆头 Round head |
| T.MPY3050 | Φ0.3×L5mm | 圆头 Round head |
| T.MPY4050 | Φ0.4×L5mm | 圆头 Round head |
| T.MPY5050 | Φ0.5×L5mm | 圆头 Round head |
| T.MPY6050 | Φ0.6×L5mm | 圆头 Round head |
| T.MPY2050-A | Φ0.2×L5mm | 圆头 Round head |
| T.MPY3050-A | Φ0.3×L5mm | 圆头 Round head |
| T.MPY4050-A | Φ0.4×L5mm | 圆头 Round head |
| T.MPY5050-A | Φ0.5×L5mm | 圆头 Round head |
| T.MPY6050-A | Φ0.6×L5mm | 圆头 Round head |
| T.MPL040606 | 0.4×6×6mm | L型 L Type |
| T.MPL080606 | 0.8×6×6mm | L型 L Type |
| T.MPL050606 | 0.5×6×6mm | L型 L Type |
| T.MPL051212 | 0.5×12×12mm | L型 L Type |
| T.MPL061010 | 0.6×10×10mm | L型 L Type |
| T.MPL080808 | 0.8×8×8mm | L型 L Type |
| T.MPP305050 | 0.5×0.5×0.5mm | 带圈异形 Circled heterotypic |
| T.MPP505050 | 0.3×5×5mm | 带圈异形 Circled heterotypic |
| T.MPV050505 | 0.5×5×5mm | V型 V Type |
| T.MPV030505 | 0.3×5×5mm | V型 V Type |



电解抛光液
Electrolytic polishing fluid

用途: 适用于金、银、铜、不锈钢材质工件的电解抛光，可以对工件进行高亮度的镜面抛光且光泽保持时间长。

Function: Suitable for electrolytic polishing of work-pieces made of gold, silver, copper, stainless steel. It can perform high-brightness mirror polishing on work-pieces and the gloss can be maintained for a long time.

T.PPGG76 (Au) / T.PPGG77 (Ag) / T.PPGG78 (Cu)

磁力抛光液
Magnetic polishing solution

用途: 去氧化皮、清洁石膏粉，隙位打亮，配合相应的磁力抛光针及磁力抛光机。

Function: It is used to remove scale, clean gypsum powder, and brighten gaps. It is used with corresponding magnetic polishing needles and magnetic polishing machines.

T.PW.PGG27

塑质研磨膏
Polishing paste

用途: 金、银、铜，不锈钢，钛合金、玉石等工件表面研磨处理，提高工件表面平滑度。

Function: Surface grinding of gold ,silver, copper, stainless steel, titanium alloy, jade and other workpieces can Improve the smoothness of the workpiece surface.

粗磨 Rough grinding | 中磨 Middle grinding | 精磨 Fine polishing
T.PW.PGG60 | T.PW.PGG61 | T.PW.PGG62

光亮剂
Brightener

用途: 金、银、铜，不锈钢，钛合金、玉石等工件表面抛光处理，提高工件表面光洁度和光亮度。

Function: To polish gold, silver, copper, stainless steel, titanium, jade and other workpiece surface, Improve brightness of polishing workpieces.

混合光亮剂 Brightener | 混合光亮剂 Brightener | 混合光亮剂 Brightener | 进口光亮剂 Imported brightener
T.PW.PGG03A | T.PW.PGG03A-B | T.PW.PGG09A-B | T.PW.PGG09A

抛光粉
Polishing compound

用途: 在干式滚桶研磨过程中，后期（在工件即将磨透沙纸痕，出机前2小时左右），加入适量的抛光粉，可以增强工件光亮度以及嫩滑度。

Function: While in the dry polishing process, put some polishing powder into the work piece (before 2 hours before it stop polishing) to achieve better shiny and smooth surface.

T.PW.PGG36-4 / T.PW.PGG36-6 / T.PW.PGG42

开料油
Polishing oil for media

用途: 让核桃壳料与研磨膏更好粘合在一起。

Function: It is for the walnut media and polishing paste stick together better.

T.PW.PGG23

除蜡水
Dewaxing water

使用方法: 取本品加水，浓度（4-5%）温度（70-90°C）条件下；佩戴安全防护劳保用品进行工件清洗操作。

Usage method: take this product and add water, potency(4-5%), temperature (70-90°C), wear safety protection equipment for operation.
H.WR.00008-25 / H.WR.00006 / H.WR.00010 / H.WR.B-810

混合膏
Polishing mixed

用途: 金、银，铜，不锈钢，钛合金、玉石等工件表面研磨处理，提高工件表面平滑度。

Function: Surface grinding of gold ,silver, copper, stainless steel, titanium alloy, jade and other workpieces can Improve the smoothness of the workpiece surface.

T.PW.PGG45

研磨液
Grinding fluid

用途: 提高磨削效率，减少磨具的磨损，对工件有保护及润滑作用。

Function: Improve polishing efficiency, reduce wear and tear on the surface, It has protection and lubrication function to the workpiece.

T.PW.PG003A

研磨粉
Polishing powder

用途: 在干式滚桶研磨过程中，前期用研磨膏调好料之后，加入适量的研磨粉，能大幅提升切削力，缩短研磨的时间，使得工件磨得更平整。

Function: In the dry drum grinding process, after adjusting the material with the grinding paste in the early stage, adding an appropriate amount of grinding powder can greatly increase the cutting force, shorten the grinding time, and make the workpiece more smooth.

TT.PW.PGG73

研磨膏
Polishing paste

用途: 金、银，铜，不锈钢，钛合金、玉石等工件表面研磨处理，提高工件表面平滑度。

Function: Surface grinding of gold ,silver, copper, stainless steel, titanium alloy, jade and other workpieces can Improve the smoothness of the workpiece surface.

精光 Fine polishing | 精磨 Fine polishing | 细磨 Finer grinding
T.PW.PGG35 | T.PW.PGG21C-1 | T.PW.PGG75

中磨 Giddle grinding | 粗磨 Gough grinding | 粗磨 Gough grinding
T.PW.PGG21A | TT.PW.PGG73 | T.PW.PGG74

进口研磨膏
Import polishing paste

用途: 金、银，铜，不锈钢，钛合金、玉石等工件表面研磨处理，提高工件表面平滑度。

Function: Surface grinding of gold ,silver, copper, stainless steel, titanium alloy, jade and other workpieces can Improve the smoothness of the workpiece surface.

粗磨 Gough grinding | 中磨 Giddle grinding | 细磨 Finer grinding
T.PW.PGG53 | T.PW.PGG48 | T.PW.PGG75

中磨 Giddle grinding | 镜光 Fine polishing | 精磨 Fine polishing
T.PW.PGG49 | T.PW.PGG50 | T.PW.PGG50

抛光蜡
Polishing wax

BBB白蜡
BBB white compound
T.PW.PGL06
174×68×46mm
900g/条/Bar



BBB白蜡
BBB white compound
T.PW.PGL06-B
170×60×40mm
770g/条/Bar 500#



BBB青蜡
BBB green compound
T.PW.PGL07
174×68×46mm
900g/条/Bar



BBB青蜡
BBB green compound
T.PW.PGL07-B
170×60×40mm
880g/条/Bar 600#



日本蓝蜡
Japan blue compound
T.PW.PGL12
130×51×40mm
500kg/条/Bar



英国红蜡
England red compound
T.PW.PGL14
440g/条/Bar



进口黄蜡
Import yellow compound
T.PW.PGL39
150g/条/Bar



进口黄蜡
Import yellow compound
T.PW.PGL40
150g/条/Bar



555大青蜡
555 Green compound
T.PW.PGL41
150×60×42mm
750g/条/Bar 400#



555青蜡
555 Green compound
T.PW.PGL26
115×60×35mm
430g/条/Bar 800#



555白蜡
555 White compound
T.PW.PGL27
150×60×42mm
660g/条/Bar 400#



555黄蜡
555 Yellow compound
T.PW.PGL16
170×60×50mm
750g/条/Bar 400#



AT黄蜡
Yellow compound
T.PW.PGL17
192×42×40mm
750g/条/Bar 200#, 325#, 1000#



AT紫蜡
Purple compound
T.PW.PGL17
192×42×40mm
750g/条/Bar



AUG绿蜡
AUG green compound
T.PW.PGL09
205×55×45mm
880g/条/Bar 8000#



AUG白蜡
AUG white compound
T.PW.PGL08
205×55×45mm
830g/条/Bar 800#-1200#



MEGA 5#小白蜡
5# White compound
T.PW.PGL57
150×50×30mm
350g/条/Bar



MEGA铁蜡
Iron compound
T.PW.PGL53
205×55×40mm
850g/条/Bar



MEGA 8#青蜡
Green compound
T.PW.PGL54
205×55×40mm
850g/条/Bar



MEGA 蓝蜡
Blue compound
T.PW.PGL56
205×55×40mm
920kg/条/Bar



D-36蓝蜡
Blue compound
T.PW.PGL13
130×55×45mm
500g/条/Bar 1200#-15000#



KOVO-HD青蜡
Green compound
T.PW.PGL25
122×46×30mm
410g/条/Bar 800#



精光小蓝蜡
Blue compound
T.PW.PGL55
150×50×30mm
350g/条/Bar



MEGA紫蜡
Purple compound
T.PW.PGL52
205×55×40mm
920g/条/Bar



闪光3#绿蜡
3# Green compound
T.T.PW.PGL47
120×38×50mm
500g/条/Bar 3000#



闪光3#白蜡
3# White compound
T.PW.PGL36
200×55×41mm
900g/条/Bar 1200#



闪光1#白蜡
1# White compound
T.PW.PGL37-A
200×55×41mm
900g/条/Bar 800#



闪光1#紫蜡
1# Purple compound
T.PW.PGL50
200×55×41mm
900g/条/Bar 1000#



PME青蜡
PME Green compound
T.PW.PGL03
220×47mm
850g/条/Bar



PME白蜡
PME white compound
TT.PW.PGL02
220×47mm
900kg/条/Bar



闪光4#绿蜡
4# Green compound
T.PW.PGL51
200×55×41mm
800g/条/Bar



1#黄蜡
1# Yellow compound
T.PW.PGL49
170×60×45mm
800g/条/Bar 200#



3#黄蜡
3# yellow compound
T.PW.PGL43
170×44mm
740g/条/Bar 300#



5#紫蜡
5# Purple compound
T.PW.PGL46
200×55×41mm
900g/条/Bar 500#




G105B大青蜡
Green compound
T.PW.PGL45
204×52mm
920g/条/Bar 1000#



硅胶磨头 Polyester polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|------------|----------------|--------------------------|
| A T.BW.MTSK404-VC | Φ4×12mm | 特粗 Extra thick | 10000-20000/Min |
| B T.BW.MTSK406-VC | Φ6×16mm | 特粗 Extra thick | 10000-20000/Min |
| C T.BW.MTSK410-VC | Φ10×20mm | 特粗 Extra thick | 10000-20000/Min |
| D T.BW.MTSK610-VC | Φ10×24mm | 特粗 Extra thick | 10000-20000/Min |
| E T.BW.MTSK810-VC | Φ10×17mm | 特粗 Extra thick | 10000-20000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSK404-C | Φ4×12mm | 粗 Thick | 10000-20000/Min |
| B T.BW.MTSK406-C | Φ6×16mm | 粗 Thick | 10000-20000/Min |
| C T.BW.MTSK410-C | Φ10×20mm | 粗 Thick | 10000-20000/Min |
| D T.BW.MTSK610-C | Φ10×24mm | 粗 Thick | 10000-20000/Min |
| E T.BW.MTSK810-C | Φ10×17mm | 粗 Thick | 10000-20000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|-----------------|--------------------------|
| A T.BW.MTSK404-M | Φ4×12mm | 中粗 Medium thick | 10000-15000/Min |
| B T.BW.MTSK406-M | Φ6×16mm | 中粗 Medium thick | 10000-15000/Min |
| C T.BW.MTSK410-M | Φ10×20mm | 中粗 Medium thick | 10000-15000/Min |
| D T.BW.MTSK610-M | Φ10×24mm | 中粗 Medium thick | 10000-15000/Min |
| E T.BW.MTSK810-M | Φ10×17mm | 中粗 Medium thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|------------|----------------|--------------------------|
| A T.BW.MTSK404-EF | Φ4×12mm | 极细 Extra thin | 8000-15000/Min |
| B T.BW.MTSK406-EF | Φ6×16mm | 极细 Extra thin | 8000-15000/Min |
| C T.BW.MTSK410-EF | Φ10×20mm | 极细 Extra thin | 8000-15000/Min |
| D T.BW.MTSK810-EF | Φ10×24mm | 极细 Extra thin | 8000-15000/Min |
| E T.BW.MTSK810-EF | Φ10×17mm | 极细 Extra thin | 8000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSH406-C | Φ6×16mm | 精 Sharp | 15000-20000/Min |
| B T.BW.MTSH404-C | Φ4×12mm | 精 Sharp | 15000-20000/Min |
| C T.BW.MTSH704-C | Φ4×12mm | 精 Sharp | 15000-20000/Min |
| D T.BW.MTSH505-C | Φ5×12mm | 精 Sharp | 15000-20000/Min |
| E T.BW.MTSH312-C | Φ12×2mm | 精 Sharp | 15000-20000/Min |
| F T.BW.MTSH112-C | Φ12×2mm | 精 Sharp | 15000-20000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|-----------------|--------------------------|
| A T.BW.MTSH406-M | Φ6×16mm | 中粗 Medium thick | 10000-15000/Min |
| B T.BW.MTSH404-M | Φ4×12mm | 中粗 Medium thick | 10000-15000/Min |
| C T.BW.MTSH704-M | Φ4×12mm | 中粗 Medium thick | 10000-15000/Min |
| D T.BW.MTSH505-M | Φ5×12mm | 中粗 Medium thick | 10000-15000/Min |
| E T.BW.MTSH312-M | Φ12×2mm | 中粗 Medium thick | 10000-15000/Min |
| F T.BW.MTSH112-M | Φ12×2mm | 中粗 Medium thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSH406-F | Φ6×16mm | 细 Thin | 10000-12000/Min |
| B T.BW.MTSH404-F | Φ4×12mm | 细 Thin | 10000-12000/Min |
| C T.BW.MTSH704-F | Φ4×12mm | 细 Thin | 10000-12000/Min |
| D T.BW.MTSH505-F | Φ5×12mm | 细 Thin | 10000-12000/Min |
| E T.BW.MTSH312-F | Φ12×2mm | 细 Thin | 10000-12000/Min |
| F T.BW.MTSH502-F | Φ12×2mm | 细 Thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSH403-C | Φ3×7mm | 粗 Thick | 10000-15000/Min |
| B T.BW.MTSH404-C | Φ4×12mm | 粗 Thick | 10000-15000/Min |
| C T.BW.MTSH405-C | Φ5×10mm | 粗 Thick | 10000-15000/Min |
| D T.BW.MTSH704-C | Φ4×11mm | 粗 Thick | 10000-15000/Min |
| E T.BW.MTSH906-C | Φ6×9.5mm | 粗 Thick | 10000-15000/Min |
| F T.BW.MTSH909-C | Φ9×9mm | 粗 Thick | 10000-15000/Min |
| G T.BW.MTSH310-C | Φ10×2mm | 粗 Thick | 10000-15000/Min |
| H T.BW.MTSH110-C | Φ10×1.8mm | 粗 Thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|-----------------|--------------------------|
| A T.BW.MTSH403-M | Φ3×7mm | 中粗 Medium thick | 10000-12000/Min |
| B T.BW.MTSH404-M | Φ4×12mm | 中粗 Medium thick | 10000-12000/Min |
| C T.BW.MTSH405-M | Φ5×10mm | 中粗 Medium thick | 10000-12000/Min |
| D T.BW.MTSH704-M | Φ4×11mm | 中粗 Medium thick | 10000-12000/Min |
| E T.BW.MTSH906-M | Φ6×9.5mm | 中粗 Medium thick | 10000-12000/Min |
| F T.BW.MTSH909-M | Φ9×9.5mm | 中粗 Medium thick | 10000-12000/Min |
| G T.BW.MTSH310-M | Φ10×2mm | 中粗 Medium thick | 10000-12000/Min |
| H T.BW.MTSH110-M | Φ10×1.8mm | 中粗 Medium thick | 10000-12000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSF403-F | Φ3×7mm | 细 Thin | 10000-12000/Min |
| B T.BW.MTSF404-F | Φ4×12mm | 细 Thin | 10000-12000/Min |
| C T.BW.MTSF405-F | Φ5×10mm | 细 Thin | 10000-12000/Min |
| D T.BW.MTSF704-F | Φ4×11mm | 细 Thin | 10000-12000/Min |
| E T.BW.MTSF906-F | Φ6×9.5mm | 细 Thin | 10000-12000/Min |
| F T.BW.MTSF909-F | Φ9×9.5mm | 细 Thin | 10000-12000/Min |
| G T.BW.MTSF310-F | Φ10×2mm | 细 Thin | 10000-12000/Min |
| H T.BW.MTSF110-F | Φ10×1.8mm | 细 Thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|------------|----------------|--------------------------|
| A T.BW.MTSG403-VC | Φ3×7mm | 特粗 Extra thick | 10000-15000/Min |
| B T.BW.MTSG404-VC | Φ4×12mm | 特粗 Extra thick | 10000-15000/Min |
| C T.BW.MTSG405-VC | Φ5×10mm | 特粗 Extra thick | 10000-15000/Min |
| D T.BW.MTSG704-VC | Φ4×11mm | 特粗 Extra thick | 10000-15000/Min |
| E T.BW.MTSG310-VC | Φ10×2mm | 特粗 Extra thick | 10000-15000/Min |
| F T.BW.MTSG110-VC | Φ10×1.8mm | 特粗 Extra thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSG403-C | Φ3×7mm | 粗 Thick | 10000-15000/Min |
| B T.BW.MTSG404-C | Φ4×12mm | 粗 Thick | 10000-15000/Min |
| C T.BW.MTSG405-C | Φ5×10mm | 粗 Thick | 10000-15000/Min |
| D T.BW.MTSG704-C | Φ4×11mm | 粗 Thick | 10000-15000/Min |
| E T.BW.MTSG310-C | Φ10×2mm | 粗 Thick | 10000-15000/Min |
| F T.BW.MTSG110-C | Φ10×1.8mm | 粗 Thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTSG403-F | Φ3×7mm | 细 Thin | 7000-12000/Min |
| B T.BW.MTSG404-F | Φ4×12mm | 细 Thin | 7000-12000/Min |
| C T.BW.MTSG405-F | Φ5×10mm | 细 Thin | 7000-12000/Min |
| D T.BW.MTSG704-F | Φ4×11mm | 细 Thin | 7000-12000/Min |
| E T.BW.MTSG310-F | Φ10×2mm | 细 Thin | 7000-12000/Min |
| F T.BW.MTSG110-F | Φ10×1.8mm | 细 Thin | 7000-12000/Min |



包装 Package: 100 Pcs/box

硅胶磨头 Polyester polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|------------|----------------|--------------------------|
| A T.BW.MTSG403-EF | Φ3×7mm | 极细 Extra thin | 7000-10000/Min |
| B T.BW.MTSG404-EF | Φ4×12mm | 极细 Extra thin | 7000-10000/Min |
| C T.BW.MTSG405-EF | Φ5×10mm | 极细 Extra thin | 7000-10000/Min |
| D T.BW.MTSG704-EF | Φ4×11mm | 极细 Extra thin | 7000-10000/Min |
| E T.BW.MTSG310-EF | Φ10×2mm | 极细 Extra thin | 7000-10000/Min |
| F T.BW.MTSG110-EF | Φ10×1.8mm | 极细 Extra thin | 7000-10000/Min |



包装 Package: 100 Pcs/box

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|-----------------|--------------------------|
| A T.BW.MTRD505-M | Φ5×12mm | 中粗 Medium thick | 15000-20000/Min |
| B T.BW.MTRD205-M | Φ5×16mm | 中粗 Medium thick | 15000-20000/Min |
| C T.BW.MTRD406-M | Φ6×16mm | 中粗 Medium thick | 15000-20000/Min |
| D T.BW.MTRD404-M | Φ4×12mm | 中粗 Medium thick | 15000-20000/Min |
| E T.BW.MTRD704-M | Φ4×12mm | 中粗 Medium thick | 15000-20000/Min |
| F T.BW.MTRD312-M | Φ12×2mm | 中粗 Medium thick | 15000-20000/Min |
| G T.BW.MTRD112-M | Φ12×2mm | 中粗 Medium thick | 15000-20000/Min |



包装 Package: 100 Pcs/box

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|--------------------|------------|----------------|--------------------------|
| A T.BW.MTRD505-F | Φ5×12mm | 细 Thin | 15000-20000/Min |
| B T.BW.MTRD205-F | Φ5×16mm | 细 Thin | 15000-20000/Min |
| C T.BW.MTRD406-F | Φ6×16mm | 细 Thin | 15000-20000/Min |
| D T.BW.MTRD404-F-1 | Φ4×12mm | 细 Thin | 15000-20000/Min |
| E T.BW.MTRD704-F-1 | Φ4×12mm | 细 Thin | 15000-20000/Min |
| F T.BW.MTRD312-F | Φ12×2mm | 细 Thin | 15000-20000/Min |
| G T.BW.MTRD112-F | Φ12×2mm | 细 Thin | 15000-20000/Min |



包装 Package: 100 Pcs/box

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|---------------------|------------|----------------|--------------------------|
| A T.BW.MTRD505-EF | Φ5×12mm | 极细 Extra thin | 10000-15000/Min |
| B T.BW.MTRD205-EF | Φ5×16mm | 极细 Extra thin | 10000-15000/Min |
| C T.BW.MTRD406-EF | Φ6×16mm | 极细 Extra thin | 10000-15000/Min |
| D T.BW.MTRD404-EF-1 | Φ4×12mm | 极细 Extra thin | 10000-15000/Min |
| E T.BW.MTRD704-EF-1 | Φ4×12mm | 极细 Extra thin | 10000-15000/Min |
| F T.BW.MTRD312-EF | Φ12×2mm | 极细 Extra thin | 10000-15000/Min |
| G T.BW.MTRD112-EF | Φ12×2mm | 极细 Extra thin | 10000-15000/Min |



包装 Package: 100 Pcs/box

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|-----------------|--------------------------|
| A T.BW.MTRD403-C | Φ3×7mm | 中粗 Medium thick | 10000-15000/Min |
| B T.BW.MTRD404-C | Φ4×12mm | 中粗 Medium thick | 10000-15000/Min |
| C T.BW.MTRD405-C | Φ5×10mm | 中粗 Medium thick | 10000-15000/Min |
| D T.BW.MTRD704-C | Φ4×11mm | 中粗 Medium thick | 10000-15000/Min |
| E T.BW.MTRD906-C | Φ6×9.5mm | 中粗 Medium thick | 10000-15000/Min |
| F T.BW.MTRD909-C | Φ9×9mm | 中粗 Medium thick | 10000-15000/Min |
| G T.BW.MTRD310-C | Φ10×2mm | 中粗 Medium thick | 10000-15000/Min |
| H T.BW.MTRD110-C | Φ10×1.8mm | 中粗 Medium thick | 10000-15000/Min |

</div

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTRD403-F | Φ3×7mm | 细 Thin | 10000-15000/Min |
| B T.BW.MTRD404-F | Φ4×12mm | 细 Thin | 10000-15000/Min |
| C T.BW.MTRD405-C | Φ5×10mm | 细 Thin | 10000-15000/Min |
| D T.BW.MTRD704-F | Φ4×11mm | 细 Thin | 10000-15000/Min |
| E T.BW.MTRD906-F | Φ6×9.5mm | 细 Thin | 10000-15000/Min |
| F T.BW.MTRD909-F | Φ9×9mm | 细 Thin | 10000-15000/Min |
| G T.BW.MTRD310-F | Φ10×2mm | 细 Thin | 10000-15000/Min |
| H T.BW.MTRD110-F | Φ10×1.8mm | 细 Thin | 10000-15000/Min |



包装 Package: 100 Pcs/box

橡胶金刚石磨头 Rubber diamond grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|------------|----------------|--------------------------|
| A T.BW.MTRD403-EF | Φ3×7mm | 极细 Extra thin | 10000-15000/Min |
| B T.BW.MTRD404-EF | Φ4×12mm | 极细 Extra thin | 10000-15000/Min |
| C T.BW.MTRD405-EF | Φ5×10mm | 极细 Extra thin | 10000-15000/Min |
| D T.BW.MTRD704-EF | Φ4×11mm | 极细 Extra thin | 10000-15000/Min |
| E T.BW.MTRD906-EF | Φ6×9.5mm | 极细 Extra thin | 10000-15000/Min |
| F T.BW.MTRD909-EF | Φ9×9mm | 极细 Extra thin | 10000-15000/Min |
| G T.BW.MTRD310-EF | Φ10×2mm | 极细 Extra thin | 10000-15000/Min |
| H T.BW.MTRD110-EF | Φ10×1.8mm | 极细 Extra thin | 10000-15000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|--------------------|------------|----------------|--------------------------|
| A T.BW.MTRP505-C | Φ5×12mm | 粗 Thick | 15000-20000/Min |
| B T.BW.MTRP205-C | Φ5×16mm | 粗 Thick | 15000-20000/Min |
| C T.BW.MTRP406-C | Φ6×16mm | 粗 Thick | 15000-20000/Min |
| D T.BW.MTRP404-C-1 | Φ4×12mm | 粗 Thick | 15000-20000/Min |
| E T.BW.MTRP704-C-1 | Φ4×12mm | 粗 Thick | 15000-20000/Min |
| F T.BW.MTRP310-C | Φ10×2mm | 粗 Thick | 15000-20000/Min |
| G T.BW.MTRP112-C | Φ12×2mm | 粗 Thick | 15000-20000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|--------------------|------------|----------------|--------------------------|
| A T.BW.MTRP505-F | Φ5×12mm | 细 Thin | 10000-12000/Min |
| B T.BW.MTRP205-F | Φ5×16mm | 细 Thin | 10000-12000/Min |
| C T.BW.MTRP406-F | Φ6×16mm | 细 Thin | 10000-12000/Min |
| D T.BW.MTRP404-F-1 | Φ4×12mm | 细 Thin | 10000-12000/Min |
| E T.BW.MTRP704-F-1 | Φ4×12mm | 细 Thin | 10000-12000/Min |
| F T.BW.MTRP310-F | Φ10×2mm | 细 Thin | 10000-12000/Min |
| G T.BW.MTRP112-F | Φ12×2mm | 细 Thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|---------------------|------------|----------------|--------------------------|
| A T.BW.MTRP505-EF | Φ5×12mm | 极细 Extra thin | 10000-12000/Min |
| B T.BW.MTRP205-EF | Φ5×16mm | 极细 Extra thin | 10000-12000/Min |
| C T.BW.MTRP406-EF | Φ6×16mm | 极细 Extra thin | 10000-12000/Min |
| D T.BW.MTRP404-EF-1 | Φ4×12mm | 极细 Extra thin | 10000-12000/Min |
| E T.BW.MTRP704-EF-1 | Φ4×12mm | 极细 Extra thin | 10000-12000/Min |
| F T.BW.MTRP310-EF | Φ10×2mm | 极细 Extra thin | 10000-12000/Min |
| G T.BW.MTRP112-EF | Φ12×2mm | 极细 Extra thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|---------------------|------------|----------------|--------------------------|
| A T.BW.MTRP505-UF | Φ5×12mm | 超细 Ultra-thin | 10000-12000/Min |
| B T.BW.MTRP205-UF | Φ5×16mm | 超细 Ultra-thin | 10000-12000/Min |
| C T.BW.MTRP406-UF | Φ6×16mm | 超细 Ultra-thin | 10000-12000/Min |
| D T.BW.MTRP404-UF-1 | Φ4×12mm | 超细 Ultra-thin | 10000-12000/Min |
| E T.BW.MTRP704-UF-1 | Φ4×12mm | 超细 Ultra-thin | 10000-12000/Min |
| F T.BW.MTRP310-UF | Φ10×2mm | 超细 Ultra-thin | 10000-12000/Min |
| G T.BW.MTRP112-UF | Φ12×2mm | 超细 Ultra-thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTRP403-C | Φ3×7mm | 粗 Thick | 10000-15000/Min |
| B T.BW.MTRP404-C | Φ4×12mm | 粗 Thick | 10000-15000/Min |
| C T.BW.MTRP405-C | Φ5×10mm | 粗 Thick | 10000-15000/Min |
| D T.BW.MTRP704-C | Φ4×11mm | 粗 Thick | 10000-15000/Min |
| E T.BW.MTRP906-C | Φ6×9.5mm | 粗 Thick | 10000-15000/Min |
| F T.BW.MTRP909-C | Φ9×9mm | 粗 Thick | 10000-15000/Min |
| G T.BW.MTRP312-C | Φ12×2mm | 粗 Thick | 10000-15000/Min |
| H T.BW.MTRP110-C | Φ10×1.8mm | 粗 Thick | 10000-15000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|------------------|------------|----------------|--------------------------|
| A T.BW.MTRP403-F | Φ3×7mm | 细 Thin | 10000-15000/Min |
| B T.BW.MTRP404-F | Φ4×12mm | 细 Thin | 10000-15000/Min |
| C T.BW.MTRP405-F | Φ5×10mm | 细 Thin | 10000-15000/Min |
| D T.BW.MTRP704-F | Φ4×11mm | 细 Thin | 10000-15000/Min |
| E T.BW.MTRP906-F | Φ6×9.5mm | 细 Thin | 10000-15000/Min |
| F T.BW.MTRP909-F | Φ9×9mm | 细 Thin | 10000-15000/Min |
| G T.BW.MTRP312-F | Φ12×2mm | 细 Thin | 10000-15000/Min |
| H T.BW.MTRP110-F | Φ10×1.8mm | 细 Thin | 10000-15000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|-----------|---------------|-----------------------|
| A T.BW.MTRP403-EF | Φ3×7mm | 极细 Extra thin | 10000-12000/Min |
| B T.BW.MTRP404-EF | Φ4×12mm | 极细 Extra thin | 10000-12000/Min |
| C T.BW.MTRP405-EF | Φ5×10mm | 极细 Extra thin | 10000-12000/Min |
| D T.BW.MTRP704-EF | Φ4×11mm | 极细 Extra thin | 10000-12000/Min |
| E T.BW.MTRP906-EF | Φ6×9.5mm | 极细 Extra thin | 10000-12000/Min |
| F T.BW.MTRP909-EF | Φ9×9mm | 极细 Extra thin | 10000-12000/Min |
| G T.BW.MTRP312-EF | Φ12×2mm | 极细 Extra thin | 10000-12000/Min |
| H T.BW.MTRP110-EF | Φ10×1.8mm | 极细 Extra thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

橡胶磨头 Rubber grinding bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-------------------|-----------|---------------|-----------------------|
| A T.BW.MTRP403-UF | Φ3×7mm | 超细 Ultra-thin | 10000-12000/Min |
| B T.BW.MTRP404-UF | Φ4×12mm | 超细 Ultra-thin | 10000-12000/Min |
| C T.BW.MTRP405-UF | Φ5×10mm | 超细 Ultra-thin | 10000-12000/Min |
| D T.BW.MTRP704-UF | Φ4×11mm | 超细 Ultra-thin | 10000-12000/Min |
| E T.BW.MTRP906-EF | Φ6×9.5mm | 超细 Ultra-thin | 10000-12000/Min |
| F T.BW.MTRP909-UF | Φ9×9mm | 超细 Ultra-thin | 10000-12000/Min |
| G T.BW.MTRP312-UF | Φ12×2mm | 超细 Ultra-thin | 10000-12000/Min |
| H T.BW.MTRP110-UF | Φ10×1.8mm | 超细 Ultra-thin | 10000-12000/Min |



包装 Package: 100 Pcs/box

陶瓷磨头 Ceramic polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-----------------|---------|-------------|-----------------------|
| A T.BW.MTCG2437 | Φ3×7mm | 粗 Thick | 7000-10000/Min |
| B T.BW.MTCG2438 | Φ3×8mm | 粗 Thick | 7000-10000/Min |
| C T.BW.MTCG2737 | Φ3×7mm | 粗 Thick | 7000-10000/Min |
| D T.BW.MTCG2033 | Φ3×3mm | 粗 Thick | 7000-10000/Min |



包装 Package: 100 Pcs/box

陶瓷磨头 Ceramic polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-----------------|---------|-------------|-----------------------|
| A T.BW.MTCW2437 | Φ3×7mm | 细 Thin | 7000-10000/Min |
| B T.BW.MTCW2438 | Φ3×8mm | 细 Thin | 7000-10000/Min |
| C T.BW.MTCW2737 | Φ3×7mm | 细 Thin | 7000-10000/Min |
| D T.BW.MTCW2033 | Φ3×3mm | 细 Thin | 7000-10000/Min |



包装 Package: 100 Pcs/box

陶瓷磨头 Ceramic polishing bits


| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-----------------|---------|-------------|-----------------------|
| A T.BW.MTCG3437 | Φ3×7mm | 粗 Thick | 7000-10000/Min |
| B T.BW.MTCG3438 | Φ3×8mm | 粗 Thick | 7000-10000/Min |
| C T.BW.MTCG3737 | Φ3×7mm | 粗 Thick | 7000-10000/Min |
| D T.BW.MTCG3033 | Φ3×3mm | 粗 Thick | 7000-10000/Min |



包装 Package: 100 Pcs/box

陶瓷磨头 Ceramic polishing bits

| 代码 Model | 尺寸 Size | 砂度 Sandness | 转数 Rotating of number |
|-----------------|---------|-------------|-----------------------|
| A T.BW.MTCW3437 | Φ3×7mm | 细 Thin | 7000-10000/Min |
| B T.BW.MTCW3438 | Φ3×8mm | 细 Thin | 7000-10000/Min |
| C T.BW.MTCW3737 | Φ3×7mm | 细 Thin | 7000-10000/Min |
| D T.BW.MTCW3033 | Φ3×3mm | 细 Thin | 7000-10000/Min |



包装 Package: 100 Pcs/box



RA抛光套装
RA Polishing set
T.BW.MT3306-D



RA抛光套装
RA Polishing set
T.BW.MT3308-D



RA抛光套装
RA Polishing set
T.BW.MTRA0309-D



RA抛光套装
RA Polishing set
T.BW.MTRA0109-D



HR抛光套装
HR Polishing set
T.BW.MTHP0412-D



HR抛光套装
HR Polishing set
T.BW.MTHP0412-2-D



抛光套装
Polishing set
T.BW.MTHP0312-D



胶轮
Plastic wheel

| 型号 Model | 形状 Shape | 尺寸size (mm) |
|--------------|-------------|-------------|
| T.BWJM210-A | 轮子 Wheel | 14.7x3.7 |
| T.BWJM211-A | 轮子 Wheel | 12.4x1.9 |
| T.BWJM213-A | 圆柱 Cylinder | 18x5.4 |
| T.BWJM213S-A | 圆柱 Cylinder | 16.8x5 |
| T.BWJM228-A | 圆柱 Cylinder | 9x4 |
| T.BWJ41-D | 圆柱 Cylinder | 17x5 |
| T.BWJ42-D | 轮子 Wheel | 15x2.4 |
| T.BWJ43-D | 轮子 Wheel | 14.7x2.2 |
| T.BWJ47-D | 轮子 Wheel | 21.8x1.3 |
| T.BWJ13S-D | 圆柱 Cylinder | 16.8x5 |

胶轮
Plastic wheel

| 型号 Model | 形状 Shape | 尺寸size (mm) |
|--------------|-------------|-------------|
| T.BWJM310-B | 轮子 Wheel | 13x3.7 |
| T.BWJM311-B | 轮子 Wheel | 12.2x2.15 |
| T.BWJM313-B | 圆柱 Cylinder | 18x5.4 |
| T.BWJM313S-B | 圆柱 Cylinder | 12.2x9.6 |
| T.BWJM328-B | 圆柱 Cylinder | 9x4 |
| T.BWJM3162-B | 轮子 Wheel | 21.5x1.3 |

胶轮
Plastic wheel

| 型号 Model | 形状 Shape | 尺寸size (mm) |
|--------------|-------------|-------------|
| T.BWJ101-C | 圆柱 Cylinder | 16.5x5 |
| T.BWJM310-C | 轮子 Wheel | 12.2x3 |
| T.BWJM311-C | 轮子 Wheel | 12.2x2.3 |
| T.BWJM313-C | 圆柱 Cylinder | 16.5x5.4 |
| T.BWJM313S-C | 圆柱 Cylinder | 16.5x5 |

木芯毛刷
Wood Hub Bristle Brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1033 | 68mm | 10mm | 6.5mm | 48mm | 1 |
| T.BW.B1022 | 68mm | 10mm | 6.5mm | 48mm | 2 |

包装 Package:


T.BW.B1033 200 Pcs/Box 8 Boxes/Carton
T.BW.B1022 144 Pcs/Box 8 Boxes/Carton

木芯毛刷
Wood Hub Bristle Brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1031 | 68mm | 10mm | 6.5mm | 48mm | 1 |

包装 Package:

192 Pcs/Box 8 Boxes/Carton

木芯毛刷
Wood Hub Bristle Brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1027 | 68mm | 10mm | 6.5mm | 48mm | 2 |

包装 Package:

168 Pcs/Box 8 Boxes/Carton

木芯毛刷
Wood Hub Bristle Brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1019 | 68mm | 10mm | 6.5mm | 48mm | 2 |
| T.BW.B1019-C | 68mm | 10mm | 6.5mm | 48mm | 6 |

包装 Package:

144 Pcs/Box 8 Boxes/Carton

木芯毛刷
Wood Hub Bristle Brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1036 | 68mm | 10mm | 6.5mm | 48mm | 2 |

包装 Package:

144 Pcs/Box 8 Boxes/Carton



4C木芯德国长毛刷

4C Wood Hub Long Bristle Brush (Germany)

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.B1035 | 78mm | 19mm | 6.5mm | 40mm | 4 |



包装 Package:

125 Pcs/Box 8 Boxes/Carton

黄色胶芯毛刷

Yellow Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1030 | 54mm | 13.5mm | 6.5mm | 27mm | 2 |
| T.BW.A1011 | 80mm | 20mm | 6.5mm | 40mm | 2 |



包装 Package:

T.BW.A1030 12 Pcs/Pack 400 Pack/Carton
T.BW.A1011 250 Pcs/Box 4 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1010 | 65mm | 15mm | 6.5mm | 35mm | 2 |



包装 Package:

250 Pcs/Box 8 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1016 | 68mm | 10mm | 6.5mm | 48mm | 2 |



包装 Package:

300 Pcs/Box 8 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1031 | 78mm | 19mm | 6.5mm | 40mm | 6 |
| T.BW.A1031-C | 78mm | 19mm | 6.5mm | 40mm | 6 |



包装 Package:

100Pcs/Box 5 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1002 | 78mm | 19mm | 6.5mm | 40mm | 4 |
| T.BW.A1002-C | 78mm | 19mm | 6.5mm | 40mm | 3-4 |



包装 Package:

125 Pcs/Box 8 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1029-B | 78mm | 19mm | 6.5mm | 38mm | 6 |



包装 Package:

100 Pcs/Box 5 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1032 | 68mm | 13mm | 6.5mm | 40mm | 6 |
| T.BW.A1032-C | 68mm | 13mm | 6.5mm | 40mm | 6 |



包装 Package:

100 Pcs/Box 5 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|------------|-------------|----------------|-----------------|--------------------|---------------|
| T.BW.A1050 | 78mm | 19mm | 6.5mm | 40mm | 3 |



包装 Package:

100 Pcs/Box 5 Boxes/Carton

胶芯毛刷

Brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 塑料直径 Plastic Diameter | 排数 Row Number |
|--------------|-------------|----------------|-----------------|-----------------------|---------------|
| T.BW.A1033 | 68mm | 14mm | 6.5mm | 40mm | 6 |
| T.BW.A1033-C | 68mm | 14mm | 6.5mm | 40mm | 6 |




包装 Package:

100 Pcs/Box 5 Boxes/Carton

白羊毛木芯毛刷
White wool brush with wooden core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|-------------|----------------|-------------------|--------------------|-----------------------|------------------|
| T.BW.B1037 | 78mm | 19mm | 6.5mm | 40mm | 4 |

T.BW.B1037 78mm 19mm 6.5mm 40mm 4




包装 Package:
125 Pcs/Box 5 Boxes/Carton

白羊毛胶芯毛刷
White wool brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|-------------|----------------|-------------------|--------------------|-----------------------|------------------|
| T.BW.A1034 | 78mm | 19mm | 6.5mm | 40mm | 4 |

T.BW.A1034 78mm 19mm 6.5mm 40mm 4




包装 Package:
125 Pcs/Box 5 Boxes/Carton

胶芯铜丝刷
Copper brush with plastic core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|--------------|----------------|-------------------|--------------------|-----------------------|------------------|
| T.BW.A2010-B | 78mm | 19mm | 6.5mm | 40mm | 4 |
| T.BW.A2010-C | 78mm | 19mm | 6.5mm | 40mm | 4 |

T.BW.A2010-B 78mm 19mm 6.5mm 40mm 4
T.BW.A2010-C 78mm 19mm 6.5mm 40mm 4



包装 Package:
125 Pcs/Box 5 Boxes/Carton

木芯线轮刷
Wire wheel brush with wooden core

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 木心直径 Core Diameter | 排数 Row Number |
|-------------|----------------|-------------------|--------------------|-----------------------|------------------|
| T.BW.B1040 | 80mm | 18mm | 6.5mm | 44mm | 5 |
| T.BW.B1041 | 70mm | 13mm | 6.5mm | 44mm | 5 |
| T.BW.B1042 | 52mm | 12mm | 6.5mm | 28mm | 4 |

T.BW.B1040 80mm 18mm 6.5mm 44mm 5
T.BW.B1041 70mm 13mm 6.5mm 44mm 5
T.BW.B1042 52mm 12mm 6.5mm 28mm 4

包装 Package:
T.BW.B1040 60 Pcs/Box 8 Boxes/Carton
T.BW.B1041 100 Pcs/Box 8 Boxes/Carton
T.BW.B1042 300 Pcs/Box 8 Boxes/Carton



有柄伞状毛刷灰白色
Handled umbrella-shaped brush gray and white

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS045-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS045-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS045-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS045-25 | 25mm | 42mm | 2.35mm | 10mm |

T.BW.MS045-17 17mm 42mm 2.35mm 10mm
T.BW.MS045-19 19mm 42mm 2.35mm 10mm
T.BW.MS045-22 22mm 42mm 2.35mm 10mm
T.BW.MS045-25 25mm 42mm 2.35mm 10mm



白灰羊毛
White & Grey Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷深灰色
Handled umbrella brush dark gray

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS046-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS046-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS046-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS046-25 | 25mm | 42mm | 2.35mm | 10mm |

T.BW.MS046-17 17mm 42mm 2.35mm 10mm
T.BW.MS046-19 19mm 42mm 2.35mm 10mm
T.BW.MS046-22 22mm 42mm 2.35mm 10mm
T.BW.MS046-25 25mm 42mm 2.35mm 10mm



黑花羊毛
Black & White Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷灰白色
Handled umbrella-shaped brush gray and white

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|-----------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS047-10.5 | 10.5mm | 26mm | 2.35mm | 6mm |
| T.BW.MS047-12 | 12mm | 26mm | 2.35mm | 6mm |

T.BW.MS047-10.5 10.5mm 26mm 2.35mm 6mm
T.BW.MS047-12 12mm 26mm 2.35mm 6mm



包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白色
Handled umbrella-shaped brush white

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|-----------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS048-10.5 | 10.5mm | 26mm | 2.35mm | 6mm |
| T.BW.MS048-12 | 12mm | 26mm | 2.35mm | 6mm |

T.BW.MS048-10.5 10.5mm 26mm 2.35mm 6mm
T.BW.MS048-12 12mm 26mm 2.35mm 6mm



白灰羊毛
White & Grey Wool

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷灰白色
Handled umbrella-shaped brush gray and white

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS034-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS034-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS034-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS034-25 | 25mm | 42mm | 2.35mm | 10mm |

T.BW.MS034-17 17mm 42mm 2.35mm 10mm
T.BW.MS034-19 19mm 42mm 2.35mm 10mm
T.BW.MS034-22 22mm 42mm 2.35mm 10mm
T.BW.MS034-25 25mm 42mm 2.35mm 10mm



白猪毛
White Pig Hair

包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白黄色

Handled umbrella-shaped brush with handle white and yellow

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS042-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS042-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS042-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS042-25 | 25mm | 42mm | 2.35mm | 10mm |

T.BW.MS042-17 17mm 42mm 2.35mm 10mm
T.BW.MS042-19 19mm 42mm 2.35mm 10mm
T.BW.MS042-22 22mm 42mm 2.35mm 10mm
T.BW.MS042-25 25mm 42mm 2.35mm 10mm

有柄伞状毛刷咖啡色
Handled umbrella-shaped brush coffee

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS006-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS006-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS006-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS006-25 | 25mm | 42mm | 2.35mm | 10mm |



白棕马毛
White & Brown Horsehair
包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷深灰色
Handled umbrella brush dark gray

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS020-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS020-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS020-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS020-25 | 25mm | 42mm | 2.35mm | 10mm |



黑灰羊毛
Black & White Wool
包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷黑色
Handled umbrella-shaped brush black

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS005-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS005-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS005-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS005-25 | 25mm | 42mm | 2.35mm | 10mm |



黑猪毛
Black Pig Hair
包装 Package: 144 Pcs/Box 10 Boxes/Carton

有柄伞状毛刷白色
Handled umbrella-shaped brush white

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter | 铁芯直径 Core Diameter |
|---------------|----------------|--------------|----------------------|-----------------------|
| T.BW.MS009-17 | 17mm | 42mm | 2.35mm | 10mm |
| T.BW.MS009-19 | 19mm | 42mm | 2.35mm | 10mm |
| T.BW.MS009-22 | 22mm | 42mm | 2.35mm | 10mm |
| T.BW.MS009-25 | 25mm | 42mm | 2.35mm | 10mm |



白羊毛
White Wool
包装 Package: 144 Pcs/Box 10 Boxes/Carton

无柄黑花羊毛毛刷
Handleless black floral wool brush

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|---------------|----------------|--------------------|-----------------------|
| T.BW.MS043-17 | 17mm | 3.2mm | 10mm |
| T.BW.MS043-19 | 19mm | 3.2mm | 10mm |
| T.BW.MS043-22 | 22mm | 3.2mm | 10mm |
| T.BW.MS043-25 | 25mm | 3.2mm | 10mm |



包装 Package: 20000 Pcs/Carton

无柄深黑马毛毛刷
Handleless dark black horsehair brush

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|---------------|----------------|--------------------|-----------------------|
| T.BW.MS035-17 | 17mm | 3.2mm | 10mm |
| T.BW.MS035-19 | 19mm | 3.2mm | 10mm |
| T.BW.MS035-22 | 22mm | 3.2mm | 10mm |
| T.BW.MS035-25 | 25mm | 3.2mm | 10mm |



包装 Package: 20000 Pcs/Carton

无柄灰色毛刷
Handleless gray brush

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|---------------|----------------|--------------------|-----------------------|
| T.BW.MS025-17 | 17mm | 3.2mm | 10mm |
| T.BW.MS025-19 | 19mm | 3.2mm | 10mm |
| T.BW.MS025-22 | 22mm | 3.2mm | 10mm |
| T.BW.MS025-25 | 25mm | 3.2mm | 10mm |

白灰羊毛
White & Grey Wool



包装 Package: 20000 Pcs/Carton

无柄白色毛刷
Handleless white brush

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|---------------|----------------|--------------------|-----------------------|
| T.BW.MS018-17 | 17mm | 3.2mm | 10mm |
| T.BW.MS018-19 | 19mm | 3.2mm | 10mm |
| T.BW.MS018-22 | 22mm | 3.2mm | 10mm |
| T.BW.MS018-25 | 25mm | 3.2mm | 10mm |

白羊毛
White Wool



包装 Package: 20000 Pcs/Carton

无柄黑色毛刷
Handleless black brush

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|---------------|----------------|--------------------|-----------------------|
| T.BW.MS019-17 | 17mm | 3.2mm | 10mm |
| T.BW.MS019-19 | 19mm | 3.2mm | 10mm |
| T.BW.MS019-22 | 22mm | 3.2mm | 10mm |
| T.BW.MS019-25 | 25mm | 3.2mm | 10mm |

黑猪毛
Black Pig Hair



包装 Package: 20000 Pcs/Carton

有柄伞状铜丝刷
Brass wire brush with handle

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter |
|---------------|----------------|--------------|----------------------|
| T.BW.MS008-22 | 22mm | 40mm | 2.35mm |
| T.BW.MS008-25 | 25mm | 40mm | 2.35mm |


包装 Package: 100 Pcs/Pack 100 Pack/Carton



有柄伞状钢丝刷
Steel wire brush

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter |
|---------------|----------------|--------------|----------------------|
| T.BW.MS003-22 | 22mm | 40mm | 2.35mm |
| T.BW.MS003-25 | 25mm | 40mm | 2.35mm |

包装 Package: 100 Pcs/Pack 100 Pack/Carton



提供铸造一站式解决方案 PROVIDE FULL CYCLE CASTING SOLUTION

直扫系列
Straight bristle

| 代码 Model | 毛刷直径 Brush Diameter | 毛刷长度 Brush length | 总长度 Total Length | 铁杆直径 Rod Diameter |
|-------------|------------------------|----------------------|---------------------|----------------------|
| T.BW.MS011 | 5mm | 10mm | 50mm | 2.35mm |
| T.BW.MS041 | 5mm | 10mm | 50mm | 2.35mm |
| T.BW.MS015 | 5mm | 10mm | 50mm | 2.35mm |
| T.BW.MS016 | 5mm | 10mm | 50mm | 2.35mm |
| T.BW.MS017 | 5mm | 10mm | 50mm | 2.35mm |
| T.BW.MS027 | 5mm | 10mm | 50mm | 2.35mm |

包装 Package: 100 Pcs/Pack 100 Pack/Carton


碗刷系列
Straight bristle

| 代码 Model | 毛刷直径 Brush Diameter | 毛刷长度 Brush length | 总长度 Total Length | 铁杆直径 Rod Diameter |
|-------------|------------------------|----------------------|---------------------|----------------------|
| T.BW.MS013 | 15mm | 8.5mm | 50mm | 2.35mm |
| T.BW.MS033 | 15mm | 8.5mm | 50mm | 2.35mm |
| T.BW.MS010 | 15mm | 8.5mm | 50mm | 2.35mm |
| T.BW.MS029 | 15mm | 8.5mm | 50mm | 2.35mm |
| T.BW.MS030 | 15mm | 8.5mm | 50mm | 2.35mm |
| T.MS.MS042 | 15mm | 8.5mm | 50mm | 2.35mm |

包装 Package: 100 Pcs/Pack 100 Pack/Carton



| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter |
|-------------|----------------|--------------|----------------------|
| T.BW.L0001 | 22mm | 42mm | 2.35mm |
| T.BW.L0003 | 22mm | 42mm | 2.35mm |
| T.BW.L0006 | 22mm | 42mm | 2.35mm |
| T.BW.L0007 | 25mm | 42mm | 2.35mm |
| T.BW.L0008 | 22mm | 42mm | 2.35mm |
| T.BW.L0009 | 22mm | 42mm | 2.35mm |
| T.BW.L0010 | 22mm | 42mm | 2.35mm |

包装 Package: 100 Pcs/Pack 100 Pack/Carton


有柄双层百洁布
Nylon Buffing Polishing Wheel

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter |
|---------------|----------------|--------------|----------------------|
| T.BW.D0022-22 | 22mm | 40mm | 2.35mm |
| T.BW.D0022-25 | 25mm | 40mm | 2.35mm |
| T.BW.L0026-22 | 22mm | 40mm | 2.35mm |
| T.BW.L0026-25 | 25mm | 40mm | 2.35mm |



包装 Package: 100 Pcs/Pack 100 Pack/Carton

铁芯毛刷
Iron core brush

| 代码 Model | 直径 Diameter | 毛长 Wool Length | 中心孔 Centre Hole | 铁芯直径 Core Diameter |
|-------------|----------------|-------------------|--------------------|-----------------------|
| T.BW.C1011 | 48mm | 12mm | 5mm | 24mm |
| T.BW.C1013 | 48mm | 12mm | 5mm | 24mm |
| T.BW.C1014 | 48mm | 12mm | 5mm | 24mm |
| T.BW.C1015 | 48mm | 12mm | 5mm | 24mm |
| T.BW.C1016 | 48mm | 12mm | 5mm | 24mm |


铁芯铜丝刷
Iron core copper wire brush

| 代码 Model | 直径 Diameter | 厚度 Thickness | 中心孔 Centre Hole | 铁芯直径 Iron core Diameter |
|-------------|----------------|-----------------|--------------------|----------------------------|
| T.BW.C1017 | 50mm | 4.5mm | 5mm | 25mm |

包装 Package:
50 Pcs/Pack 200 Pcs/Box
铁芯钢丝刷轮
Iron core wire brush wheel

| 代码 Model | 直径 Diameter | 厚度 Thickness | 中心孔 Centre Hole | 铁芯直径 Iron core Diameter |
|-------------|----------------|-----------------|--------------------|----------------------------|
| T.BW.C1018 | 50mm | 4.5mm | 5mm | 25mm |

包装 Package:
50 Pcs/Pack 200 Pcs/Box

深黄/浅黄布轮
Dark yellow buff / Light yellow buff

| 代码 Model | 尺寸 Size | 层 Ply | 包装 Package |
|-------------|------------|----------|---------------|
| T.BW.Y2550 | 2.5" | 50 | 800 Pcs/Box |
| T.BW.Y3015 | 3" | 15 | 800 Pcs/Box |
| T.BW.Y3025 | 3" | 25 | 800 Pcs/Box |
| T.BW.Y3040 | 3" | 40 | 800 Pcs/Box |
| T.BW.Y3050 | 3" | 50 | 800 Pcs/Box |
| T.BW.Y4015 | 4" | 15 | 800 Pcs/Box |
| T.BW.Y4025 | 4" | 25 | 800 Pcs/Box |
| T.BW.Y4040 | 4" | 40 | 600 Pcs/Box |
| T.BW.Y4050 | 4" | 50 | 500 Pcs/Box |
| T.BW.Y5015 | 5" | 15 | 720 Pcs/Box |
| T.BW.Y5025 | 5" | 25 | 480 Pcs/Box |
| T.BW.Y5040 | 5" | 40 | 360 Pcs/Box |
| T.BW.Y5050 | 5" | 50 | 360 Pcs/Box |
| T.BW.Y6015 | 6" | 15 | 360 Pcs/Box |
| T.BW.Y6025 | 6" | 25 | 360 Pcs/Box |
| T.BW.Y6040 | 6" | 40 | 300 Pcs/Box |
| T.BW.Y6050 | 6" | 50 | 240 Pcs/Box |
| T.BW.Y6060 | 6" | 60 | 180 Pcs/Box |
| T.BW.Y6080 | 6" | 80 | 160 Pcs/Box |
| T.BW.Y7015 | 7" | 15 | 360 Pcs/Box |
| T.BW.Y7025 | 7" | 25 | 240 Pcs/Box |
| T.BW.Y7030 | 7" | 30 | 240 Pcs/Box |
| T.BW.Y7040 | 7" | 40 | 180 Pcs/Box |
| T.BW.Y7050 | 7" | 50 | 180 Pcs/Box |
| T.BW.Y7060 | 7" | 60 | 150 Pcs/Box |
| T.BW.Y8015 | 8" | 15 | 360 Pcs/Box |
| T.BW.Y8025 | 8" | 25 | 240 Pcs/Box |
| T.BW.Y8030 | 8" | 30 | 240 Pcs/Box |
| T.BW.Y8035 | 8" | 35 | 180 Pcs/Box |
| T.BW.Y8040 | 8" | 40 | 180 Pcs/Box |
| T.BW.Y8050 | 8" | 50 | 160 Pcs/Box |
| T.BW.Y8060 | 8" | 60 | 120 Pcs/Box |
| T.BW.Y8070 | 8" | 70 | 120 Pcs/Box |
| T.BW.Y1030 | 10" | 30 | 100 Pcs/Box |
| T.BW.Y1050 | 10" | 50 | 80 Pcs/Box |
| T.BW.Y1250 | 12" | 50 | 60 Pcs/Box |




加厚黄布轮
Thickened yellow buff

| 代码 Model | 尺寸 Size | 层 Ply | 包装 Package |
|---------------|------------|----------|---------------|
| T.BW.Y4000 | 4" | 50 | 400 Pcs/Box |
| T.BW.Y5000 | 5" | 50 | 240 Pcs/Box |
| T.BW.Y6000 | 6" | 50 | 180 Pcs/Box |
| T.BW.Y7000 | 7" | 50 | 120 Pcs/Box |
| T.BW.Y7000-60 | 7" | 60 | 120 Pcs/Box |
| T.BW.Y8000 | 8" | 50 | 120 Pcs/Box |



蓝色布轮
Blue buff

| 代码 Model | 尺寸 Size | 层 Ply | 包装 Package |
|-------------|------------|----------|---------------|
| T.BW.B2550 | 2.5" | 50 | 800 Pcs/Box |
| T.BW.B0315 | 3" | 15 | 800 Pcs/Box |
| T.BW.B0325 | 3" | 25 | 800 Pcs/Box |
| T.BW.B0340 | 3" | 40 | 800 Pcs/Box |
| T.BW.B0350 | 3" | 50 | 800 Pcs/Box |
| T.BW.B0415 | 4" | 15 | 800 Pcs/Box |
| T.BW.B0425 | 4" | 25 | 800 Pcs/Box |
| T.BW.B0440 | 4" | 40 | 600 Pcs/Box |
| T.BW.B0450 | 4" | 50 | 500 Pcs/Box |
| T.BW.B0515 | 5" | 15 | 720 Pcs/Box |
| T.BW.B0525 | 5" | 25 | 480 Pcs/Box |
| T.BW.B0540 | 5" | 40 | 360 Pcs/Box |
| T.BW.B0550 | 5" | 50 | 360 Pcs/Box |
| T.BW.B0615 | 6" | 15 | 360 Pcs/Box |
| T.BW.B0625 | 6" | 25 | 360 Pcs/Box |
| T.BW.B0640 | 6" | 40 | 300 Pcs/Box |
| T.BW.B0650 | 6" | 50 | 240 Pcs/Box |
| T.BW.B0660 | 6" | 60 | 180 Pcs/Box |
| T.BW.B0680 | 6" | 80 | 160 Pcs/Box |
| T.BW.B0715 | 7" | 15 | 360 Pcs/Box |
| T.BW.B0725 | 7" | 25 | 240 Pcs/Box |
| T.BW.B0730 | 7" | 30 | 240 Pcs/Box |
| T.BW.B0740 | 7" | 40 | 180 Pcs/Box |
| T.BW.B0750 | 7" | 50 | 180 Pcs/Box |
| T.BW.B0760 | 7" | 60 | 150 Pcs/Box |
| T.BW.B0815 | 8" | 15 | 360 Pcs/Box |
| T.BW.B0825 | 8" | 25 | 240 Pcs/Box |
| T.BW.B0830 | 8" | 30 | 240 Pcs/Box |
| T.BW.B0835 | 8" | 35 | 180 Pcs/Box |
| T.BW.B0840 | 8" | 40 | 180 Pcs/Box |
| T.BW.B0850 | 8" | 50 | 160 Pcs/Box |
| T.BW.B0860 | 8" | 60 | 120 Pcs/Box |
| T.BW.B0870 | 8" | 70 | 120 Pcs/Box |
| T.BW.B1030 | 10" | 30 | 100 Pcs/Box |
| T.BW.B1050 | 10" | 50 | 80 Pcs/Box |
| T.BW.B1250 | 12" | 50 | 60 Pcs/Box |




紫色布轮
Purple buff

| 代码 Model | 尺寸 Size | 层 Ply | 包装 Package |
|-------------|------------|----------|---------------|
| T.BW.P2550 | 2.5" | 50 | 800 Pcs/Box |
| T.BW.P0315 | 3" | 15 | 800 Pcs/Box |
| T.BW.P0325 | 3" | 25 | 800 Pcs/Box |
| T.BW.P0340 | 3" | 40 | 800 Pcs/Box |
| T.BW.P0350 | 3" | 50 | 800 Pcs/Box |
| T.BW.P0415 | 4" | 15 | 800 Pcs/Box |
| T.BW.P0425 | 4" | 25 | 800 Pcs/Box |
| T.BW.P0440 | 4" | 40 | 600 Pcs/Box |



紫色布轮
Purple buff

| 代码 Model | 尺寸 Size | 层 Ply | 包装 Package |
|-------------|------------|----------|---------------|
| T.BW.P0450 | 4" | 50 | 500 Pcs/Box |
| T.BW.P0515 | 5" | 15 | 720 Pcs/Box |
| T.BW.P0525 | 5" | 25 | 480 Pcs/Box |
| T.BW.P0540 | 5" | 40 | 360 Pcs/Box |
| T.BW.P0550 | 5" | 50 | 360 Pcs/Box |
| T.BW.P0615 | 6" | 15 | 360 Pcs/Box |
| T.BW.P0625 | 6" | 25 | 360 Pcs/Box |
| T.BW.P0640 | 6" | 40 | 300 Pcs/Box |
| T.BW.P0650 | 6" | 50 | 240 Pcs/Box |
| T.BW.P0660 | 6" | 60 | 180 Pcs/Box |
| T.BW.P0680 | 6" | 80 | 160 Pcs/Box |
| T.BW.P0715 | 7" | 15 | 360 Pcs/Box |
| T.BW.P0725 | 7" | 25 | 240 Pcs/Box |
| T.BW.P0730 | 7" | 30 | 240 Pcs/Box |
| T.BW.P0740 | 7" | 40 | 180 Pcs/Box |
| T.BW.P0750 | 7" | 50 | 180 Pcs/Box |
| T.BW.P0760 | 7" | 60 | 150 Pcs/Box |
| T.BW.P0815 | 8" | 15 | 360 Pcs/Box |
| T.BW.P0825 | 8" | 25 | 240 Pcs/Box |
| T.BW.P0830 | 8" | 30 | 240 Pcs/Box |
| T.BW.P0835 | 8" | 35 | 180 Pcs/Box |
| T.BW.P0840 | 8" | 40 | 180 Pcs/Box |
| T.BW.P0850 | 8" | 50 | 160 Pcs/Box |
| T.BW.P0860 | 8" | 60 | 120 Pcs/Box |
| T.BW.P0870 | 8" | 70 | 120 Pcs/Box |
| T.BW.P1030 | 10" | 30 | 100 Pcs/Box |
| T.BW.P1050 | 10" | 50 | 80 Pcs/Box |
| T.BW.P1250 | 12" | 50 | 60 Pcs/Box |

白布轮
White buff

| 代码 Model | 尺寸 Size | 层 Ply |
|-------------|------------|----------|
| T.BW.W2550 | 2.5" | 50 |
| T.BW.W0350 | 3" | 50 |
| T.BW.W0415 | 4" | 15 |
| T.BW.W0425 | 4" | 25 |
| T.BW.W0440 | 4" | 40 |
| T.BW.W0450 | 4" | 50 |
| T.BW.W0515 | 5" | 15 |
| T.BW.W0525 | 5" | 25 |
| T.BW.W0540 | 5" | 40 |
| T.BW.W0550 | 5" | 50 |
| T.BW.W0615 | 6" | 15 |
| T.BW.W0625 | 6" | 25 |
| T.BW.W0630 | 6" | 30 |
| T.BW.W0640 | 6" | 40 |
| T.BW.W0650 | 6" | 50 |
| T.BW.W0660 | 6" | 60 |

白布轮
White buff

| 代码 Model | 尺寸 Size | 层 Ply |
|-------------|------------|----------|
| T.BW.W0680 | 6" | 80 |
| T.BW.W0715 | 7" | 15 |
| T.BW.W0725 | 7" | 25 |
| T.BW.W0730 | 7" | 30 |
| T.BW.W0740 | 7" | 40 |
| T.BW.W0750 | 7" | 50 |
| T.BW.W0815 | 8" | 15 |
| T.BW.W0825 | 8" | 25 |
| T.BW.W0830 | 8" | 30 |
| T.BW.W0835 | 8" | 35 |
| T.BW.W0840 | 8" | 40 |
| T.BW.W0850 | 8" | 50 |
| T.BW.W0860 | 8" | 60 |
| T.BW.W0890 | 8" | 90 |
| T.BW.W08120 | 8" | 120 |
| T.BW.W1050 | 10" | 50 |
| T.BW.W1250 | 12" | 50 |

麻轮
Flax wheel

| 代码 Model | 尺寸 Size | 层 Ply |
|--------------|------------|----------|
| T.BW.M5006 | 5" | 6 |
| T.BW.M6007 | 6" | 7 |
| T.BW.M9005 | 9" | 5 |
| T.BW.M1203 | 12" | 3 |
| T.BW.M1206 | 12" | 6 |
| T.BW.M1205 | 12" | 5 |
| T.BW.M6000 | 6" | 5 |
| T.BW.M7000 | 7" | 5 |
| T.BW.M8000 | 8" | 5 |
| T.BW.M1000 | 10" | 5 |
| T.BW.M1007 | 10" | 7 |
| T.BW.M1007-2 | 10" | 7 |
| T.BW.M1105 | 11" | 5 |
| T.BW.M1207-1 | 12" | 7 |
| T.BW.M1207-2 | 12" | 7 |



6寸尼龙轮
6" Nylon wheel

| 代码 Model | 厚度 Thickness | 硬度 Hardness | 目数 Mesh count |
|-------------|--------------|-------------|---------------|
| T.BW.N08102 | 2" | 16P | 180# |
| T.BW.N08103 | 2" | 16P | 240# |
| T.BW.N08104 | 2" | 16P | 320# |
| T.BW.N08105 | 2" | 16P | 400# |
| T.BW.N08106 | 2" | 16P | 600# |




8寸尼龙轮
8" Nylon wheel

| 代码 Model | 厚度 Thickness | 硬度 Hardness | 目数 Mesh count |
|------------|--------------|-------------|---------------|
| T.BW.N0861 | 1" | 5P | 60# |
| T.BW.N0862 | 1" | 5P | 80# |
| T.BW.N0863 | 1" | 5P | 120# |
| T.BW.N0813 | 1" | 5P | 180# |
| T.BW.N0814 | 1" | 5P | 240# |
| T.BW.N0812 | 1" | 5P | 320# |
| T.BW.N0815 | 1" | 5P | 400# |
| T.BW.N0844 | 1" | 5P | 600# |
| T.BW.N0853 | 1" | 7P | 60# |
| T.BW.N0864 | 1" | 7P | 80# |
| T.BW.N0840 | 1" | 7P | 120# |
| T.BW.N0813 | 1" | 7P | 180# |
| T.BW.N0814 | 1" | 7P | 240# |
| T.BW.N0839 | 1" | 7P | 320# |
| T.BW.N0815 | 1" | 7P | 400# |
| T.BW.N0865 | 1" | 7P | 600# |
| T.BW.N0866 | 1" | 9P | 60# |
| T.BW.N0845 | 1" | 9P | 80# |
| T.BW.N0867 | 1" | 9P | 120# |
| T.BW.N0823 | 1" | 9P | 180# |
| T.BW.N0824 | 1" | 9P | 240# |
| T.BW.N0803 | 1" | 9P | 320# |
| T.BW.N0802 | 1" | 9P | 400# |
| T.BW.N0834 | 1" | 9P | 600# |
| T.BW.N0837 | 1" | 12P | 60# |
| T.BW.N0868 | 1" | 12P | 80# |
| T.BW.N0869 | 1" | 12P | 120# |
| T.BW.N0816 | 1" | 12P | 180# |
| T.BW.N0805 | 1" | 12P | 240# |
| T.BW.N0804 | 1" | 12P | 320# |
| T.BW.N0820 | 1" | 12P | 400# |
| T.BW.N0852 | 1" | 12P | 600# |
| T.BW.N0870 | 1" | 16P | 60# |
| T.BW.N0871 | 1" | 16P | 80# |
| T.BW.N0872 | 1" | 16P | 120# |
| T.BW.N0833 | 1" | 16P | 180# |
| T.BW.N0821 | 1" | 16P | 240# |
| T.BW.N0832 | 1" | 16P | 320# |
| T.BW.N0873 | 1" | 16P | 400# |
| T.BW.N0874 | 1" | 16P | 600# |



8寸尼龙轮
8" Nylon wheel

| 代码 Model | 厚度 Thickness | 硬度 Hardness | 目数 Mesh count |
|-------------|--------------|-------------|---------------|
| T.BW.N0875 | 2" | 5P | 60# |
| T.BW.N0876 | 2" | 5P | 80# |
| T.BW.N0877 | 2" | 5P | 120# |
| T.BW.N0878 | 2" | 5P | 180# |
| T.BW.N0879 | 2" | 5P | 240# |
| T.BW.N0851 | 2" | 5P | 320# |
| T.BW.N0880 | 2" | 5P | 400# |
| T.BW.N0881 | 2" | 5P | 600# |
| T.BW.N0882 | 2" | 7P | 60# |
| T.BW.N0883 | 2" | 7P | 80# |
| T.BW.N0884 | 2" | 7P | 120# |
| T.BW.N0849 | 2" | 7P | 180# |
| T.BW.N0885 | 2" | 7P | 240# |
| T.BW.N0886 | 2" | 7P | 320# |
| T.BW.N0887 | 2" | 7P | 400# |
| T.BW.N0888 | 2" | 7P | 600# |
| T.BW.N0889 | 2" | 9P | 60# |
| T.BW.N0890 | 2" | 9P | 80# |
| T.BW.N0891 | 2" | 9P | 120# |
| T.BW.N0841 | 2" | 9P | 180# |
| T.BW.N0892 | 2" | 9P | 240# |
| T.BW.N0893 | 2" | 9P | 320# |
| T.BW.N0807 | 2" | 9P | 400# |
| T.BW.N0894 | 2" | 9P | 600# |
| T.BW.N0895 | 2" | 12P | 60# |
| T.BW.N0896 | 2" | 12P | 80# |
| T.BW.N0897 | 2" | 12P | 120# |
| T.BW.N0898 | 2" | 12P | 180# |
| T.BW.N0836 | 2" | 12P | 240# |
| T.BW.N0850 | 2" | 12P | 320# |
| T.BW.N0898 | 2" | 12P | 400# |
| T.BW.N0860 | 2" | 12P | 600# |
| T.BW.N0899 | 2" | 16P | 60# |
| T.BW.N08100 | 2" | 16P | 80# |
| T.BW.N08101 | 2" | 16P | 120# |
| T.BW.N08102 | 2" | 16P | 400# |
| T.BW.N08103 | 2" | 16P | 600# |
| T.BW.N08104 | 2" | 16P | 60# |
| T.BW.N08105 | 2" | 16P | 80# |
| T.BW.N08106 | 2" | 16P | 120# |



羊毛轮 Wool wheel

| 代码 Model | 尺寸 Size | 厚度 Thickness | 材质 Material |
|---------------|------------|-----------------|----------------|
| T.BW.L0024-A | 4" | 25mm | 粗毛 Coarse wool |
| T.BW.L0024 | 4" | 25mm | 细毛 Fine wool |
| T.BW.L0027-B | 5" | 25mm | 粗毛 Coarse wool |
| T.BW.L0027 | 5" | 25mm | 细毛 Fine wool |
| T.BW.L0027-30 | 5" | 30mm | 细毛 Fine wool |
| T.BW.L0021-B | 6" | 25mm | 细毛 Fine wool |
| T.BW.L0021 | 6" | 25mm | 细毛 Fine wool |
| T.BW.L0021-30 | 6" | 30mm | 细毛 Fine wool |
| T.BW.L0028-B | 8" | 25mm | 粗毛 Coarse wool |
| T.BW.L0028 | 8" | 25mm | 细毛 Fine wool |
| T.BW.L0028-30 | 8" | 30mm | 细毛 Fine wool |
| T.BW.L0029-B | 10" | 25mm | 粗毛 Coarse wool |
| T.BW.L0029 | 10" | 25mm | 细毛 Fine wool |
| T.BW.L0029-30 | 10" | 30mm | 细毛 Fine wool |
| T.BW.L0030-B | 12" | 25mm | 粗毛 Coarse wool |
| T.BW.L0030 | 12" | 25mm | 细毛 Fine wool |
| T.BW.L0030-30 | 12" | 30mm | 细毛 Fine wool |



飞碟轮 Split wheel

| 代码 Model | 尺寸 Size | 厚度 Thickness | 硬度 Hardness |
|-------------|------------|-----------------|----------------|
| T.BW.F4001 | 4" | 14mm | 中 Medium |
| T.BW.F4002 | 4" | 14mm | 硬 Hard |
| T.BW.F4003 | 4" | 14mm | 特硬 Rock hard |
| T.BW.F4004 | 4" | 14mm | 超特硬 Flint hard |
| T.BW.F4005 | 4" | 14mm | 软 Soft |
| T.BW.F6001 | 6" | 13mm | 超特硬 Flint hard |
| T.BW.F6002 | 6" | 13mm | 硬 Hard |
| T.BW.F6003 | 6" | 13mm | 中 Medium |
| T.BW.F6006 | 6" | 13mm | 特硬 Rock hard |
| T.BW.F6007 | 6" | 13mm | 软 Soft |
| T.BW.F7001 | 7" | 16mm | 硬 Hard |
| T.BW.F7002 | 7" | 16mm | 中 Medium |
| T.BW.F7003 | 7" | 16mm | 特硬 Rock hard |
| T.BW.F7004 | 7" | 16mm | 软 Soft |
| T.BW.F7005 | 7" | 16mm | 超特硬 Flint hard |



进口飞碟轮 Imported split wheel

| 代码 Model | 尺寸 Size | 厚度 Thickness | 硬度 Hardness |
|-------------|------------|-----------------|----------------|
| T.BW.F4006 | 4" | 14mm | 超特硬 Flint hard |
| T.BW.F4007 | 4" | 14mm | 中 Medium |
| T.BW.F4009 | 4" | 14mm | 硬 Hard |
| T.BW.F4008 | 4" | 14mm | 特硬 Rock hard |
| T.BW.F6005 | 6" | 13mm | 超特硬 Flint hard |
| T.BW.F6008 | 6" | 13mm | 硬 Hard |
| T.BW.F6009 | 6" | 13mm | 中 Medium |
| T.BW.F6010 | 6" | 13mm | 软 Soft |
| T.BW.F6011 | 6" | 13mm | 特硬 Rock hard |



柏轮 Cloth wheel

| 代码 Model | 尺寸 Size | 厚度 Thickness | 硬度 Hardness |
|-------------|------------|-----------------|----------------|
| T.BW.B040S | 4" | 14mm | 软 Soft |
| T.BW.B040M | 4" | 14mm | 中 Medium |
| T.BW.B040H | 4" | 14mm | 硬 Hard |
| T.BW.B040R | 4" | 14mm | 特硬 Rock hard |
| T.BW.B040F | 4" | 14mm | 超特硬 Flint hard |
| T.BW.B060H | 6" | 13mm | 硬 Hard |
| T.BW.B060S | 6" | 14mm | 软 Soft |
| T.BW.B060M | 6" | 14mm | 中 Medium |
| T.BW.B060R | 6" | 14mm | 特硬 Rock hard |
| T.BW.B060F | 6" | 14mm | 超特硬 Flint hard |
| T.BW.B070S | 7" | 13mm | 软 Soft |
| T.BW.B070M | 7" | 13mm | 中 Medium |
| T.BW.B070H | 7" | 13mm | 硬 Hard |
| T.BW.B070R | 7" | 13mm | 特硬 Rock hard |
| T.BW.B070F | 7" | 13mm | 超特硬 Flint hard |



海绵抛光轮 Sponge polishing wheel

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|-------------|----------------|-----------------|------------------|
| T.BW.H0811 | 200mm | 20mm | 60# |
| T.BW.H0803 | 200mm | 20mm | 80# |
| T.BW.H0812 | 200mm | 20mm | 120# |
| T.BW.H0801 | 200mm | 20mm | 180# |
| T.BW.H0802 | 200mm | 20mm | 240# |
| T.BW.H0805 | 200mm | 20mm | 320# |
| T.BW.H0806 | 200mm | 20mm | 400# |
| T.BW.H0813 | 200mm | 20mm | 600# |
| T.BW.H0804 | 200mm | 20mm | 800# |
| T.BW.H0814 | 200mm | 10mm | 800# |
| T.BW.H0815 | 200mm | 10mm | 60# |
| T.BW.H0816 | 200mm | 10mm | 80# |
| T.BW.H0817 | 200mm | 10mm | 120# |
| T.BW.H0810 | 200mm | 10mm | 180# |
| T.BW.H0818 | 200mm | 10mm | 240# |
| T.BW.H0819 | 200mm | 10mm | 320# |
| T.BW.H0820 | 200mm | 10mm | 400# |
| T.BW.H0821 | 200mm | 10mm | 600# |
| T.BW.H0822 | 200mm | 10mm | 800# |
| T.BW.H0823 | 200mm | 13mm | 320# |
| T.BW.H0824 | 200mm | 16mm | 220# |
| T.BW.H0825 | 200mm | 16mm | 320# |
| T.BW.H0826 | 200mm | 20mm | 240# |
| T.BW.H0827 | 200mm | 25mm | 180# |
| T.BW.H0828 | 200mm | 25mm | 240# |
| T.BW.H0829 | 200mm | 25mm | 320# |
| T.BW.H0830 | 200mm | 25mm | 320# |
| T.BW.H0831 | 200mm | 25mm | 400# |
| T.BW.H0832 | 200mm | 50mm | 180# |
| T.BW.H0833 | 200mm | 50mm | 320# |
| T.BW.H0834 | 200mm | 50mm | 400# |
| T.BW.H0835 | 200mm | 20mm | 280# |
| T.BW.H0836 | 200mm | 16mm | 240# |




8寸飞翼轮
Non woven polishing wheel

| 代码 Model | 厚度 Thickness | 夹砂 Sand inclusion | 目数 Mesh count |
|---------------|-----------------|----------------------|------------------|
| T.BW.FY0801-B | 25mm | 否 / No | 240# |
| T.BW.FY0802-B | 25mm | 否 / No | 320# |
| T.BW.FY0806-B | 25mm | 否 / No | 60# |
| T.BW.FY0807-B | 25mm | 否 / No | 80# |
| T.BW.FY0808-B | 25mm | 否 / No | 120# |
| T.BW.FY0803-B | 25mm | 否 / No | 180# |
| T.BW.FY0804-B | 25mm | 否 / No | 400# |
| T.BW.FY0805-B | 25mm | 否 / No | 600# |
| T.BW.FY0801 | 25mm | 是 / Yes | 240# |
| T.BW.FY0802 | 25mm | 是 / Yes | 320# |
| T.BW.FY0806 | 25mm | 是 / Yes | 60# |
| T.BW.FY0807 | 25mm | 是 / Yes | 80# |
| T.BW.FY0808 | 25mm | 是 / Yes | 120# |
| T.BW.FY0803 | 25mm | 是 / Yes | 180# |
| T.BW.FY0804 | 25mm | 是 / Yes | 400# |
| T.BW.FY0805 | 25mm | 是 / Yes | 600# |



打磨轮
Radial shape disc

| 代码 Model | 直径 Diameter | 目数 Mesh count |
|---------------|----------------|------------------|
| T.BW.S0039-14 | 14mm | 80# |
| T.BW.S0039-19 | 19mm | 80# |
| T.BW.S0039-24 | 24mm | 80# |
| T.BW.S0040-14 | 14mm | 120# |
| T.BW.S0040-19 | 19mm | 120# |
| T.BW.S0040-24 | 24mm | 120# |
| T.BW.S0025-14 | 14mm | 220# |
| T.BW.S0025-19 | 19mm | 220# |
| T.BW.S0025-24 | 24mm | 220# |
| T.BW.S0024-14 | 14mm | 320# |
| T.BW.S0024-19 | 19mm | 320# |
| T.BW.S0024-24 | 24mm | 320# |
| T.BW.S0037-14 | 14mm | 400# |
| T.BW.S0037-19 | 19mm | 400# |
| T.BW.S0037-24 | 24mm | 400# |
| T.BW.S0036-14 | 14mm | 600# |
| T.BW.S0036-19 | 19mm | 600# |
| T.BW.S0036-24 | 24mm | 600# |
| T.BW.S0026-14 | 14mm | 1000# |
| T.BW.S0026-19 | 19mm | 1000# |
| T.BW.S0026-24 | 24mm | 1000# |
| T.BW.S0049-14 | 14mm | 2500# |
| T.BW.S0049-19 | 19mm | 2500# |
| T.BW.S0049-24 | 24mm | 2500# |



拉丝轮 (没夹砂)
Wire drawing wheel

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|-------------|----------------|-----------------|------------------|
| T.BW.LS001 | 120mm | 100mm | 60# |
| T.BW.LS002 | 120mm | 100mm | 80# |
| T.BW.LS003 | 120mm | 100mm | 120# |
| T.BW.LS004 | 120mm | 100mm | 240# |
| T.BW.LS005 | 120mm | 100mm | 320# |
| T.BW.LS006 | 120mm | 100mm | 60# |
| T.BW.LS007 | 120mm | 100mm | 80# |
| T.BW.LS008 | 120mm | 100mm | 60# |
| T.BW.LS009 | 120mm | 100mm | 80# |



拉丝轮 (夹砂)
Wire drawing wheel with sanding

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|-------------|----------------|-----------------|------------------|
| T.BW.LS008 | 120mm | 100mm | 60# |
| T.BW.LS009 | 120mm | 100mm | 80# |



拉丝轮 (进口料)
Wire drawing wheel imported

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|-------------|----------------|-----------------|------------------|
| T.BW.LS010 | 120mm | 100mm | 60# |
| T.BW.LS011 | 120mm | 100mm | 80# |
| T.BW.LS012 | 120mm | 100mm | 60# |
| T.BW.LS013 | 120mm | 100mm | 80# |



拉丝轮 (全砂布)
Wire drawing wheel full sanding

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|-------------|----------------|-----------------|------------------|
| T.BW.LS014 | 120mm | 100mm | 60# |
| T.BW.LS015 | 120mm | 100mm | 80# |
| T.BW.LS016 | 120mm | 100mm | 120# |
| T.BW.LS017 | 120mm | 100mm | 180# |
| T.BW.LS018 | 120mm | 100mm | 240# |



气动拉丝轮
Pneumatic wire drawing wheel

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|------------|-------------|--------------|---------------|
| T.BW.LS019 | 120mm | 50mm | 60# |
| T.BW.LS020 | 120mm | 50mm | 80# |
| T.BW.LS021 | 120mm | 50mm | 60# |
| T.BW.LS022 | 120mm | 50mm | 80# |



3M黑金钢拉丝轮
3M black steel wire drawing wheel

| 代码 Model | 直径 Diameter | 厚度 Thickness | 目数 Mesh count |
|------------|-------------|--------------|---------------|
| T.BW.LS023 | 120mm | 100mm | - |



金刚石切割片
Diamond cutter

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 厚度 Thickness |
|------------|-------------|-----------------|--------------|
| T.BW.S0014 | 16mm | 3mm | 0.6mm |
| T.BW.S0013 | 18mm | 3mm | 0.6mm |
| T.BW.S0012 | 20mm | 3mm | 0.6mm |
| T.BW.S0001 | 22mm | 3mm | 0.6mm |
| T.BW.S0011 | 25mm | 3mm | 0.6mm |
| T.BW.S0010 | 30mm | 3mm | 0.6mm |
| T.BW.S0002 | 35mm | 3mm | 0.6mm |
| T.BW.S0007 | 40mm | 3mm | 0.6mm |
| T.BW.S0009 | 45mm | 3mm | 0.6mm |
| T.BW.S0008 | 50mm | 3mm | 0.6mm |
| T.BW.S0070 | 60mm | 3mm | 0.6mm |



金刚石切割片
Diamond cutter

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 厚度 Thickness |
|--------------|-------------|-----------------|--------------|
| A T.BW.S0071 | 20mm | 3mm | 0.6mm |
| B T.BW.S0072 | 25mm | 3mm | 0.6mm |
| C T.BW.S0073 | 30mm | 3mm | 0.6mm |
| D T.BW.S0074 | 35mm | 3mm | 0.6mm |
| E T.BW.S0075 | 40mm | 3mm | 0.6mm |
| F T.BW.S0076 | 50mm | 3mm | 0.6mm |
| G T.BW.S0077 | 50mm | 3mm | 0.6mm |
| H T.BW.S0078 | 60mm | 3mm | 0.6mm |



A, B, C



D, E



F



G, H

金刚石切割片
Diamond cutter

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 厚度 Thickness |
|------------|-------------|-----------------|--------------|
| T.BW.S0079 | 60mm | 16mm | 0.6mm |
| T.BW.S0080 | 100mm | 20mm | 1mm |



超薄金刚石树脂切割片
Ultra-thin diamond resin cutter

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 厚度 Thickness |
|------------|-------------|-----------------|--------------|
| T.BW.S0100 | 100mm | 20mm | 1mm |
| T.BW.S0101 | 156mm | 31.75mm | 0.8mm |
| T.BW.S0102 | 159mm | 32mm | 1mm |
| T.BW.S0103 | 200mm | 31.75mm | 1.1mm |
| T.BW.S0104 | 125mm | 31.75mm | 1mm |



红色大理石切割片
Red marble cutter

| 代码 Model | 直径 Diameter | 中心孔 Centre Hole | 厚度 Thickness |
|------------|-------------|-----------------|--------------|
| T.BW.S0105 | 110mm | 20mm | 1.1~1.5mm |



太阳砂纸
SUNMTCHT Sanding paper

| 代码 Model | 尺寸 Size | 目数 Mesh count |
|-------------|------------|------------------|
| T.PPTY0120 | 230×280mm | 120# |
| T.PPTY0180 | 230×280mm | 180# |
| T.PPTY0240 | 230×280mm | 240# |
| T.PPTY0320 | 230×280mm | 320# |
| T.PPTY0400 | 230×280mm | 400# |
| T.PPTY0600 | 230×280mm | 600# |
| T.PPTY0800 | 230×280mm | 800# |



100 Pcs/Pack, 5 Packs/Box

德国勇士砂纸
STARCKE Sanding paper

| 代码 Model | 尺寸 Size | 目数 Mesh count |
|-------------|------------|------------------|
| T.PPY.S0180 | 230×280mm | 180# |
| T.PPY.S0220 | 230×280mm | 220# |
| T.PPY.S0240 | 230×280mm | 240# |
| T.PPY.S0280 | 230×280mm | 280# |
| T.PPY.S0320 | 230×280mm | 320# |
| T.PPY.S0400 | 230×280mm | 400# |
| T.PPY.S0600 | 230×280mm | 600# |
| T.PPY.S0800 | 230×280mm | 800# |
| T.PPY.S1000 | 230×280mm | 1000# |
| T.PPY.S1200 | 230×280mm | 1200# |
| T.PPY.S1500 | 230×280mm | 1500# |
| T.PPY.S2000 | 230×280mm | 2000# |
| T.PPY.S2500 | 230×280mm | 2500# |
| T.PPY.S3000 | 230×280mm | 3000# |
| T.PPY.S5000 | 230×280mm | 5000# |
| T.PPY.S7000 | 230×280mm | 7000# |



100 Pcs/Pack, 5 Packs/Box

SAIHUI砂纸
SAIHUI Sanding paper


| 代码 Model | 尺寸 Size | 目数 Mesh count |
|-------------|------------|------------------|
| T.PPL0060-B | 230×280mm | 60# |
| T.PPL0080-B | 230×280mm | 80# |
| T.PPL0120-B | 230×280mm | 120# |
| T.PPL0150-B | 230×280mm | 150# |
| T.PPL0180-B | 230×280mm | 180# |
| T.PPL0240-B | 230×280mm | 240# |
| T.PPL0320-B | 230×280mm | 320# |
| T.PPL0400-B | 230×280mm | 400# |
| T.PPL0600-B | 230×280mm | 600# |
| T.PPL0800-B | 230×280mm | 800# |



100 Pcs/Pack, 5 Packs/Box

砂带
Sanding belt

| 代码 Model | 尺寸 Size | 目数 Mesh count |
|--------------|------------|------------------|
| T.BW.SD040-C | 90×100mm | 40# |
| T.BW.SD060-C | 90×100mm | 60# |
| T.BW.SD080-C | 90×100mm | 80# |
| T.BW.SD100-C | 90×100mm | 100# |
| T.BW.SD120-C | 90×100mm | 120# |
| T.BW.SD150-C | 90×100mm | 150# |
| T.BW.SD180-C | 90×100mm | 180# |
| T.BW.SD240-C | 90×100mm | 240# |
| T.BW.SD320-C | 90×100mm | 320# |
| T.BW.SD400-C | 90×100mm | 400# |
| T.BW.SD600-C | 90×100mm | 600# |
| T.BW.SD040-A | 610×100mm | 40# |
| T.BW.SD060-A | 610×100mm | 60# |
| T.BW.SD080-A | 610×100mm | 80# |
| T.BW.SD100-A | 610×100mm | 100# |
| T.BW.SD120-A | 610×100mm | 120# |
| T.BW.SD150-A | 610×100mm | 150# |
| T.BW.SD180-A | 610×100mm | 180# |
| T.BW.SD240-A | 610×100mm | 240# |
| T.BW.SD320-A | 610×100mm | 320# |
| T.BW.SD400-A | 610×100mm | 400# |
| T.BW.SD600-A | 610×100mm | 600# |
| T.BW.SD040 | 50×700mm | 40# |
| T.BW.SD060 | 50×700mm | 60# |
| T.BW.SD080 | 50×700mm | 80# |
| T.BW.SD100 | 50×700mm | 100# |
| T.BW.SD120 | 50×700mm | 120# |
| T.BW.SD150 | 50×700mm | 150# |
| T.BW.SD180 | 50×700mm | 180# |
| T.BW.SD240 | 50×700mm | 240# |
| T.BW.SD320 | 50×700mm | 320# |
| T.BW.SD400 | 50×700mm | 400# |
| T.BW.SD600 | 50×700mm | 600# |

砂纸棒
Sand paper rod

| 代码 Model | 直径 Diameter | 长度 Length | 铁杆直径 Rod Diameter |
|-----------------|----------------|--------------|----------------------|
| T.CG.00218-320 | 12mm | 48mm | 2.35mm |
| T.CG.00218-400 | 12mm | 48mm | 2.35mm |
| T.CG.00218-600 | 12mm | 48mm | 2.35mm |
| T.CG.00218-800 | 12mm | 48mm | 2.35mm |
| T.CG.00218-1000 | 12mm | 48mm | 2.35mm |
| T.CG.00218-1200 | 12mm | 48mm | 2.35mm |
| T.CG.00218-1500 | 12mm | 48mm | 2.35mm |
| T.CG.00218-2000 | 12mm | 48mm | 2.35mm |
| T.CG.00218-2500 | 12mm | 48mm | 2.35mm |
| T.CG.00218-3000 | 12mm | 48mm | 2.35mm |
| T.CG.00218-5000 | 12mm | 48mm | 2.35mm |
| T.CG.00218-7000 | 12mm | 48mm | 2.35mm |



包装 Package: 100 Pcs/Pack 100 Pack/Carton


飞碟夹 Split lap clamp

| 代码 Model | 尺寸 Size |
|-------------|--------------|
| A T.BWJB002 | Φ2.35×42.5mm |
| B T.BWJB003 | Φ3.0×5×44mm |
| C T.BWJB017 | Φ4×7×46mm |
| D T.BWJB005 | Φ2.35×5×44mm |
| E T.BWJB016 | Φ2.35×8×47mm |
| F T.BWJB004 | Φ2.0mm |
| G T.BWJB018 | Φ3.0mm |



夹砂棒 Rod

| 代码 Model | 尺寸 Size | 槽宽 Groove width |
|-------------|---------------|-----------------|
| A T.BWJB009 | Φ2.35×50mm | 0.5×17mm |
| B T.BWJB019 | Φ3×50mm | 0.5×17mm |
| C T.BWJB014 | Φ4×50mm | 0.5×17mm |
| D T.BWJB013 | Φ5×Φ2.35×50mm | 0.6×17mm |
| E T.BWJB008 | Φ2.35×50mm | 0.5×17mm |




玛瑙刀 Agate knife

| 代码 Model | 刀长 Knife length | 柄长 Handle length |
|--------------|-----------------|------------------|
| T.SB.00054-A | 40mm | 180mm |
| T.SB.00054-B | 40mm | 180mm |
| T.SB.00054-C | 40mm | 95mm |
| T.SB.00054-D | 40mm | 145mm |



玛瑙刀 Agate knife


| 代码 Model | 刀长 Knife length | 代码 Model | 刀长 Knife length |
|---------------|-----------------|---------------|-----------------|
| T.SB.00052-8 | 80mm | T.SB.00052-15 | 150mm |
| T.SB.00052-9 | 90mm | T.SB.00052-16 | 160mm |
| T.SB.00052-10 | 100mm | T.SB.00052-17 | 170mm |
| T.SB.00052-11 | 110mm | T.SB.00052-18 | 180mm |
| T.SB.00052-12 | 120mm | T.SB.00052-19 | 190mm |
| T.SB.00052-13 | 130mm | T.SB.00052-20 | 200mm |
| T.SB.00052-14 | 140mm | | |



钢压 Steel burnisher

| 代码 Model | Φ1 | Φ2 | L1 | L2 | 形状 Shape |
|-------------|-----|-----|------|-------|-------------------|
| T.TS.G0013 | 2mm | 5mm | 22mm | 220mm | 常规 Routine |
| T.TS.G0004 | 2mm | 5mm | 22mm | 220mm | 加细 Tiny |
| T.TS.G0020 | 2mm | 5mm | 22mm | 220mm | 特细 Very detailed |
| T.TS.G0030 | 2mm | 5mm | 22mm | 220mm | 异形 Special-shaped |
| T.TS.G008-B | 3mm | 5mm | 20mm | 165mm | 常规 Routine |
| T.TS.G0006 | 3mm | 5mm | 20mm | 165mm | 加细 Tiny |
| T.TS.G0031 | 3mm | 5mm | 20mm | 165mm | 特细 Very detailed |
| T.TS.G0032 | 3mm | 5mm | 20mm | 165mm | 异形 Special-shaped |
| T.TS.G0033 | 3mm | 5mm | 20mm | 165mm | 异形 Special-shaped |
| T.TS.G0008 | 3mm | 6mm | 35mm | 220mm | 常规 Routine |
| T.TS.G0005 | 3mm | 6mm | 35mm | 220mm | 加细 Tiny |
| T.TS.G0017 | 3mm | 6mm | 35mm | 220mm | 特细 Very detailed |
| T.TS.G0027 | 3mm | 6mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0034 | 3mm | 6mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0035 | 3mm | 6mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0036 | 3mm | 6mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0037 | 3mm | 6mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0009 | 4mm | 7mm | 35mm | 220mm | 常规 Routine |
| T.TS.G0007 | 4mm | 7mm | 35mm | 220mm | 加细 Tiny |
| T.TS.G0021 | 4mm | 7mm | 35mm | 220mm | 特细 Very detailed |
| T.TS.G0018 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0038 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |

| 代码 Model | Φ1 | Φ2 | L1 | L2 | 形状 Shape |
|--------------|-----|-----|------|-------|-------------------|
| T.TS.G0039 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0040 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0041 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0042 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0010 | 5mm | 8mm | 35mm | 220mm | 常规 Routine |
| T.TS.G0010-B | 5mm | 8mm | 35mm | 220mm | 加细 Tiny |
| T.TS.G0043 | 5mm | 8mm | 35mm | 220mm | 特细 Very detailed |
| T.TS.G0025 | 5mm | 8mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0044 | 5mm | 8mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0045 | 5mm | 8mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0011 | 6mm | 9mm | 36mm | 220mm | 常规 Routine |
| T.TS.G0046 | 6mm | 9mm | 36mm | 220mm | 加细 Tiny |
| T.TS.G0047 | 6mm | 9mm | 36mm | 220mm | 特细 Very detailed |
| T.TS.G0048 | 6mm | 9mm | 36mm | 220mm | 异形 Special-shaped |
| T.TS.G0049 | 6mm | 9mm | 36mm | 220mm | 异形 Special-shaped |
| T.TS.G0050 | 6mm | 9mm | 36mm | 220mm | 异形 Special-shaped |
| T.TS.G0051 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0052 | 5mm | 8mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0053 | 6mm | 9mm | 36mm | 220mm | 异形 Special-shaped |
| T.TS.G0054 | 4mm | 7mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0055 | 5mm | 8mm | 35mm | 220mm | 异形 Special-shaped |
| T.TS.G0056 | 6mm | 9mm | 36mm | 220mm | 异形 Special-shaped |






钻石砂针
Diamond drill
T.CG.SZ036



钻石砂针
Diamond drill
T.CG.SZ036-B




钻石砂针
Diamond drill
T.CG.SZ037




钻石砂针(米粒形)
Diamond drill
T.CG.SZ019




钻石砂针(尖)
Pointed diamond drill




| 代码 Model | L | 直径 Diameter |
|-----------------|-------|----------------|
| T.CG.SZ066-4-10 | 4mm | Φ1.0mm |
| T.CG.SZ066-4-12 | 4mm | Φ1.2mm |
| T.CG.SZ066-4-14 | 4mm | Φ1.4mm |
| T.CG.SZ066-4-16 | 4mm | Φ1.6mm |
| T.CG.SZ068-1 | 5mm | Φ1.8mm |
| T.CG.SZ068-2 | 5mm | Φ2.1mm |
| T.CG.SZ042-1 | 8.5mm | Φ1.5mm |
| T.CG.SZ042-2 | 8.5mm | Φ1.8mm |
| T.CG.SZ042-3 | 8.5mm | Φ2.1mm |
| T.CG.SZ042-4 | 8.5mm | Φ2.3mm |
| T.CG.SZ066-1 | 10mm | Φ1.6mm |
| T.CG.SZ066-2 | 12mm | Φ1.8mm |
| T.CG.SZ066-3 | 12mm | Φ2.1mm |
| T.CG.SZ066-4 | 12mm | Φ2.3mm |

金刚砂针(倒追型)
Taper diamond drill代码
Model L 直径
Diameter

| | | |
|--------------|-------|----------------|
| 代码 Model | L | 直径 Diameter |
| T.CG.SZ041-1 | 1.5mm | Φ1.4mm |
| T.CG.SZ041-2 | 1.7mm | Φ1.6mm |
| T.CG.SZ041-3 | 1.8mm | Φ1.8mm |
| T.CG.SZ041-4 | 2.1mm | Φ2.1mm |
| T.CG.SZ041-5 | 2.3mm | Φ2.3mm |
| T.CG.SZ041-6 | 4.0mm | Φ1.6mm |
| T.CG.SZ041-7 | 6.0mm | Φ2.3mm |

金刚砂针(尖)
Pointed diamond drill代码
Model L 直径
Diameter

| | | |
|--------------|------|----------------|
| 代码 Model | L | 直径 Diameter |
| T.CG.SZ039 | 14mm | Φ2.3mm |
| T.CG.SZ039-2 | 10mm | Φ1.4mm |
| T.CG.SZ039-3 | 12mm | Φ1.8mm |
| T.CG.SZ039-4 | 14mm | Φ2.0mm |

金刚砂针(圆)
Round diamond drill代码
Model 直径
Diameter


| | |
|---------------|----------------|
| 代码 Model | 直径 Diameter |
| T.CG.SZ040-10 | Φ1.0mm |
| T.CG.SZ040-11 | Φ1.1mm |
| T.CG.SZ040-12 | Φ1.2mm |
| T.CG.SZ040-13 | Φ1.3mm |
| T.CG.SZ040-14 | Φ1.5mm |
| T.CG.SZ040-06 | Φ0.6mm |
| T.CG.SZ040-07 | Φ0.7mm |
| T.CG.SZ040-08 | Φ0.8mm |
| T.CG.SZ040-09 | Φ0.9mm |
| T.CG.SZ040-14 | Φ1.4mm |
| T.CG.SZ040-16 | Φ1.6mm |
| T.CG.SZ040-17 | Φ1.7mm |
| T.CG.SZ040-18 | Φ1.8mm |
| T.CG.SZ040-19 | Φ1.9mm |
| T.CG.SZ040-20 | Φ2.0mm |
| T.CG.SZ040-21 | Φ2.1mm |
| T.CG.SZ040-22 | Φ2.2mm |
| T.CG.SZ040-23 | Φ2.3mm |
| T.CG.SZ040-24 | Φ2.4mm |
| T.CG.SZ040-25 | Φ2.5mm |
| T.CG.SZ040-26 | Φ2.6mm |
| T.CG.SZ040-27 | Φ2.7mm |

代码
Model 直径
Diameter


| | |
|---------------|----------------|
| 代码 Model | 直径 Diameter |
| T.CG.SZ040-28 | Φ2.8mm |
| T.CG.SZ040-29 | Φ2.9mm |
| T.CG.SZ040-30 | Φ3.0mm |
| T.CG.SZ040-31 | Φ3.1mm |
| T.CG.SZ040-32 | Φ3.2mm |
| T.CG.SZ040-33 | Φ3.3mm |
| T.CG.SZ040-34 | Φ3.4mm |
| T.CG.SZ040-35 | Φ3.5mm |
| T.CG.SZ040-36 | Φ3.6mm |
| T.CG.SZ040-37 | Φ3.7mm |
| T.CG.SZ040-38 | Φ3.8mm |
| T.CG.SZ040-39 | Φ3.9mm |
| T.CG.SZ040-40 | Φ4.0mm |
| T.CG.SZ040-41 | Φ4.1mm |
| T.CG.SZ040-42 | Φ4.2mm |
| T.CG.SZ040-43 | Φ4.3mm |
| T.CG.SZ040-44 | Φ4.4mm |
| T.CG.SZ040-45 | Φ4.5mm |
| T.CG.SZ040-46 | Φ4.6mm |
| T.CG.SZ040-47 | Φ4.7mm |
| T.CG.SZ040-48 | Φ4.8mm |
| T.CG.SZ040-49 | Φ4.9mm |

代码
Model 直径
Diameter


| | |
|---------------|----------------|
| 代码 Model | 直径 Diameter |
| T.CG.SZ040-50 | Φ5.0 mm |
| T.CG.SZ040-51 | Φ5.1mm |
| T.CG.SZ040-52 | Φ5.2mm |
| T.CG.SZ040-53 | Φ5.3mm |
| T.CG.SZ040-54 | Φ5.4mm |
| T.CG.SZ040-55 | Φ5.5mm |
| T.CG.SZ040-56 | Φ5.6mm |
| T.CG.SZ040-57 | Φ5.7mm |
| T.CG.SZ040-58 | Φ5.8mm |
| T.CG.SZ040-59 | Φ5.9mm |
| T.CG.SZ040-60 | Φ6.0mm |
| T.CG.SZ040-61 | Φ6.1mm |
| T.CG.SZ040-62 | Φ6.2mm |
| T.CG.SZ040-63 | Φ6.3mm |
| T.CG.SZ040-64 | Φ6.4mm |
| T.CG.SZ040-65 | Φ6.5mm |
| T.CG.SZ040-66 | Φ6.6mm |
| T.CG.SZ040-67 | Φ6.7mm |
| T.CG.SZ040-68 | Φ6.8mm |
| T.CG.SZ040-69 | Φ6.9mm |
| T.CG.SZ040-70 | Φ7.0mm |

金刚砂针(倒追型)
Taper diamond drill代码
Model L 直径
Diameter

| | | |
|--------------|-------|----------------|
| 代码 Model | L | 直径 Diameter |
| T.CG.SZ044-1 | 1.2mm | Φ2.5mm |
| T.CG.SZ044-2 | 1.4mm | Φ3.0mm |
| T.CG.SZ044-3 | 1.6mm | Φ3.5mm |
| T.CG.SZ044-4 | 1.7mm | Φ4.0mm |

金刚砂针(顺锥形)
Taper diamond drill代码
Model L 直径
Diameter

| | | |
|--------------|-----|----------------|
| 代码 Model | L | 直径 Diameter |
| T.CG.SZ045-1 | 4mm | Φ1.6mm |
| T.CG.SZ045-2 | 4mm | Φ1.8mm |
| T.CG.SZ045-3 | 8mm | Φ2.3mm |

金刚砂针(倒追型)
Taper diamond drill代码
Model L 直径
Diameter

| | | |
|--------------|-------|----------------|
| 代码 Model | L | 直径 Diameter |
| T.CG.SZ046-1 | 3.5mm | Φ1.6mm |
| T.CG.SZ046-2 | 4.5mm | Φ2.1mm |
| T.CG.SZ046-3 | 5.5mm | Φ2.3mm |
| T.CG.SZ046-4 | 5.5mm | Φ2.5mm |

旋转锉
Rotary file3×4 双槽套装
3×4 Double slot set
T.BW.MTQT02-13×4 单槽套装
3×4 Single slot set
T.BW.MTQT02-23×4 单槽宽齿套装
3×4 Single slot wide tooth set
T.BW.MTQT02-33×6 双槽套装
3×6 Double slot set
T.BW.MTQT01-13×6 单槽套装
3×6 Single slot set
T.BW.MTQT01-23×6 单槽宽齿套装
3×6 Single slot wide tooth set
T.BW.MTQT01-3

旋转锉(3x4双槽套装)
Rotary file (3x4 Double Slot Set)

| 代码 Model | 总长 Total length | 柄直径 Handle diameter | 刃径 Blade diameter | 刃长 Blade length |
|------------------|--------------------|------------------------|----------------------|--------------------|
| A T.BW.MTQT02-4 | 50mm | Φ3mm | 6mm | 13mm |
| C T.BW.MTQT02-5 | 50mm | Φ3mm | 6mm | 13mm |
| D T.BW.MTQT02-6 | 50mm | Φ3mm | 6mm | 13mm |
| E T.BW.MTQT02-7 | 50mm | Φ3mm | 6mm | 13mm |
| F T.BW.MTQT02-8 | 50mm | Φ3mm | 6mm | 13mm |
| G T.BW.MTQT02-9 | 50mm | Φ3mm | 6mm | 13mm |
| H T.BW.MTQT02-10 | 50mm | Φ3mm | 6mm | 13mm |
| L T.BW.MTQT02-11 | 50mm | Φ3mm | 6mm | 13mm |
| M T.BW.MTQT02-12 | 50mm | Φ3mm | 6mm | 13mm |
| N T.BW.MTQT02-13 | 50mm | Φ3mm | 6mm | 13mm |



包装 Package: 10 Pcs/Box

旋转锉(3x6双槽套装)
Rotary file ((3x6 Double Slot Set))

| 代码 Model | 总长 Total length | 柄直径 Handle diameter | 刃径 Blade diameter | 刃长 Blade length |
|------------------|--------------------|------------------------|----------------------|--------------------|
| A T.BW.MTQT01-4 | 50mm | Φ3mm | 6mm | 13mm |
| C T.BW.MTQT01-5 | 50mm | Φ3mm | 6mm | 13mm |
| D T.BW.MTQT01-6 | 50mm | Φ3mm | 6mm | 13mm |
| E T.BW.MTQT01-7 | 50mm | Φ3mm | 6mm | 13mm |
| F T.BW.MTQT01-8 | 50mm | Φ3mm | 6mm | 13mm |
| G T.BW.MTQT01-9 | 50mm | Φ3mm | 6mm | 13mm |
| H T.BW.MTQT01-10 | 50mm | Φ3mm | 6mm | 13mm |
| L T.BW.MTQT01-11 | 50mm | Φ3mm | 6mm | 13mm |
| M T.BW.MTQT01-12 | 50mm | Φ3mm | 6mm | 13mm |
| N T.BW.MTQT01-13 | 50mm | Φ3mm | 6mm | 13mm |




包装 Package: 10 Pcs/Box

戒指绒棒
Felt ring buff

| 代码 Model | 名称 Description | 直径 Diameter | 长度 Length |
|-------------|----------------------------------|----------------|--------------|
| T.BW.L0014 | 戒指绒棒3寸小 3" felt ring buff-small | Φ18mm | 112mm |
| T.BW.L0015 | 戒指绒棒3寸中 3" felt ring buff-medium | Φ19mm | 112mm |
| T.BW.L0016 | 戒指绒棒3寸大 3" felt ring buff-large | Φ20mm | 112mm |
| T.BW.L0017 | 戒指绒棒4寸 4" felt ring buff | Φ23mm | 132mm |
| T.BW.L0019 | 戒指绒棒5寸 5" felt ring buff | Φ26mm | 152mm |

手镯棒/手镯内抛光
Felt bangle buff

| 代码 Model | Φ1 | Φ2 | L |
|-------------|-------|-------|------|
| T.BW.L0020 | Φ50mm | Φ23mm | 90mm |

木柄铜丝刷
Rows brass wire brush with handle

| 代码 Model | 铜丝直径 Diameter | 铜丝长度 Length | 排数 Row Number |
|---------------|------------------|----------------|------------------|
| T.BW.MS003-3 | 0.08mm | 19mm | 3 |
| T.BW.MS003-4 | 0.08mm | 19mm | 4 |
| T.BW.MS003-5 | 0.08mm | 19mm | 5 |
| T.BW.MS003-6 | 0.08mm | 19mm | 6 |
| T.BW.MS003-8 | 0.08mm | 19mm | 8 |
| T.BW.MS003-10 | 0.08mm | 19mm | 10 |



包装 Package: 6 Pcs/Box 16 Boxes/Carton

木柄铜丝刷
Rows brass wire brush with handle

| 代码 Model | 铜丝直径 Diameter | 铜丝长度 Length | 排数 Row Number |
|---------------|------------------|----------------|------------------|
| T.BW.MS004-3 | 0.08mm | 19mm | 3 |
| T.BW.MS004-4 | 0.08mm | 19mm | 4 |
| T.BW.MS004-5 | 0.08mm | 19mm | 5 |
| T.BW.MS004-6 | 0.08mm | 19mm | 6 |
| T.BW.MS004-8 | 0.08mm | 19mm | 8 |
| T.BW.MS004-10 | 0.08mm | 19mm | 10 |

包装 Package: 6 Pcs/Box 16 Boxes/Carton

油漆刷
Paint brush

| 代码 Model | 尺寸 Size | L | W | H |
|-------------|------------|-------|-------|------|
| T.BW.D0030 | 1" | 180mm | 25mm | 14mm |
| T.BW.D0031 | 2" | 200mm | 50mm | 14mm |
| T.BW.D0036 | 2.5" | 195mm | 65mm | 14mm |
| T.BW.D0032 | 3" | 205mm | 75mm | 14mm |
| T.BW.D0033 | 4" | 225mm | 100mm | 14mm |
| T.BW.D0034 | 5" | 220mm | 125mm | 19mm |
| T.BW.D0037 | 6" | 230mm | 150mm | 19mm |

防酸手套 Acid proof glove

采用橡胶制成，对多种化学溶剂有良好的防护作用，耐弱酸碱，防水防油，卷边设计，可防少量水倒流弄湿衣服。

Made of rubber, it has good protection against various chemical solvents, is resistant to weak acid and alkali, waterproof and oil resistant, with a rolled edge design that can prevent a small amount of water from flowing back and wetting clothes.



防护手套 High temp glove

采用优质牛皮制成，磨砂质感防脱落，具有防火耐磨隔热的性能，适合焊接、倒模、切割打磨等。

Made of high-quality cowhide, with a frosted texture and anti shedding properties, it has fire-resistant, wear-resistant, and heat-insulating properties, suitable for welding, molding, cutting, and polishing.



防护服 Protective clothing

采用优质牛皮，具有很好的防护功能，耐磨，耐高温防火花飞溅，经久耐穿，适合电焊工，氩弧焊工穿着。

Made of high-quality cowhide, it has excellent protective function, wear resistance, high temperature resistance, fire splash resistance, and durability, suitable for electric welders and argon arc welders to wear.

T.HP.00004



一次性防护口罩
Disposable protective mask
T.HP.00037



棉手套
Cotton gloves
T.HP.00018

线手套
Line gloves
T.HP.00019

胶手指套
Plastic finger guard
T.HP.00024

黄色胶手指套
Yellow plastic finger guard
T.HP.00022



防滑手指套
non-slip plastic finger guard
T.HP.00036

牛皮手指套
Leather finger guard
T.HP.00020

羊皮手指套
Sheepskin finger guard
T.HP.00021

棉手指套(加厚)
Thick cotton finger guard
T.HP.00023



线手指套
Knitting finger guard
T.HP.00027

毛巾
Towel
T.CG.00018 300x600mm

厚毛巾
Thick towel
T.CG.00055 300x660mm

加厚毛巾
Thickened towel
T.CG.00185 350x750mm



抛光粉
Polishing powder
T.PW.PGG01 T.PW.PGG36-4
T.PW.PGG36-6 T.PW.PGG42

防锈粉
Rust-root powder
T.PW.PGG14

白矾
Alum
H.PD.00006

硼酸粉
Boric acid powder
H.PD.00041

干打砂机 Dry sand-making machine



M.SP.00012

M.SP.00015

M.SP.00018

| 型号 Model | M.SP.00012 | M.SP.00015 | M.SP.00018 |
|------------|----------------|----------------|----------------|
| 电压 Voltage | 220V | 220V | 220V |
| 功率 Power | 0.02KW | 300W | 400W |
| 尺寸 Size | 800×550×1150mm | 900×600×1700mm | 1000×630×580mm |
| 重量 Weight | 52KG | 100KG | 100KG |

喷砂机 Sanding blasting machine

可干喷湿喷，金属、亚克力、塑料喷砂处理，达到磨砂、抛光效果。
It could make dry spray and wet spray, metal, acrylic, and plastic sandblasting treatment to achieve frosted and polished results.



M.SP.00001



M.SP.00001-2



M.SP.00006



M.SP.00005

| 型号 Model | M.SP.00001 | M.SP.00001-2 | M.SP.00006 | M.SP.00005 |
|------------|---------------|---------------|---------------|----------------|
| 电压 Voltage | 220V | 220V | 220V | 220V |
| 功率 Power | 40W | 40W | 100W | 100W |
| 尺寸 Size | 420×350×500mm | 420×350×500mm | 570×420×700mm | 570×420×1400mm |
| 重量 Weight | 8KG | 8KG | 18KG | 18KG |



M.SP.00002

M.SP.00002-A
不带雨刮
Without wiperM.SP.00002-B
带变频，带温控
With frequency conversion and temperature controller

M.SP.00004

| 型号 Model | M.SP.00002 | M.SP.00002-A | M.SP.00002-B | M.SP.00004 |
|------------|----------------|----------------|----------------|----------------|
| 电压 Voltage | 220V | 220V | 220V | 220V |
| 功率 Power | 1.1KW | 1.1KW | 1.1KW | 1.1KW |
| 尺寸 Size | 500×600×1200mm | 500×600×1200mm | 500×600×1200mm | 700×700×1600mm |
| 重量 Weight | 25KG | 25KG | 25KG | 40KG |

双笔喷砂机PS-7
Double-pen sandingblasting machine PS-7

型号 Model: M.SP.00009
尺寸 Size: 490×410×360mm
重量 Weight: 10KG

万能粗细喷砂机PS-A
Universal thick and thin sanding blasting machine PS-A

型号 Model: M.SP.00010
尺寸 Size: 540×510×390mm
重量 Weight: 18KG

喷砂机PS-B
Sanding blasting machine PS-B

型号 Model: M.SP.00011
尺寸 Size: 490×400×360mm
重量 Weight: 10KG

金刚砂 Emery

| 型号 Model | 砂度 Sandness | 包装 Package |
|--------------|-----------------|------------|
| H.PD.00048-1 | 细 Thin 70/80# | 1kg/瓶/Box |
| H.PD.00048 | 细 Thin 80/100# | 1kg/瓶/Box |
| H.PD.00043 | 中 Medium 40/50# | 1kg/瓶/Box |
| H.PD.00044 | 中 Medium 50/60# | 1kg/瓶/Box |
| H.PD.00051 | 粗 Thick 30/35# | 1kg/瓶/Box |
| H.PD.00046 | 粗 Thick 35/40# | 1kg/瓶/Box |



| 型号 Model | 名称 Designation | 目数 Mesh count | 包装 Package |
|--------------|--------------------------|---------------|----------------------|
| H.PD.00061 | 玻璃砂 Glass sand | 30# | 50磅/包 50 lbs/Pack |
| H.PD.00042 | | 60# | |
| H.PD.00049 | | 80# | |
| H.PD.00054 | | 100# | |
| H.PD.00032 | | 120# | |
| H.PD.00033 | | 150# | |
| H.PD.00015 | | 180# | |
| H.PD.00020 | | 220# | |
| H.PD.00013 | | 280# | |
| H.PD.00014 | | 320# | |
| H.PD.00042-B | 古法砂 Ancient type sand | 60# | 5公斤/桶 5kg/Barrel |
| H.PD.00049-B | | 80# | |
| H.PD.00054-B | | 100# | |
| H.PD.00032-B | | 120# | |
| H.PD.00033-B | | 150# | |
| H.PD.00015-C | | 180# | |
| H.PD.00020-B | | 220# | |
| H.PD.00013-B | | 280# | |
| H.PD.00014-B | | 320# | |

喷砂前
Before sandblasting喷砂后
After sandblasting

雕刻机
Graving machine

| | |
|-------------------------------------|---------------------|
| 型号 Model | M.MF.K0001 |
| 电压 Voltage | 220V 50Hz/110V 60Hz |
| 手动工作速度 Handpiece working speed | 400-8000 RPM |
| 压力调节范围 Range of pressure regulation | 0-45 PSI |
| 尺寸 Size | 270×140×225mm |
| 重量 Weight | 7kg |



| | |
|--------------------------------|---------------------------------|
| 型号 Model | M.MF.K0006 |
| 电压 Voltage | 220V 50Hz/110V 60Hz |
| 功率 Power | 150W |
| 手动工作速度 Handpiece working speed | 400-900 rpm |
| 金刚石砂轮粒度 Diamond wheel grit | 240, 600, 1200 Grit |
| 双角度 Angle dual | 90°, 105°, 120°, Any Angle Dual |
| 尺寸 Size | 290×152×187mm |
| 重量 Weight | 12.3kg |

高速雕刻机
High-speed graving machine

| | |
|-------------------------------------|---------------------|
| 型号 Model | M.MF.K0003 |
| 电压 Voltage | 220V 50Hz/110V 60Hz |
| 手动工作速度 Handpiece working speed | 400-8000 RPM |
| 压力调节范围 Range of pressure regulation | 0-60 PSI |
| 尺寸 Size | 290×130×210mm |
| 重量 Weight | 9kg |



| | |
|-------------------------------------|---------------------|
| 型号 Model | M.MF.AG001 |
| 电压 Voltage | 220V 50Hz/110V 60Hz |
| 手动工作速度 Handpiece working speed | 0-12000 RPM |
| 压力调节范围 Range of pressure regulation | 0-1 MAP |
| 尺寸 Size | 190×150×90mm |
| 重量 Weight | 2.2kg |



| | |
|---|---------------------|
| 型号 Model | M.MF.K0004 |
| 电源 Voltage | 220V 50Hz/110V 60Hz |
| 手动工作速度 Handpiece working speed | 400-8000 RPM |
| 压力调节范围 Range of pressure regulation (脚部控制 Foot control) | 0-60 PSI |
| 压力调节范围 Range of pressure regulation (脚部控制 Foot control) | 0-60 PSI |
| 尺寸 Size | 292×150×206mm |
| 重量 Weight | 11kg |



| | |
|------------|---------------|
| 型号 Model | M.MF.AT001 |
| 电压 Voltage | 100-240V |
| 功率 Power | 100W |
| 速度 Speed | 0-100% |
| 尺寸 Size | 220×120×180mm |
| 重量 Weight | 4.6kg |



| | |
|-------------------------------------|---------------------|
| 型号 Model | M.MF.K0005 |
| 电压 Voltage | 220V 50Hz/110V 60Hz |
| 功率 Power | 100W |
| 手动工作速度 Handpiece working speed | 0-5000 rpm |
| 压力调节范围 Range of pressure regulation | 0-60 PSI |
| 尺寸 Size | 270×140×225mm |
| 重量 Weight | 7kg |



| | |
|------------------------|---------------|
| 型号 Model | M.MF.AT002 |
| 电压 Voltage | 100-240V |
| 功率 Power | 160W |
| 雕刻速度 Graver Speed | 0-100% |
| 微电机转速 Micromotor speed | 0-35000RPM |
| 尺寸 Size | 220×120×180mm |
| 重量 Weight | 5kg |



| | |
|------------------------|---------------|
| 型号 Model | M.MF.AT003 |
| 电压 Voltage | 100-240V |
| 功率 Power | 160W |
| 雕刻速度 Graver Speed | 0-100% |
| 微电机转速 Micromotor speed | 0-35000RPM |
| 尺寸 Size | 220×153×180mm |
| 重量 Weight | 6kg |



| | |
|--------------------------------|---------------|
| 型号 Model | M.MF.HR001 |
| 电压 Voltage | 100-240V |
| 功率 Power | 100W |
| 功率 Power | 800W |
| 手柄工作速度 Handpiece Working Speed | 0-100% |
| 手柄工作功率 Handpiece Working Power | 0-100% |
| 微电机转速 Micromotor speed | 0-35000RPM |
| 热风枪温度 Hot Gun Temperature | 300T |
| 尺寸 Size | 210×165×120mm |
| 重量 Weight | 5kg |



| | |
|-------------------|---------------|
| 型号 Model | M.MF.HR002 |
| 电压 Voltage | 100-240V |
| 功率 Power | 100W |
| 雕刻速度 Graver Speed | 0-100% |
| 尺寸 Size | 280×145×190mm |
| 重量 Weight | 6.5kg |



线眼 Line hole

型号 Model: T.WM.XY001

| | | | |
|----------|---------|--------|----------|
| Φ0.3mm | Φ0.65mm | Φ1.1mm | Φ1.9mm |
| Φ0.4mm | Φ0.70mm | Φ1.2mm | Φ1.05mm |
| Φ0.45mm | Φ0.75mm | Φ1.3mm | Φ2.0mm |
| Φ0.5mm | Φ0.80mm | Φ1.4mm | Φ2.1mm |
| Φ0.525mm | Φ0.85mm | Φ1.5mm | Φ2.2mm |
| Φ0.55mm | Φ0.9mm | Φ1.6mm | Φ0.225mm |
| Φ0.575mm | Φ0.95mm | Φ1.7mm | Φ0.275mm |
| Φ0.6mm | Φ1.0mm | Φ1.8mm | Φ3.0mm |



手摇压片机 (压片压线)
Manual rolling mill (sheet and wire)



齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 130mm
滚轴直径 Roller Diameter: 65mm
最大开度 Maximum opening: 4.5mm
平面面积 Flat area: 63mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
外形尺寸 Outline size: 300×135×295mm
包装尺寸 Package size: 340×335×200mm
机器毛重 G.W.: 23kg



齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 110mm
滚轴直径 Roller Diameter: 55mm
最大开度 Maximum opening: 5mm
平面面积 Flat area: 53mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0
环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
外形尺寸 Outline size: 260×190×310mm
包装尺寸 Package size: 350×330×230mm
机器毛重 G.W.: 24.5kg

齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 110mm
滚轴直径 Roller Diameter: 55mm
最大开度 Maximum opening: 4mm
平面面积 Flat area: 53mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0
环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
外形尺寸 Outline size: 230×135×280mm
包装尺寸 Package size: 330×330×230mm
机器毛重 G.W.: 18.5kg

齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 130mm
滚轴直径 Roller Diameter: 65mm
最大开度 Maximum opening: 4.5mm
平面面积 Flat area: 55mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
外形尺寸 Outline size: 300×125×295mm
包装尺寸 Package size: 340×335×200mm
机器毛重 G.W.: 23kg



齿轮比例 Gear ratio: 4:1
滚轴宽度 Roller width: 130mm
滚轴直径 Roller Diameter: 65mm
最大开度 Maximum opening: 5mm
平面面积 Flat area: 63mm
方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0 6.5
环柄-半圆 Ring shank-half round ellipsis :2.5×1, 3×1.25, 4×1.5mm
外形尺寸 Outline size: 280×200×325mm
包装尺寸 Package size: 370×340×240mm
机器毛重 G.W.: 26.2kg



M.RO.00010

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 90mm
 滚轴直径 Roller Diameter: 45mm
 最大开度 Maximum opening: 4mm
 平面面积 Flat area: 40mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 5.0
 环柄-半圆 Ring shank-half round ellipsis: 2.5×1, 3×1.25, 4×1.5mm
 外形尺寸 Outline size: 215×130×265mm
 包装尺寸 Package size: 330×330×200mm
 机器毛重 G.W.: 16kg



M.RO.00007

齿轮比例 Gear ratio: 5.3:1
 滚轴宽度 Roller width: 100mm
 滚轴直径 Roller Diameter: 50mm
 最大开度 Maximum opening: 10mm
 平面面积 Flat area: 65mm
 方线 Square wire(+/-0.01mm): 1.0, ..., 5.0
 环柄-半圆 Ring shank-half round ellipsis: 5.3×1.2,...,2.0×0.8mm
 外形尺寸 Outline size: 250×135×280mm
 包装尺寸 Package size: 360×340×200mm
 机器毛重 G.W.: 23.6kg

手摇压线机 (圆线) Manual rolling mill (Round wire)

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 5mm
 圆线 Round wire(+/-0.01mm):
 1.0, 1.2, 1.4, 1.8, 2.0, 2.2, 2.4, 2.6, 2.8, 3.0, 35, 4.0, 4.5, 5.0, 6.0, 7.0, 8.0, 9.0
 外形尺寸 Outline size: 300×135×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 23kg



M.RO.00006-E

手摇压线机 (方线) Manual rolling mill (Square wire)

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 5mm
 方线 Square wire(+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5,...,8.0
 外形尺寸 Outline size: 300×135×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 23kg



M.RO.00006-B

M.RO.00006-C

手摇压片机 (镜面压片) Manual rolling mill (mirror surface)



M.RO.00004



M.RO.00004-A

齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 110mm
 滚轴直径 Roller Diameter: 55mm
 最大开度 Maximum opening: 4mm
 平面面积 Flat area: 110mm
 外形尺寸 Outline size: 230×135×280mm
 包装尺寸 Package size: 330×330×200mm
 机器毛重 G.W.: 18.5kg

单头电动压片机 Single head electric rolling mill

型号 Model: M.RO.00015
 电源 Power: 2HP
 电压 Voltage: 110V / 220V
 滚轮宽度 Roller width: 130mm
 滚轮直径 Roller Diameter: 65mm
 最大开口 Maximum Opening: 5mm
 平面面积 Flat Area: 63mm
 方线 (+/-0.01mm): 1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5
 环柄-半圆 Ring shank-half round ellipsis: 2.5×1mm, 3×1.25mm, 4×1.5mm
 尺寸 Dimension: 450×250×510mm
 包装尺寸 Shipping Dimension: 600×410×660mm
 包装重量 Shipping Weight: 72.5kg



齿轮比例 Gear ratio: 4:1
 滚轴宽度 Roller width: 130mm
 滚轴直径 Roller Diameter: 65mm
 最大开度 Maximum opening: 4.5mm
 平面面积 Flat area: 130mm
 外形尺寸 Outline size: 300×125×295mm
 包装尺寸 Package size: 340×335×200mm
 机器毛重 G.W.: 23kg



M.RO.00006



M.RO.00006-A

双头电动压片机 Single head electric rolling mill

型号 Model: M.RO.00016
 电源 Power: 2HP
 电压 Voltage: 110V / 220V
 滚轮宽度 Roller width: 130mm
 滚轮直径 Roller Diameter: 65mm
 最大开口 Maximum Opening: 5mm
 平面面积 Flat Area: 130mm
 方线 (+/-0.01mm): 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75,
 4.0, 4.25, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0
 尺寸 Dimension: 660×260×510mm
 包装尺寸 Shipping Dimension: 810×460×670mm
 包装重量 Shipping Weight: 108kg




型号 Model: M.RO.00030
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

半圆 Semi-Round: 3/1 2/3/4/5/6/7/8/9/10/11/12/13/14mm
双面泥鳅背半圆 Double-Sided Loach-Back Semi-Round: 上3/1 下6/12/3/4/5/6/7/8/9/10/11/12/13mm



型号 Model: M.RO.00031
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

羊面轮胎型 Sheep-Face Tire Profile
宽度 Width: 3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20mm
厚度 Tabletting Surface Thickness: 1.2/1.4/1.6/2.6/2.8/3.2/3.2/3.5/3.5/3.8/3.8/3.8/3.8/3.8/4/4mm




型号 Model: M.RO.00032
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

压方(有倒角) Square with Chamfer: 1.5/2/2.5/3/4/5/6/7/8/9/10/11/12mm
压片 Tabletting Surface: 54mm
椭圆泥鳅背 Oval Loach-Back: 4/5/6/7/8/9/10/11/12mm 上面厚度宽度的1/6, 下面宽度的1/3
Upper Width: 1/6, Lower Width: 1/3




型号 Model: M.RO.00033
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

椭圆泥鳅背 Oval Loach-Back: 4/5/6/7/8/9/10/11mm 上面宽度的1/6, 下面宽度的1/3
Upper Width: 1/6, Lower Width: 1/3
半圆 Semi-Round 1/4: 4.0/5.0/6.0/7.0/8.0/9.0/10/11mm
压圆 Round Concave: 2.5/2.7/2.9/3.1/3.3/3.6/3.8/4.0/4.3/4.5/4.8/5.0/5.5/6.0/6.5/7.0/8.0mm




型号 Model: M.RO.00034
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

压圆 Round Concave: 2.52.75/3/3.25/3.5/3.75/4/4.25/4.5/5/5.5/6/6.5/7/7.5/8mm
半圆 Semi-Round 1/3: 7/8/9/10/11/12mm
压方 Square: 4/5/6/7/8mm 压片 Tabletting Surface: 45mm



型号 Model: M.RO.00035
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

压圆 Round Concave: 2/2.1/2.2/2.3/2.4/2.5/2.6/2.7/2.8/2.9/3/3.1/3.2/3.3/3.4/3.5 /3.6/3.7/3.8/3.9/4/4.2
4.4/4.6/4.8/5/5.2/5.4/5.6/5.8/6/6.2/6.5/6.8/7.2/7.6/8/9/10mm



型号 Model: M.RO.00036
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

全圆 Full Round: 1/1.1/1.2/1.3/1.4/1.5/1.6/1.7/1.8/1.9/2/2.1/2.2/2.3/2.4/2.5/2.6/2.83/3.2/3.4/3.6/3.8/4
4.2/4.5/4.7/5/5.3/5.6/6/6.3/6.8/7/7.5/8/8.5/9/10/11/12/13mm



型号 Model: M.RO.00037
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 38.5kg

椭圆泥鳅背 Oval Loach-Back: 5/6/7/8/9/10/12 上面厚度宽度的1/6, 下面厚度宽度的1/3
Upper Width: 1/6, Lower Width: 1/3
半圆: 3/4/5/6/7/8/9/10/11/12 厚度是宽度的1/3
薄椭圆: 3/4/5/6/7/8/9/10/11/12 单边厚度是宽度的1/6



型号 Model: M.RO.00038
滚轴直径 Roller diameter: 70mm
滚轴长度 Roller length: 250mm
尺寸 Size: 400×300×120mm
重量 Weight: 43kg

压圆 Round Concave: 2.5/2.7/2.9/3.1/3.3/3.6/3.8/4/4.3/4.5/4.8/5/5.5/6/6.5/7/8mm
半圆 Semi-Round: 4/5/6/7/8/10mm 槽深直径1/4 Groove Depth: 1/4 of Diameter
压方(有倒角) Square with Chamfer: 4/5/6/7/8mm 压片 Tabletting Surface: 50mm



型号 Model: M.RO.00039
滚轴直径 Roller diameter: 55mm
滚轴长度 Roller length: 122mm
重量 Weight: 18.5kg


压圆 Round Concave: 2/3/4/5/6/7mm
压方(有倒角) Square with Chamfer: 2/3/4/5/6/7mm
压片 Tabletting Surface: 40mm



戒指内孔刻字机
Inside ring engraver



M.RE.K001
250×195×420mm 6.5kg



M.RE.K002
250×200×270mm 5.6kg



正面 Front



背面 Back

用途: 可刻英文和字母
Application: chinese and english engraving
雕刻字体: 最高2mm, 最矮1.5mm
Carving font: Maximum 2mm, Minimum 1.5mm

拉线板 Drawingplates

NO.1-9 优质钨钢 Good-quality tungsten steel | NO.10-28 普通材质 Normal materials

| 编号 NO. | 名称 Description | 代码 Model | 线孔直径 (mm) Round hole diameter | 备注 Remark |
|-----------|---------------------------------|--------------|----------------------------------|-------------------|
| 1 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0023 | ● 0.26-2.2 | 3排/Rows 36孔/Holes |
| 2 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0024 | ● 2.3-6.0 | 2排/Rows 24孔/Holes |
| 3 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0028 | ● 6.1-8.0 | 2排/Rows 20孔/Holes |
| 4 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0042 | ● 8.1-10.0 | 2排/Rows 20孔/Holes |
| 5 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0027 | ● 3.1-7.1 | 2排/Rows 20孔/Holes |
| 6 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0025 | ● 6.25-10 | 2排/Rows 16孔/Holes |
| 7 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0036 | ● 10.15-13 | 2排/Rows 20孔/Holes |
| 8 | 圆形拉线板 (鹰牌) Round drawplates | T.WM.A0039 | ● 12-14.00 | 2排/Rows 16孔/Holes |
| 9 | 圆形拉线板 Round drawplates | T.WM.A0032 | ● 0.26-2.8 | 3排/Rows 42孔/Holes |
| 10 | 长方形拉线板 Square drawplates | T.WM.A0021-2 | ■ 0.55-3.0 | 3排/Rows 30孔/Holes |
| 11 | 长方形拉线板 Square drawplates | T.WM.A0021 | ■ 3.1-5.0 | 2排/Rows 20孔/Holes |
| 12 | 四方形拉线板 Quadrilateral drawplates | T.WM.A0012 | ■ 0.55-3.0 | 3排/Rows 30孔/Holes |
| 13 | 四方形拉线板 Quadrilateral drawplates | T.WM.A0016 | ■ 3.1-5.0 | 2排/Rows 20孔/Holes |
| 14 | 四方形拉线板 Quadrilateral drawplates | T.WM.A0018 | ■ 5.1-7.0 | 2排/Rows 20孔/Holes |
| 15 | 六角形拉线板 Hexagon drawplates | T.WM.A6001 | ● 0.55-3.0 | 3排/Rows 30孔/Holes |
| 16 | 六角形拉线板 Hexagon drawplates | T.WM.A6002 | ● 3.1-5.0 | 2排/Rows 20孔/Holes |
| 17 | 六角形拉线板 Hexagon drawplates | T.WM.A6003 | ● 5.1-7.0 | 2排/Rows 20孔/Holes |
| 18 | 六角形拉线板 Hexagon drawplates | T.WM.A6004 | ● 7.1-9.0 | 2排/Rows 20孔/Holes |
| 19 | 半圆拉线板 Semicircular drawplates | T.WM.B6001 | ● 0.55-3.0 | 3排/Rows 30孔/Holes |
| 20 | 半圆拉线板 Semicircular drawplates | T.WM.B6002 | ● 3.1-5.0 | 2排/Rows 20孔/Holes |
| 21 | 半圆拉线板 Semicircular drawplates | T.WM.B6003 | ● 5.1-7.0 | 2排/Rows 20孔/Holes |
| 22 | 半圆拉线板 Semicircular drawplates | T.WM.B6004 | ● 7.1-9.0 | 2排/Rows 20孔/Holes |
| 23 | 马眼拉线板 Marquise drawplates | T.WM.B6005 | ● 3.1-5.0 | 2排/Rows 20孔/Holes |
| 24 | 蛋形拉线板 Oval drawplates | T.WM.B6006 | ● 3.1-5.0 | 2排/Rows 20孔/Holes |
| 25 | 月亮形 (空心半圆) Moon drawplates | T.WM.B6007 | ● 1.1-3.0 | 2排/Rows 20孔/Holes |
| 26 | 月亮形 (空心半圆) Moon drawplates | T.WM.B6008 | ● 3.1-5.0 | 2排/Rows 20孔/Holes |
| 27 | 三角形拉线板 Triangular drawplates | T.WM.A0034 | ▲ 0.55-3.0 | 2排/Rows 20孔/Holes |
| 28 | 三角形拉线板 Triangular drawplates | T.WM.A0035 | ▲ 3.1-5.0 | 2排/Rows 20孔/Holes |



T.WM.A0025



T.WM.A6004



T.WM.B6006



T.WM.A0021



T.WM.B6003



T.WM.A0034



T.WM.A0018



T.WM.B6005



T.WM.A0035

钻石腰码仪-3代 Diamond girdle viewer III

型号 Model: TJD.00001

包装尺寸 Product size: 480×435×375mm

第三代钻石GIA腰码显微镜提供一种创新的解决方案来快速高效的查看裸钻和成品钻石饰品的编号，包括证书号码、品牌标识等。

The digital girdle viewer is an innovative solution to display the wide variety of information on a digital screen from a diamond's girdle, including certificate numbers, brand logos, security marks, etc.

- 全金属机身设计
- 独特的内置锂电池：可连续工作6小时
- 高精度摄像头：放大倍率 30X到110X
- 超高清晰显示器：4.3寸LCD显示器
- 配套裸钻和成品平台，适用于不同的工作场景
- 全球化电压设计：100-240V
- 观察石头大小：0.20克拉-12克拉
- Full metal body
- Built-in lithium battery: can work continuously for 6 hours
- High precision camera: Magnification 30X to 110X
- HD display: 4.3 inch LCD Screen
- Special holders for both rings and loose diamond
- Voltage: 100-240V
- Reading Range: 0.20ct-12ct



宝石偏光镜-白黄双色温 Gemstone polariscope-dual light

TJD.00002

电压 Voltage: 110V-220V

第三代钻石GIA腰码显微镜提供一种创新的解决方案来快速高效的查看裸钻和成品钻石饰品的编号，包括证书号码、品牌标识等。

The Digital Girdle Viewer is an innovative solution to display the wide variety of information on a digital screen from a diamond's girdle, including certificate numbers, brand Logos, security marks, etc.

双光源切换

黄光具有良好的穿透力，可以揭示玉石内部的裂纹和杂质，而白光则具有出色的色彩还原能力，能展现宝石的真实颜色。

Dual Light Source Switching

Yellow light penetrates well, revealing internal cracks and impurities in jade, while white light offers excellent color rendering, showcasing the gemstone's true color.

一般信息

宝石偏光镜是一种常用的宝石测试工具。它通过检测光的旋转和双折射，帮助确定宝石的特性和真实性。它用于区分均匀和非均匀宝石，识别晶体（微晶或隐晶）聚集体，并评估异常双折射。此外，它还可以确定宝石的轴向并检查其多色性。借助干涉镜，可以观察干涉图案以进行进一步分析。

General Information

A gemstone polariscope is a common tool for testing gemstones. It detects light rotation and birefringence, helping determine a gemstone's properties and authenticity. It's used to distinguish between homogeneous and non-homogeneous gemstones, identify crystalline aggregates, and assess abnormal birefringence. Additionally, it can determine the axiality of gemstones and check for pleochroism. With a conoscopic, the interference pattern can be observed for further analysis.



多功能钻石观测仪 -2 代 Multi Diamond Viewer II

TJD.00001

多功能钻石观测仪是一款专为同时观察钻石腰部编码钻石火彩而设计的设备。该设备配备高清摄像头和10.1英寸显示屏，提供清晰的视觉效果，突出钻石的精细细节。

多功能钻石观测仪的突出特点之一是其可调节的光源系统。这允许用户能快速而真实的还原钻石的火彩，包括钻石心与箭的图案。该设备展示钻石自然特性的能力使其成为专业人士的必备工具。

除了强大的性能外，多功能钻石观测仪还注重便携性。它配备了内置锂电池，确保设备易于运输并在各种环境中使用，无论是零售环境、贸易展还是营销活动。这种多功能性使其成为钻石零售商和营销人员的理想选择，他们需要可靠且移动的解决方案来展示钻石。

通过提供钻石特性的深入和即时的视觉表示，增强了客户体验，使他们能够快速直观地欣赏钻石的各种特征。

Multi diamond viewer ii is specifically designed to allow the simultaneous viewing of a diamond's laser inscription on its girdle and its brilliance. The device is equipped with a high-definition camera and a 10.1-inch display, delivering crystal-clear visuals that highlight the intricate details of the diamond.

One of the standout features of multi diamond viewer ii is its adjustable lighting system. This allows users to manipulate the light settings to observe the diamond under various conditions, revealing its true brilliance, including the diamond heart & arrow pattern. The device's ability to showcase the diamond's natural qualities makes it an indispensable tool for professionals who need to present diamonds in the best possible light.

In addition to its powerful performance, multi diamond viewer ii is designed with portability in mind. It comes with a built-in lithium battery, ensuring that the device can be easily transported and used in various settings, whether in a retail environment, at trade shows, or during marketing events. This versatility makes it ideal for diamond retailers and marketers who require a reliable and mobile solution for displaying diamonds.

By providing an in-depth and immediate visual representation of a diamond's features, multi diamond viewer ii enhances the customer experience, allowing them to appreciate the full range of a diamond's characteristics quickly and intuitively.



紫外荧光灯箱 Gemstone UV light box set



抽屉式款
Drawer-style storage

型号 Model: TJD.00004-1

开放式款
Drawerless open storage compartment

型号 Model: TJD.00004-2

便携式款
Portable version

型号 Model: TJD.00004-3

紫外荧光灯在珠宝检测中，是一种重要的辅助性仪器。使用长波和短波两种紫外灯管，利用特制的滤光片过滤后获得以365nm 为主波长的长波 (LW) 紫外光和以 253.7nm 为主波长的短波 (SW) 紫外光，并将这两种不同的紫外光分别照射于宝石上，使之产生不同程度的荧光反应，以此来鉴定宝石。

Ultraviolet (UV) fluorescent lamps are essential auxiliary tools in gem identification. By using both long-wave (LW) UV light with a dominant wavelength of 365nm and short-wave (SW) UV light with a dominant wavelength of 253.7nm. When these two different types of UV light are directed at gemstones, they induce varying degrees of fluorescence, which can be used to identify the gems.

钻石火彩仪 New rotation diamond brilliance viewer

型号 Model: TJD.00005-1
电压 Voltage: 100-220V

- 一个方便使用的设备来 - 查看钻石的火彩。
- 聚光效果好，观测效果好。
- 可旋转的托盘可以容纳戒指和钻石。



钻石火彩仪 2 代 Diamond Brilliance Viewer II

该设备旨在提升钻石火彩的显示，确保为您的客户带来难忘的体验。它具有人性化的控制功能，包括转盘速度和灯光调节、安全锁定机制，以及高清LCD屏幕，所有这些都融入在金属一体化设计中。支持100-240V的电压范围，适用于各种场合。

A revolutionary tool for showcasing the stunning beauty of diamonds. This device is designed to enhance the brilliance of your diamonds, ensuring an unforgettable experience for your customers. It features user-friendly controls for turntable speed and lighting, a secure locking mechanism, and a high-definition LCD screen-all housed in a durable integrated metal body. Compatible with a voltage range of 100-240V, it's perfect for any setting.

型号 Model: TJD.00005-2

屏幕尺寸 Screen size: 7.9"

电压 Voltage: 110V-220V

包装尺寸 Package size: 430×280×230mm

产品重量 Product weight: 7kg



天然钻石群测仪 Natural diamond scanner

型号 Model: TJD.00006

天然钻石群测仪是一款先进的设备，旨在准确识别和区分天然钻石与实验室培育钻石。它利用尖端技术分析钻石的各种特征，实时提供数据，帮助用户做出明智的决策。该设备体积小巧且易于操作，非常适合珠宝商、宝石学家和爱好者，确保在任何环境下都能验证钻石的真实性。凭借其精确的测量和快速的结果，天然钻石群测仪是提升钻石评估信心的最佳工具。

The natural diamond scanner is an advanced device designed for accurately identifying and distinguishing natural diamonds from lab-grown counterparts. Utilizing cutting-edge technology, it analyzes various characteristics of the diamond, providing users with real-time data to make informed decisions. Compact and user-friendly, this scanner is ideal for jewelers, gemologists, and enthusiasts alike, ensuring the authenticity of diamonds in any setting. With its precise measurements and quick results, the natural diamond scanner represents the ultimate tool for enhancing confidence in diamond evaluations.



专业级宝石显微镜 Motic-171 含智能系统屏 PROFESSIONAL GEM MICROSCOPE+MOTIC SMZ-171 WITH SCREEN

型号 Model: TJD.00008

放大倍率: 7.5-50X (连续变焦)
目镜: WF10X
20W 暗视域
W 前侧灯照明, LED 点光源
显微镜镜头: Motic
暗视域光圈: 2 毫米 -41 毫米
工作距离: 110mm
弯臂: 38°倾斜
底座: 0° -325°可旋转
电压: 100V-240V
包装尺寸: 680×360×400mm
重量: 12kg

Magnification: 7.5-50X
Eyepiece: WF10X
Bright field,dark field (Halogen 20W)
7W front illuminator
LED point source
Iris diaphragm: 2mm-41mm
Working distance: 110mm
Inclinable up to 38 degrees for better comfort and view
Base: 0°-325°rotatable
Voltage: 100-240V
Product size: 680×360×400mm
Weight: 12kg



宝石测试仪-2 代 Gem Tester II

型号 Model: TJD.00008-1
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.7kg

业内最薄的探头 (0.6mm)，用于测试小至0.02克拉的宝石
可以区分16种宝石
内置校准模组，可快速校准仪器
Industry's thinnest probe tip (0.6mm) for testing gemstones as small as 0.02 carats
Can differentiate between 16 types of gemstone
Built-in Glass and Calibration (CAL) test discs for reference



拉曼光谱仪 Smartphone Raman Spectrometer

全球首款基于智能手机的珠宝拉曼设备现已面向全球宝石爱好者推出。
The world's first smartphone-based Jewelry Raman device is now available for gemstone enthusiasts worldwide.



型号 Model: TJD.00007

- 1. 该设备采用成熟的拉曼技术，在宝石检测领域树立了全新的精度和可靠性标准，超越了紫外荧光机、钻石测试笔以及其他所有传统的手动检测工具。
- 2. 灵活的光纤探头可用于检测裸石和镶嵌石，此外，它还能对小至 0.01 克拉的宝石进行选择性检测，测量过程只需几秒钟即可完成。
- 3. 与智能手机平台的集成提供了用户友好的图形界面，使得捕捉照片和光谱变得极为简单快速。报告的保存与分享只需三次快速点击即可完成。
- 1. Utilizing the proven Raman ID technique, it sets a new standard for precision and reliability in gemstone inspections, surpassing UV fluorescence machines, diamond test pens, and all other conventional manual inspection tools.
- 2. The flexible fiber probe allows testing of both loose and mounted stones. Additionally, it can pinpoint stones down to 0.01 carats for selective measurements in a matter of seconds.
- 3. The integration with the smartphone platform provides a user-friendly graphic interface, making it incredibly easy and fast to capture photos and spectra. Report saving and sharing can be accomplished with just three swift clicks.

宝石双重测试仪 Duo tester

型号 Model: TJD.00008-2
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.7kg

提供双重测试方法：热导性和反射率来鉴定有色宝石以及钻石。测试笔利用宝石传热速度的不同，来识别彩色宝石和钻石。中间测试平台利用反射率测试彩色宝石和钻石。

The only gemological instrument in the industry that tests gemstones based on both thermal and reflectivity properties. Provides the user with two proven tests for diamonds and differentiate similar colored gemstones.



数字折射仪 Refractive Index Meter

型号 Model: TJD.00009
包装尺寸 Product size: 135×78×45mm
重量 Weight: 0.25kg

数字折射仪可测试钻石、莫桑石、彩色宝石

- 折射率1.000RI-3.000RI
- 快速可靠的测试结果
- 显示屏直接显示测试结果
- 9V电池和一个USB接口

Reflectance tester for diamonds, moissanites and gemstones.

- Identifies diamonds, moissanites and gemstones via its
- Refractive Index (RI), 1.000 to 3.000, on flat and polished surfaces
- Reliable results
- Clear and visible display
- 9V battery and USB port



钻石测试笔 Diamond mate

型号 Model: TJD.00010
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.15kg

通过导热性来测试钻石或锆石。
The tester utilizes thermal conductivity testing method to verify the authenticity of diamonds, and distinguish from dozens of diamond simulants.



莫桑石测试笔 II Moissanite Tester II

型号 Model: TJD.00011
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.15kg

通过聚合物电导率来测试钻石或者莫桑石。
The tester uses the technology of capacitive measurement of electrical displacement to identify synthetic moissanite stones.



多用测试笔 3代 Multi Tester III

型号 Model: TJD.00012
包装尺寸 Product size: 200×80×60mm
重量 Weight: 0.25kg

最畅销的钻石&莫桑石测试笔，探针尖端可伸缩，确保在测试期间对宝石的压力一致，从而获得最可靠的测试结果，可测小至0.02克拉的无色钻石。
The best-selling pocket-sized instrument that instantly identifies diamonds and moissanites based on their thermal and electrical properties. PMuT III has a retractable probe tip that ensures consistent pressure against the gemstone during testing for more reliable results. tests colorless diamonds as small as 0.02ct.



合成钻石鉴别仪-II代 Synthetic diamond screener II

型号 Model: TJD.00013-1
包装尺寸 Product size: 195×110×95mm
重量 Weight: 0.8kg

- 增强了额外的功能，可测试小至0.02克拉到10克拉测试结果瞬间完成，通过测量紫外线吸收。
- 快速测试采用高温高压处理的HPHT或化学气相沉积法合成钻石 (CVD)。支持裸石以及成品裸石饰品样本的测试。
- 可筛选钻石颜色范围：D到J
- Enhanced with additional features, the synthetic Diamond Screener II now tests for diamond melees as small as 0.02carats with instantaneous results, through the measurement of UV absorption.
- The Synthetic Diamond Screener II is developed by Presidium to help screen out Type IIa colorless diamond, which is likely to be synthetic and created through chemical vapor deposition (CVD) or high pressure high temperature (HPHT) syntheses from the natural Type Ia colorless diamond.
- For diamond color: D to J



新款合成钻石测试笔 OTI BY PRESIDIUM

型号 Model: TJD.00013-2

合成钻石测试笔 ARI BY PRESIDIUM

型号 Model: TJD.00013-3





钻石工具套装 Diamond Tools Set

型号 Model: TJD.00020
包装尺寸 Product size: 320×250×70mm
重量 Weight: 2kg

- | | |
|------------|----------------------------|
| 1. 比色石 | 1. Master Color Set |
| 2. 比重石 | 2. Master Size Set |
| 3. 钻石净度表 | 3. Diamond Clarity Display |
| 4. 钻石切工板表 | 4. Diamond Cut Display, |
| 5. 戒指圈 | 5. Ring Sizer |
| 6. 戒指棒 | 6. Ring Stick |
| 7. 镊子 | 7. Tweezer |
| 8. 10 倍放大镜 | 8. Triplet 10X Loupe |
| 9. 切工镜 | 9. Heart and Arrow Scope |
| 10. 腰围镜 | 10. Inscription Loupe |
| 11. 长宝石爪 | 11. Stone Holder |
| 12. 戒托 | 12. Ring Holder |
| 13. 荧光笔 | 13. UV Torch |
| 14. 测钻笔 | 14. Diamond Tester |



钻石工具套装 Diamond Tools Set

型号 Model: TJD.00021
包装尺寸 Product size: 330×260×50mm
重量 Weight: 1.2kg

- | | |
|-----------|--------------------------|
| 1. 测钻笔 | 1. Diamond Tester |
| 2. 腰围镜 | 2. Inscription Loupe |
| 3. 切工镜 | 3. Heart and Arrow Scope |
| 4. 钻石卡尺 | 4. Digital Gauge |
| 5. 放大镜 | 5. Loupe |
| 6. 宝石爪 | 6. Stone Holder |
| 7. 手电 | 7. Torch |
| 8. 戒爪 | 8. Ring Holder |
| 9. 镊子 | 9. Tweezer |
| 10. 钻石火彩笔 | 10. Inscription Loupe |
| 11. 手寸棒 | 11. Ring Stick |
| 12. 手寸圈 | 12. Ring Sizer |



钻石工具套装 Diamond Tools Set

型号 Model: TJD.00022
包装尺寸 Product size: 250×220×150mm
重量 Weight: 2kg

- | | |
|-----------|--------------------------------|
| 1. 测钻笔 | 1. Diamond Tester |
| 2. 腰围镜 | 2. Inscription Loupe |
| 3. 豪华型切工镜 | 3. Delux Heart and Arrow Scope |
| 4. 放大镜 | 4. Loupe |
| 5. 手电 | 5. Torch |
| 6. 镊子 | 6. Tweezer |
| 7. 手寸棒 | 7. Ring Stick |
| 8. 手寸圈 | 8. Ring Sizer |



钻石仪器套装箱 Diamond Tools with Aluminum Box

型号 Model: TJD.00023
包装尺寸 Product size: 220×190×70mm
重量 Weight: 1kg

- | | |
|----------|------------------------|
| 1. 切工镜 | 1. Heart & Arrow Loupe |
| 2. 放大镜 | 2. Loupe |
| 3. 钻石铲 | 3. Scoop |
| 4. 腰围镜 | 4. Inscription Loupe |
| 5. 戒形宝石爪 | 5. Ring Stone Holder |
| 6. 数显卡尺 | 6. Digital Gem Gauge |
| 7. 镊子 | 7. Tweezer |
| 8. 双光手电 | 8. Double Light Torch |



宝石鉴定仪器套装箱 Gemological Kit with Aluminum Box

型号 Model: TJD.00024
包装尺寸 Product size: 220×190×70mm
重量 Weight: 1kg

- | | |
|-----------|----------------------|
| 1. 手电 | 1. LED Torch |
| 2. 分光镜 | 2. Spectroscope |
| 3. 钻石铲 | 3. Dichroscope |
| 4. 便携秤 | 4. Pocket Scale |
| 5. 放大镜 | 5. Loupe |
| 6. 镊子 | 6. Tweezer |
| 7. 宝石数量卡尺 | 7. Digital Gem Gauge |
| 8. 滤色镜 | 8. Filter |



宝石鉴定仪器套装箱-专业型 Economical Gem Identification Travel Lab

型号 Model: TJD.00025
包装尺寸 Product size: 360×270×120mm
重量 Weight: 3.5kg

- | | |
|----------|--------------------------|
| 1. 宝石折射仪 | 1. Gem Refractometer |
| 2. 偏光镜 | 2. Portable Polariscopic |
| 3. 二色镜 | 3. Diamond Tweezer |
| 4. 便携秤 | 4. LED Torch |
| 5. 放大镜 | 5. Dichroscope |
| 6. 分光镜 | 6. Spectroscope |
| 7. 二色镜 | 7. Jadeite Filter |
| 8. 玉石滤色镜 | 8. Mohs's Hardness (5-9) |
| 9. 放大镜 | 9. Triplet Loupe |

数码旋转摄影箱 360 PHOTOGRAPHY BOX



T.BS.00006



T.BS.00007



T.BS.00008

| 型号 Model | 外观尺寸 Product size | 拍摄尺寸 Shooting rang | 正面开口 Front windows | 包装尺寸 Package size | 重量 Weight |
|-------------|----------------------|-----------------------|-----------------------|----------------------|--------------|
| T.BS.00006 | 300×240×230mm | 238×200×182mm | 110×155mm | 445×390×385mm | 7kg |
| T.BS.00007 | 350×300×280mm | 288×260×220mm | 130×175mm | 480×435×425mm | 9kg |
| T.BS.00008 | 400×360×330mm | 332×315×270mm | 180×195mm | 525×485×470mm | 12kg |

数码摄影箱 Photography Box



T.BS.00001



T.BS.00002



T.BS.00003



T.BS.00004



T.BS.00005

| 型号 Model | 外观尺寸 Product size | 拍摄尺寸 Shooting rang | 正面开口 Front windows | 包装尺寸 Package size | 重量 Weight |
|-------------|----------------------|-----------------------|-----------------------|----------------------|--------------|
| T.BS.00001 | 260×200×200mm | 196×155×145mm | 100×120mm | 405×345×355mm | 5.5kg |
| T.BS.00002 | 300×240×230mm | 238×200×182mm | 110×155mm | 445×390×385mm | 7kg |
| T.BS.00003 | 350×300×280mm | 288×260×220mm | 130×175mm | 480×435×425mm | 9kg |
| T.BS.00004 | 400×360×330mm | 332×315×270mm | 180×195mm | 525×485×470mm | 12kg |
| T.BS.00005 | 600×500×500mm | 528×430×425mm | 310×550mm | 760×700×660mm | 39kg |



木柄港度戒指尺
HK size ring stick with wood handle
T.RC.RR001



木柄美度戒指尺
US size ring stick with wood handle
T.RC.RR003



TSK木柄港度戒指尺
TSK HK size ring stick with wood handle
T.RC.RR046



不锈钢美度戒指尺
US size stainless steel ring stick
T.RC.RR004



不锈钢港度戒指尺
HK size stainless steel ring stick
T.RC.RR006



全铝四用戒指尺
Aluminium universal ring measure stick
T.RC.RR005



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-1 1#-34#



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-2 1#-34#



不锈钢港度尺
HK size stainless steel ring stick
T.RC.RR006-3 2#-33#



不锈钢美度尺
HK size ring stick with wood handle
T.RC.RR004-2 1#-15#



戒指钢尺
Stainless steel ring stick
T.RC.RR070



戒指钢尺
Stainless steel ring stick
T.RC.RR070-1



戒指铁 (大)
Iorn ring stick (big)
T.RC.RR017 $\Phi 25 \times \Phi 12 \times 270\text{mm}$



5" Iorn ring stick
T.RC.RR028



4分戒指铁
4" Iorn ring stick
T.RC.RR050



特大戒指铁
Iorn ring stick
T.RC.RR028-2 $\Phi 37 \times \Phi 19 \times 305\text{mm}$



带柄戒指铁
Iorn ring stick
T.RC.RR028-3 $\Phi 24 \times \Phi 12 \times 340\text{mm}$



四方形整形铁
Square shaped shaping iron
T.RC.RR028-5 7x7mm, 18x18mm, L180mm



美国蜡戒指尺
Matt wax ring stick
T.RC.RR009



白塑料港度尺
HK white plastic ring stick
T.RC.RR070



铝日度尺
Japan aluminum ring stick
T.RC.RR072



港度网纹柄戒指铁
HK ring stick
T.RC.RR078-C



不锈钢戒指铁
Stainless steel ring of iron
T.RC.RR100 $\Phi 19.5 \times \Phi 37 \times 305\text{mm}$



特大戒指铁
Extra large ring of iron
T.RC.RR101 $\Phi 10.5 \times \Phi 24 \times 280\text{mm}$



长方形整形铁
Rectangular shaped iron
T.RC.RR028-4 12x7mm, 23x18mm, L180mm



细魏旦铁
Square shaped shaping iron
T.RC.RR028-6 4x10mm, 19x20mm, L180mm



欧度绿色四面戒指尺
Euro size ring stick
T.RC.RR010



日度网纹柄戒指铁
Japan ring stick
T.RC.RR078-A



美度网纹柄戒指铁
US ring stick
T.RC.RR078-B





特硬戒指铁
Extra hard ring of iron
T.RC.RR102 Φ11×Φ24.5×270mm



4分5分耳环铁
Ring of iron
T.RC.RR103 Φ10.5×Φ24×265mm



普通戒指铁
Extra hard ring of iron
T.RC.RR104 Φ6.5×Φ16×185mm



港度尺圈套装
HK ring sizes
T.RC.RR075-A



港度尺圈
HK ring sizes
T.RC.RR076



港度尺圈
HK ring sizes
T.RC.RR077

戒指圈 Ring sizes

| 代码 Model | 规格 specifications | 材质 Material quality |
|--------------|----------------------|------------------------|
| T.RC.RR014-2 | US 美度圈 0#-13# | 锌合金 Kirsite |
| T.RC.RR013 | HK 港度圈 1#-33# | 不锈钢 Stainless steel |
| T.RC.RR013-2 | HK 港度圈扁圆 1#-33# | 不锈钢 Stainless steel |
| T.RC.RR015 | JP 日度圈 1#-28# | 不锈钢 Stainless steel |
| T.RC.RR201 | KR 韩度圈 1#-30# | - |
| T.RC.RR202 | 四用圈 1#-33# | - |
| T.RC.RR014 | US 美度圈 0#-15# | - |
| T.RC.RR051 | EURO 欧度圈 41#-76# | - |
| T.RC.RR203 | UK 英度圈 A-Z | - |
| T.RC.RR204 | RU 俄罗斯度 13#-25# | 不锈钢 Stainless steel |
| T.RC.RR205 | VN 越度 1#-33# | 不锈钢 Stainless steel |
| T.RC.RR206 | TW 台度 3#-24# | 不锈钢 Stainless steel |




彩色塑料港度圈 HK colored plastic ring

| 代码 Model | 颜色 Colour |
|--------------|--------------|
| T.RC.RR016-1 | 粉色 Pink |
| T.RC.RR016-2 | 黄色 Yellow |
| T.RC.RR016-3 | 绿色 Green |
| T.RC.RR016-4 | 黑色 Black |
| T.RC.RR016-5 | 红色 Red |
| T.RC.RR016-6 | 蓝色 Blue |
| T.RC.RR016-7 | 玫红色 Rose red |
| T.RC.RR016-8 | 紫色 Purple |




太阳卡尺 Calipers

| 代码 Model | 显示 Display | 读数 Readability | 精度 Accuracy |
|--------------|---------------|-------------------|----------------|
| A T.RC.DY001 | 带表 | 0-100mm | 0.01mm |
| B T.RC.DY002 | 带表 | 0-150mm | 0.01mm |
| C T.RC.DY006 | 带表 | 0-200mm | 0.01mm |
| D T.RC.DY004 | 带表 | 0-500mm | 0.01mm |
| E T.RC.DY005 | 数显 | 0-150mm | 0.01mm |
| F T.RC.DY003 | 数显 | 0-100mm | 0.01mm |




A ~ D



E ~ F

广陆卡尺 Calipers

| 代码 Model | 显示 Display | 读数 Readability | 精度 Accuracy |
|--------------|---------------|-------------------|----------------|
| A T.RC.GL001 | 带表 | 0-150mm | 0.01mm |
| B T.RC.GL005 | 带表 | 0-200mm | 0.01mm |
| C T.RC.GL006 | 带表 | 0-300mm | 0.01mm |
| D T.RC.GL003 | 数显 | 0-100mm | 0.01mm |
| E T.RC.GL002 | 数显 | 0-150mm | 0.01mm |
| F T.RC.GL004 | 数显 | 0-200mm | 0.01mm |




A ~ D




E ~ F

深圳电子卡尺 Calipers


| 代码 Model | 显示 Display | 读数 Readability | 精度 Accuracy |
|--------------|---------------|-------------------|----------------|
| A T.RC.SZ001 | 数显 | 0-100mm | 0.03mm |
| B T.RC.SZ004 | 数显 | 0-150mm | 0.03mm |
| C T.RC.SZ003 | 数显 | 0-200mm | 0.03mm |
| D T.RC.SZ005 | 数显 | 0-300mm | 0.04mm |
| E T.RC.SZ006 | 数显 | 0-100mm | 0.03mm |
| F T.RC.SZ007 | 数显 | 0-150mm | 0.03mm |
| G T.RC.SZ008 | 数显 | 0-200mm | 0.03mm |
| H T.RC.SZ009 | 数显 | 0-300mm | 0.04mm |
| I T.RC.SZ010 | 全屏 | 0-150mm | 0.03mm |
| J T.RC.SZ011 | 全屏 | 0-200mm | 0.03mm |
| K T.RC.SZ012 | 全屏 | 0-300mm | 0.04mm |



A ~ D



E ~ H



I ~ K

上工卡尺 Calipers

| 代码 Model | 显示 Display | 读数 Readability | 精度 Accuracy |
|-------------|---------------|-------------------|----------------|
| T.RC.SG003 | 带表 | 0-150mm | 0.01mm |
| T.RC.SG004 | 带表 | 0-200mm | 0.01mm |
| T.RC.SG005 | 带表 | 0-300mm | 0.01mm |



A ~ D



E ~ F

日本三丰卡尺 Calipers

| 代码 Model | 显示 Display | 读数 Readability | 精度 Accuracy |
|-------------|---------------|-------------------|----------------|
| T.RC.SF001 | 带表 | 0-150mm | 0.01mm |
| T.RC.SF002 | 带表 | 0-200mm | 0.01mm |



A ~ D



内卡尺
Degree gauge
T.RC.RR026



铜卡尺
Bass gauge
T.RC.RR029



测厚仪
Thickness gauge
T.RC.F0005
读数 Readability: 0-12.7mm
精度 Accuracy: 0.1mm



进口AM电子数显珍珠卡尺
Alfa Mirage
T.RC.F0006
读数 Readability: 0-25mm
精度 Accuracy: 0.1mm



三用宝石圆形数显卡规
Digital gem gauge
T.RC.F0002
读数 Readability: 0-25mm
精度 Accuracy: 0.01mm



三用宝石微型数显卡表
Mini digital gem gauge
T.RC.F0003
读数 Readability: 0-25mm
精度 Accuracy: 0.01mm



圆表千分尺
Round table micrometer caliper
T.RC.F0004
读数 Readability: 0-20mm
精度 Accuracy: 0.1mm



哈量外径千分尺
Digital micrometer caliper
T.RC.HL001
读数 Readability: 0-25mm



千分尺
Micrometer caliper
T.RC.ZX001
读数 Readability: 0-25mm



头戴式放大镜
Round table micrometer caliper
T.DL.H0001



头戴式放大镜
Digital micrometer caliper
T.DL.H0003



头戴式放大镜
Micrometer caliper
T.DL.H0005



单光放大镜
LED jewelry loupe
T.DL.780110 10X-21mm
T.DL.780115 15X-21mm
T.DL.780120 20X-21mm
T.DL.780130 30X-21mm
T.DL.780240 40X-21mm



双光放大镜
LED jewelry loupe
T.DL.780210 10X-21mm
T.DL.780215 15X-21mm
T.DL.780220 20X-21mm
T.DL.780230 30X-21mm
T.DL.780240 40X-21mm



充电珠宝放大镜
LED jewelry loupe
T.DL.780410 10X-22mm
T.DL.780415 15X-22mm
T.DL.780420 20X-22mm
T.DL.780430 30X-22mm
T.DL.780440 40X-22mm



多边珠宝放大镜
Jewelry loupe
T.DL.7027D 10X-20.5mm
T.DL.7028D 15X-20.5mm
T.DL.7029D 20X-20.5mm
T.DL.7030D 30X-20.5mm



多边金珠宝放大镜
Jewelry loupe
T.DL.7027C 10X-20.5mm
T.DL.7028C 15X-20.5mm
T.DL.7029C 20X-20.5mm
T.DL.7030C 30X-20.5mm



多边黑珠宝放大镜
Jewelry loupe
T.DL.7027B 10X-20.5mm
T.DL.7028B 15X-20.5mm
T.DL.7029B 20X-20.5mm
T.DL.7030B 30X-20.5mm



多边亮珠宝放大镜
Jewelry loupe
T.DL.7027A 10X-20.5mm
T.DL.7028A 15X-20.5mm
T.DL.7029A 20X-20.5mm
T.DL.7030A 30X-20.5mm



多边喷砂珠宝放大镜
Jewelry loupe
T.DL.7820 10X-20.5mm
T.DL.7821 15X-20.5mm
T.DL.7822 20X-20.5mm
T.DL.7823 30X-20.5mm



拉丝珠宝放大镜
Jewelry loupe
T.DL.7840 10X-18mm
T.DL.7841 14X-12mm
T.DL.7842 20X-12mm



小弧珠宝放大镜
Jewelry loupe
T.DL.7001A 10X-12mm
T.DL.7002A 15X-12mm
T.DL.7003A 20X-12mm



小弧黑珠宝放大镜
Jewelry loupe
T.DL.7001B 10X-12mm
T.DL.7002B 15X-12mm
T.DL.7003B 20X-12mm



小弧金珠宝放大镜
Jewelry loupe
T.DL.7001C 10X-12mm
T.DL.7002C 15X-12mm
T.DL.7003C 20X-12mm



大弧亮珠宝放大镜
Jewelry loupe
T.DL.7007A 10X-18mm
T.DL.7008A 15X-18mm
T.DL.7009A 20X-18mm
T.DL.7010A 30X-18mm



大弧黑珠宝放大镜
Jewelry loupe
T.DL.7007B 10X-18mm
T.DL.7008B 15X-18mm
T.DL.7009B 20X-18mm
T.DL.7010B 30X-18mm



大弧金珠宝放大镜
Jewelry loupe
T.DL.7007C 10X-18mm
T.DL.7008C 15X-18mm
T.DL.7009C 20X-18mm
T.DL.7010C 30X-18mm



大弧胶皮珠宝放大镜
Jewelry loupe
T.DL.7007D 10X-18mm
T.DL.7008D 15X-18mm
T.DL.7009D 20X-18mm
T.DL.7010D 30X-18mm



珠宝放大镜
Jewelry loupe
T.DL.7014A 10X-21mm
T.DL.7015A 15X-21mm
T.DL.7016A 20X-21mm
T.DL.7017A 30X-21mm



珠宝放大镜
Jewelry loupe
T.DL.7014B 10X-21mm
T.DL.7015B 15X-21mm
T.DL.7016B 20X-21mm
T.DL.7017B 30X-21mm



珠宝放大镜
Jewelry loupe
T.DL.7014C 10X-21mm
T.DL.7015C 15X-21mm
T.DL.7016C 20X-21mm
T.DL.7017C 30X-21mm



珠宝放大镜
Jewelry loupe
T.DL.7014D 10X-21mm
T.DL.7015D 15X-21mm
T.DL.7016D 20X-21mm
T.DL.7017D 30X-21mm

多边异形放大镜
Jewelry loupeT.DL.7825 10X-20.5mm
T.DL.7826 15X-20.5mm
T.DL.7827 20X-20.5mm
T.DL.7828 30X-20.5mm多边异形胶皮放大镜
Jewelry loupeT.DL.7825R 10X-20.5mm
T.DL.7826R 15X-20.5mm
T.DL.7827R 20X-20.5mm
T.DL.7828R 30X-20.5mm多边黑异形放大镜
Jewelry loupeT.DL.7825B 10X-20.5mm
T.DL.7826B 15X-20.5mm
T.DL.7827B 20X-20.5mm
T.DL.7828B 30X-20.5mm多边黑异形胶皮放大镜
Jewelry loupeT.DL.7825BR 10X-20.5mm
T.DL.7826BR 15X-20.5mm
T.DL.7827BR 20X-20.5mm
T.DL.7828BR 30X-20.5mm工具放大镜
Magnifying glass

T.DL.7095, 15X-18mm

透明座放大镜
Magnifying glass

T.DL.7092, 10X-21mm

文镇放大镜
Magnifying glass

T.DL.7163, 4x60mm

三角架放大镜
Magnifying glass

T.DL.7093, 10x21mm

珠宝放大镜
Jewelry loupeT.DL.7021A 10X-18mm
T.DL.7022A 15X-18mm
T.DL.7023A 20X-18mm珠宝放大镜
Jewelry loupeT.DL.7021B 10X-18mm
T.DL.7022B 15X-18mm
T.DL.7023B 20X-18mm珠宝放大镜
Jewelry loupe

T.DL.7830 10X-20.5mm

珠宝放大镜
Jewelry loupeT.DL.7036
10X-21mm, 25X-8mm必佳透明放大镜
Magnifying glass

T.DL.7696 10x30mm

切工放大镜
Magnifying glass

T.DL.7109

透明座显微镜
Magnifying glassT.DL.7573 50X
T.DL.7574 75X折叠式放大镜
Magnifying glass

T.DL.7140 6x30mm

珠宝放大镜
Jewelry loupeT.DL.7034
10X-18mm, 20X-12mm珠宝放大镜
Jewelry loupeT.DL.7033
10X-18mm, 15X-12mm珠宝放大镜
Jewelry loupeT.DL.7055A
10X, 15X, 20X珠宝放大镜
Jewelry loupeT.DL.7055C
10X, 15X, 20X折叠式放大镜
Magnifying glass

T.DL.7141 6x30mm

折叠式放大镜
Magnifying glass

T.DL.7142 6x21mm

折叠式放大镜
Magnifying glass

T.DL.7144 10x14mm

LED折叠式放大镜
Magnifying glass

T.DL.7148 6x30mm

珠宝放大镜
Jewelry loupeT.DL.7064A, 10X-12mm
T.DL.7065A, 10X-14mm
T.DL.7066A, 10X-15mm珠宝放大镜
Jewelry loupeT.DL.7067A 10X-23mm
T.DL.7068A 15X-23mm珠宝放大镜
Jewelry loupeT.DL.7070A 10X-18mm
T.DL.7072A 10X-21mm
T.DL.7073A 15X-21mm珠宝放大镜
Jewelry loupeT.DL.7812, 10X-18mm
T.DL.7813, 20X-18mm腰码放大镜
Magnifying glass

T.DL.7105-3 20X

金属腰码放大镜
Magnifying glass

T.DL.7106-3 20X

迷你钻石标尺镜
Magnifying glass

T.DL.7097 10x17mm

迷你圆筒放大镜
Magnifying glass

T.DL.7099 6X

高清圆筒刻度放大镜
Magnifying glassT.DL.7013 10x18mm
T.DL.7014 15x18mm
T.DL.7015 20x18mm
T.DL.7016 30x18mm手持式放大镜
Magnifying glass

T.DL.7123 10x21mm

暗视场宝石放大镜
Magnifying glass

T.DL.7201

LED暗视场宝石放大镜
Magnifying glass

T.DL.7220

宝石分光镜
Spektroskop gemological arac

T.DL.7207

宝石二色镜
Spektroskop gemological arac

T.DL.7208

棱镜分光镜
Spektroskop gemological arac

T.DL.7204

银色光栅分光镜
Spektroskop gemological arac

T.DL.7206

大标尺放大镜
Magnifying glass

T.DL.7173 10x25mm

小标尺放大镜
Magnifying glass

T.DL.7170 7x21mm 10x21mm

LED刻度放大镜
Magnifying glass

T.DL.7174

充电标尺放大镜
Magnifying glassT.DL.7178 10x30mm
T.DL.7179 15x30mm调焦分光镜
Spektroskop gemological arac

T.DL.7208

显微镜镊子
Wire gem clamp with mounting postLED小套装刻度放大镜
Magnifying glass

T.DL.7172

LED大套装刻度放大镜
Magnifying glass

T.DL.7175

LED偏光镜
Polarizing filter

T.DL.7221

偏光镜
Polarizing filter

T.DL.7202

精品显微镜
MicroscopeT.DL.7503 20X
T.DL.7504 40X
T.DL.7505 60X
T.DL.7506 100XLED精品显微镜
MicroscopeT.DL.7515 20X
T.DL.7516 40X
T.DL.7517 60X
T.DL.7518 100X充电精品显微镜
MicroscopeT.DL.7525 20X
T.DL.7526 40X
T.DL.7527 60X
T.DL.7528 100X台式偏光镜
Polarizing filter

T.DL.7311

查尔斯双片滤色镜
Color filter

T.DL.7811 15x21mm

翡翠滤色镜
Color filter

T.DL.7300

翡翠滤色镜
Color filter

T.DL.7300-B

小精品显微镜
MicroscopeT.DL.7511 50X
T.DL.7513 100X手持显微镜
MicroscopeT.DL.7582 50X
T.DL.7585 75X笔式显微镜(带刻度)
MicroscopeT.DL.7592 50X
T.DL.7593 100X查尔斯滤色镜
Color filter

T.DL.7301

查尔斯滤色镜
Color filter

T.DL.7301B

红宝石滤色镜
Color filter

T.DL.7302

偏光(新)二色镜
Color filter

T.DL.7209

双目暗视场显微镜
Binocular hint field microscope



T.DL.ZTXE-ZB



T.DL.ZTXE-ZB

产品型号配置表 SPECIFICATIONS LIST

| 配置项目 Component | 规格 Specifications | T.DL.ZTXE-ZB | T.DL.ZTXE-ZB |
|-----------------------|--|--------------|--------------|
| 机头 Viewing Head | 双目 Inclined binocular | ● | ● |
| | 三目 Inclined trinocular | ○ | |
| | 机头360°旋转 360° rotatable | ● | ● |
| 目镜 Eyepiece | SWF10X | ● | |
| | HWF10X | ○ | |
| | WF15X | ○ | ○ |
| | WF20X | ○ | ○ |
| 物镜 Objective | 0.67X~4.5X | | |
| | 1X-4X | ● | |
| | 2X/4X | | ● |
| | 1X/3X | | ○ |
| | 1X/2X | | ○ |
| 照射光 Incident Light | 12V10W卤素灯 12V10W halogen light | ● | ● |
| | 10W荧光灯 10W fluorescent light | ● | ○ |
| | 单束光纤 Single fiber | | |
| 透射光 Transmitted light | 12V10W卤素灯 12V10W halogen light | ● | ● |
| 附件 Attachment | 珠宝钳 Jewel tweezer | ● | ● |
| | 珠宝工作台 (带光栏) Darkfield working stage (with diaphragm) | ● | ● |
| 调光装置 Light-dimmer | 拨盘调光 Dial dimmer switch | ● | ● |
| 数码接口 Camera Interface | C型 CType | | |
| | H型 HType | | |

注: ● 标准配置 standard ○ 选购配置 Optiona

双目定位显微镜
Microscope



T.DL.ZTX-E-C3



T.DL.ZTX-E



T.DL.ZTX-3E



T.DL.ZTX-3E-C3

产品型号配置表 SPECIFICATIONS LIST

| 配置项目 Component | 规格 Specifications | T.DL.ZTX-E-C3 | T.DL.ZTX-E | T.DL.ZTX-3E | T.DL.ZTX-3E-C3 |
|------------------------------|-------------------------------|---------------|------------|-------------|----------------|
| 观察头 Viewing Head | 双目立体45° Binocular stereo 45° | ● | ● | | |
| | 三目立体45° Three-eye stereo 45° | | | ● | ● |
| 瞳距调节 Interpupillary distance | 55mm-75mm | ● | ● | ● | ● |
| | SWF10X/22mm | ● | ● | ● | ● |
| 目镜 Eyepiece | WF15X/15mm | ○ | ○ | ○ | ○ |
| | WF20X/10mm | ○ | ○ | ○ | ○ |
| 物镜 Objective | 1X-4X | ● | ● | ● | ● |
| | 91mm | ● | ● | ● | ● |
| 工作距离 Working Distance | 圆立柱 Circinal pillar | ● | ● | ● | ● |
| | 方立柱 Quadrate pillar | | | | ● |
| | 扇形底座 Fan-shaped | ● | ● | ● | ● |
| 机座 Base | 方底座 Square | | | | ● |
| | 上下光卤素灯 Halogen light | ● | ● | ● | ● |
| | 双支LED软管灯 Dual goose LED light | | ○ | ○ | |
| 照明系统 Illumination | 旋钮式调光 Knob dimmer switch | ○ | ○ | ○ | ○ |
| | 拨盘式调光 Dial dimmer switch | ● | ● | ● | ● |
| 相机接口 The camera interface | H型 H Type | | | ● | ● |
| | C型 C Type | | | ○ | ○ |

注: ● 标准配置 standard ○ 选购配置 Optiona (可选配件: 电子目镜OptionalAccessory: CCD)

显微镜 Microscope



产品型号配置表 SPECIFICATIONS LIST

| 配置项目 Component | 规格 Specifications | T.DL.XTX-5B | T.DL.XTX-5C | T.DL.XTX-6CW | T.DL.XTX-7CW |
|-----------------------|--|-------------|-------------|--------------|--------------|
| 观察头 Viewing Head | 双目45°瞳距55-76mm 头部旋转45° inclined binocular head, interpupillary distance is from 55mm to 76mm | ● | ● | ● | ● |
| | WF10X/20mm | ● | ● | ● | ● |
| 目镜 Eyepiece | WF15X/15mm | ○ | ○ | ○ | ○ |
| | WF20X/10mm | ○ | ○ | ○ | ○ |
| | 2X/4X | ● | ● | ● | ● |
| 物镜 Objective | 1X/3X | ○ | ○ | ○ | ○ |
| | 1X/2X | ○ | ○ | ○ | ○ |
| 工作距离 Working Distance | 76mm | ● | ● | ● | ● |
| | 圆立柱 Circinal pilar | ● | ● | | |
| | 方立柱 Quadrate pillar | | | ● | ● |
| 机座 Base | 无光源 No | | | | |
| | LED上下光源 LED | ● | ● | ● | ● |
| 调光方式 Light-dimmer | 上下光卤素灯 Halogen light | ○ | ○ | ○ | ○ |
| | 旋钮式调光 Knob dimmer switch | ○ | ○ | ○ | ○ |
| 调光方式 Light-dimmer | 拨盘式调光 Dial dimmer switch | ○ | ○ | ● | ● |

注: ● 标准配置 standard ○ 选购配置 Optiona

| 型号 Model | T.DLYH01A | T.DLYH01B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 49x37x36cm | 49x37x36cm |
| 整机重量 Gross Weight | 11.5kg | 12.2kg |

| 型号 Model | T.DLYH02A | T.DLYH02B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 45x31x33.5cm | 45x31x33.5cm |
| 整机重量 Gross Weight | 12kg | 13kg |

| 型号 Model | T.DLYH03A | T.DLYH03B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 36.5x30.5x31.5cm | 36.5x30.5x39cm |
| 整机重量 Gross Weight | 11kg | 12kg |

| 型号 Model | T.DLYH05A | T.DLYH05B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 45x24x37.5cm | 45x24x37.5cm |
| 整机重量 Gross Weight | 6.9kg | 8.1kg |

| 型号 Model | T.DLYH06A | T.DLYH06B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 50x49x29cm | 450x49x38cm |
| 整机重量 Gross Weight | 22.5kg | 24kg |



| 型号 Model | T.DLYS01A | T.DLYH01B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 48x50x24cm | 48x50x24cm |
| 整机重量 Gross Weight | 8.8kg | 10kg |



| 型号 Model | T.DLYS02A | T.DLYS02B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 33x36x33cm | 33x36x33cm |
| 整机重量 Gross Weight | 8.5kg | 10kg |



| 型号 Model | T.DLYS03A | T.DLYS03B |
|-------------------------|------------------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 镜头 Lenses | 0.5X | 0.5X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm, 165mm with 0.5X | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 41.5x25x42cm | 41.5x25x51cm |
| 整机重量 Gross Weight | 9.3kg | 10.3kg |



| 型号 Model | T.DLYS04A | T.DLYS04B |
|-------------------------|------------|------------------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm | 100mm, 165mm with 0.5X |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 51x36x30cm | 51x36x38cm |
| 整机重量 Gross Weight | 6.3kg | 10.3kg |



| 型号 Model | T.DLYS05A | |
|-------------------------|------------|--|
| 放大倍数 Magnification | 20X, 40X | |
| 目镜 Eyepiece | WF10X | |
| 真实视角 Real Angle of View | 45° | |
| 工作距离 Working Distance | 55-75mm | |
| 屏幕 Screen | / | |
| 运输尺寸 Shipping Dimension | 46x34x20cm | |
| 整机重量 Gross Weight | 3kg | |



| 型号 Model | T.DLYS06A | T.DLYS06B |
|-------------------------|------------|------------|
| 放大倍数 Magnification | 7X-45X | 7X-45X |
| 目镜 Eyepiece | WF10X | WF10X |
| 真实视角 Real Angle of View | 45° | 45° |
| 工作距离 Working Distance | 100mm | 100mm |
| 屏幕 Screen | / | 10.1 INCH |
| 运输尺寸 Shipping Dimension | 51x36x30cm | 51x36x38cm |
| 整机重量 Gross Weight | 6.2kg | 7.4kg |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy |
|--------------|-------------|--------------------|-------------|
| M.ES.A0300-B | 300g | Φ85mm | 0.01g |
| M.ES.A0500-B | 500g | Φ85mm | 0.01g |
| M.ES.A0600-B | 600g | Φ85mm | 0.01g |
| M.ES.A1000-B | 1000g | Φ85mm | 0.01g |
| M.ES.A1200-B | 1200g | Φ85mm | 0.01g |
| M.ES.A2000-B | 2000g | Φ85mm | 0.01g |
| M.ES.A3000-B | 3000g | Φ85mm | 0.01g |
| M.ES.A5000-B | 5000g | Φ85mm | 0.01g |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|-------------|--------------------|-------------|-----------------|
| M.ES.A0300-C | 300g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A0500-C | 500g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A0600-C | 600g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A1000-C | 1000g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A1200-C | 1200g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A2000-C | 2000g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A3000-C | 3000g | Φ85mm | 0.01g | 280×188×170mm |
| M.ES.A5000-C | 5000g | Φ85mm | 0.01g | 280×188×170mm |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|------------|-------------|--------------------|-------------|-----------------|
| M.ES.A0100 | 120g | Φ130mm | 0.001g | 280×188×170mm |
| M.ES.A0200 | 200g | Φ130mm | 0.001g | 280×188×170mm |
| M.ES.A0300 | 300g | Φ130mm | 0.001g | 280×188×170mm |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|-------------|----------------|-----------------------|----------------|--------------------|
| M.ES.A2000 | 2000g | 160×160mm | 0.1g | 280×188×80mm |
| M.ES.A3000 | 3000g | 160×160mm | 0.1g | 280×188×80mm |
| M.ES.A5000 | 5000g | 160×160mm | 0.1g | 280×188×80mm |
| M.ES.A6000 | 6000g | 160×160mm | 0.1g | 280×188×80mm |
| M.ES.10000 | 10000g | 160×160mm | 0.1g | 280×188×80mm |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy |
|--------------|----------------|-----------------------|----------------|
| M.ES.A0600-E | 600g | Φ85mm | 0.01g |
| M.ES.A1200-E | 1200g | Φ85mm | 0.01g |
| M.ES.A2000-E | 2000g | Φ85mm | 0.01g |
| M.ES.A3000-E | 3000g | Φ85mm | 0.01g |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.A0300-F | 300g | Φ120mm | 0.01g | 270×170×80mm |
| M.ES.A0500-F | 500g | Φ120mm | 0.01g | 270×170×80mm |
| M.ES.A0600-F | 600g | Φ120mm | 0.01g | 270×170×80mm |
| M.ES.A1000-F | 1000g | Φ120mm | 0.01g | 270×170×80mm |
| M.ES.A1200-F | 1200g | Φ120mm | 0.01g | 270×170×80mm |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0120-I | 120g | Φ120mm | 0.001g | 270×170×80mm |
| M.ES.F0220-I | 220g | Φ120mm | 0.001g | 270×170×80mm |
| M.ES.F0320-I | 320g | Φ120mm | 0.001g | 270×170×80mm |
| M.ES.F0320-I | 520g | Φ120mm | 0.001g | 270×170×80mm |



电子称 Electronic scales

外校 External correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.FA1004X | 100g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA1204X | 120g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA2004X | 200g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA2204X | 220g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA3004X | 300g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA3204X | 320g | Φ90mm | 0.1mg | 320×212×350mm |



电子称 Electronic scales

内校 Internal correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|---------------|----------------|-----------------------|----------------|--------------------|
| M.ES.FA1004XN | 100g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA1204XN | 120g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA2004XN | 200g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA2204XN | 220g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA3004XN | 300g | Φ90mm | 0.1mg | 320×212×350mm |
| M.ES.FA3204XN | 320g | Φ90mm | 0.1mg | 320×212×350mm |



电子称 Electronic scales

外校 External correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|--------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.FA1004C | 100g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA1204C | 120g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA2004C | 200g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA2204C | 220g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA3004C | 300g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA3204C | 320g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |



电子称 Electronic scales

内校 Internal correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.FA1004CN | 100g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA1204CN | 120g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA2004CN | 200g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA2204CN | 220g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA3004CN | 300g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |
| M.ES.FA3204CN | 320g | Φ80mm | 0.1mg | 320×212×350mm | 5.5kg |



电子称 Electronic scales

外校 External correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.TD2002D | 200g | Φ125mm | 0.01g | 290×185×80mm | 1.8kg |
| M.ES.TD5002D | 500g | Φ125mm | 0.01g | 290×185×80mm | 1.8kg |
| M.ES.TD10002D | 1000g | Φ125mm | 0.01g | 290×185×80mm | 1.8kg |
| M.ES.TD20002D | 2000g | Φ125mm | 0.01g | 290×185×80mm | 1.8kg |



电子称 Electronic scales

外校 External correction

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.TD30002D | 3000g | 170×170mm | 0.01g | 290×185×80mm | 2.2kg |
| M.ES.TD50002D | 5000g | 170×170mm | 0.01g | 290×185×80mm | 2.2kg |

电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.TD2002A | 200g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |
| M.ES.TD5002A | 500g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |
| M.ES.TD10002A | 1000g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |
| M.ES.TD20002A | 2000g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |
| M.ES.TD30002A | 3000g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |
| M.ES.TD50002A | 5000g | 155×143mm | 0.01g | 265×200×80mm | 1.2kg |



电子称 Electronic scales

数码显示 Digital display

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|--------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.YP2002 | 200g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP5002 | 500g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP6002 | 600g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP10002 | 1000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP20002 | 2000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP30002 | 3000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |



电子称 Electronic scales

液晶显示 LED

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.YP2002D | 200g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP5002D | 500g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP6002D | 600g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP10002D | 1000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP20002D | 2000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP30002D | 3000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP50002D | 5000g | 125×163mm | 0.01g | 225×220×80mm | 1.2kg |



电子称 Electronic scales

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|---------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.YP2002S | 200g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP5002S | 500g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP6002S | 600g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP10002S | 1000g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP20002S | 2000g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |
| M.ES.YP30002S | 3000g | 143×192mm | 0.01g | 225×220×80mm | 1.2kg |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0100-F | 100g | 0.01g | 128×78×19mm |
| M.ES.F0200-F | 200g | 0.01g | 128×78×19mm |
| M.ES.F0300-F | 300g | 0.01g | 128×78×19mm |
| M.ES.F0500-F | 500g | 0.01g | 128×78×19mm |
| M.ES.F1000-F | 1000g | 0.01g | 128×78×19mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0100-E | 100g | 0.01g | 123×73×34mm |
| M.ES.F0200-E | 200g | 0.01g | 123×73×34mm |
| M.ES.F0300-E | 300g | 0.01g | 123×73×34mm |
| M.ES.F0500-E | 500g | 0.01g | 123×73×34mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0200-H | 200g | 0.01g | 165×104×23mm |
| M.ES.F0300-H | 300g | 0.01g | 165×104×23mm |
| M.ES.F0500-H | 500g | 0.01g | 165×104×23mm |
| M.ES.F1000-H | 1000g | 0.1g | 165×104×23mm |
| M.ES.F2000-H | 2000g | 0.1g | 165×104×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0200-G | 200g | 0.01g | 166×111×22mm |
| M.ES.F0300-G | 300g | 0.01g | 166×111×22mm |
| M.ES.F0500-G | 500g | 0.01g | 166×111×22mm |
| M.ES.F1000-G | 1000g | 0.1g | 166×111×22mm |
| M.ES.F2000-G | 2000g | 0.1g | 166×111×22mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|---------------|----------------|----------------|--------------------|
| M.ES.F0100-B | 100g | 0.01g | 112×73×15mm |
| M.ES.F0200-B | 200g | 0.01g | 112×73×15mm |
| M.ES.F0200-B2 | 500g | 0.1g | 112×73×15mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0200-J | 200g | 0.01g | 140×85×24mm |
| M.ES.F0300-J | 300g | 0.01g | 140×85×24mm |
| M.ES.F0500-J | 500g | 0.01g | 140×85×24mm |
| M.ES.F0600-J | 600g | 0.01g | 140×85×24mm |
| M.ES.F1000-J | 1000g | 0.1g | 140×85×24mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0050-I | 50g | Φ68.6mm | 0.001g | 132.1×94×58.4mm |
| M.ES.F0100-I-1 | 100g | Φ68.6mm | 0.001g | 132.1×94×58.4mm |
| M.ES.F0100-I-2 | 100g | Φ68.6mm | 0.002g | 132.1×94×58.4mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|----------------|--------------------|
| M.ES.F0100-K | 100g | 0.01g | 118×80×23mm |
| M.ES.F0200-K | 200g | 0.01g | 118×80×23mm |
| M.ES.F0300-K | 300g | 0.01g | 118×80×23mm |
| M.ES.F0500-K-1 | 500g | 0.01g | 118×80×23mm |
| M.ES.F0500-K-2 | 500g | 0.1g | 118×80×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0100-M | 100g | 62.2×53.7mm | 0.01g | 160×68×20mm |
| M.ES.F0200-M | 200g | 62.2×53.7mm | 0.01g | 160×68×20mm |
| M.ES.F0300-M | 300g | 62.2×53.7mm | 0.01g | 160×68×20mm |
| M.ES.F0500-M-1 | 500g | 62.2×53.7mm | 0.01g | 160×68×20mm |
| M.ES.F0500-M-2 | 500g | 62.2×53.7mm | 0.1g | 160×68×20mm |
| M.ES.F1000-M | 1000g | 62.2×53.7mm | 0.1g | 160×68×20mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0100-N | 100g | 160×68×20mm | 0.01g | 160×68×20mm |
| M.ES.F0200-N | 200g | 160×68×20mm | 0.01g | 160×68×20mm |
| M.ES.F0300-N | 300g | 160×68×20mm | 0.01g | 160×68×20mm |
| M.ES.F0500-N-1 | 500g | 160×68×20mm | 0.01g | 160×68×20mm |
| M.ES.F0500-N-2 | 500g | 160×68×20mm | 0.1g | 160×68×20mm |
| M.ES.F1000-N | 1000g | 160×68×20mm | 0.1g | 160×68×20mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0100-O | 100g | 0.01g | 81×62×23mm |
| M.ES.F0200-O | 200g | 0.01g | 81×62×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0100-1 | 100g | 75×63mm | 0.01g | 120×75×19mm |
| M.ES.F0200-C | 200g | 75×63mm | 0.01g | 120×75×19mm |
| M.ES.F0300-A | 300g | 75×63mm | 0.01g | 120×75×19mm |
| M.ES.F0500-1 | 500g | 75×63mm | 0.01g | 120×75×19mm |
| M.ES.F0500-B | 500g | 75×63mm | 0.1g | 120×75×19mm |
| M.ES.F1000-1 | 1000g | 75×63mm | 0.1g | 120×75×19mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|----------------|--------------------|
| M.ES.F0100-P | 100g | 0.01g | 114×76×19.5mm |
| M.ES.F0200-P | 200g | 0.01g | 114×76×19.5mm |
| M.ES.F0300-P | 300g | 0.01g | 114×76×19.5mm |
| M.ES.F0500-P-1 | 500g | 0.01g | 114×76×19.5mm |
| M.ES.F0500-P-2 | 500g | 0.1g | 114×76×19.5mm |
| M.ES.F1000-P | 1000g | 0.1g | 114×76×19.5mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0500-Q | 500g | 0.01g | 165×100×20mm |
| M.ES.F2000-Q | 2000g | 0.1g | 165×100×20mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0500-R | 500g | 0.01g | 112×85×23mm |
| M.ES.F1000-R | 1000g | 0.01g | 112×85×23mm |
| M.ES.F2000-R | 2000g | 0.1g | 112×85×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|----------------|----------------|----------------|--------------------|
| M.ES.F0100-S | 100g | 0.01g | 72×120×20mm |
| M.ES.F0200-S | 200g | 0.01g | 72×120×20mm |
| M.ES.F0300-S | 300g | 0.01g | 72×120×20mm |
| M.ES.F0500-S-1 | 500g | 0.01g | 72×120×20mm |
| M.ES.F0500-S-2 | 500g | 0.1g | 72×120×20mm |
| M.ES.F1000-S | 1000g | 0.1g | 72×120×20mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0600-T | 600g | 0.01g | 165×115×20mm |
| M.ES.F1000-T | 1000g | 0.1g | 165×115×20mm |
| M.ES.F2000-T | 2000g | 0.1g | 165×115×20mm |
| M.ES.F3000-T | 3000g | 0.1g | 165×115×20mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions | 重量 Weight |
|--------------|----------------|-----------------------|----------------|--------------------|--------------|
| M.ES.F0600-U | 600g | 100×100mm | 0.01g | 142×100×15mm | 302g |
| M.ES.F1000-U | 1000g | 100×100mm | 0.1g | 142×100×15mm | 302g |
| M.ES.F2000-U | 2000g | 100×100mm | 0.1g | 142×100×15mm | 302g |
| M.ES.F3000-U | 3000g | 100×100mm | 0.1g | 142×100×15mm | 302g |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|-------------|----------------|----------------|--------------------|
| M.ES.F100-V | 100g | 0.01g | 90×50×14mm |
| M.ES.F200-V | 200g | 0.01g | 90×50×14mm |
| M.ES.F300-V | 500g | 0.1g | 90×50×14mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|-------------|----------------|----------------|--------------------|
| M.ES.F100-W | 100g | 0.01g | 70×40×10mm |
| M.ES.F200-W | 200g | 0.01g | 70×40×10mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0100-X | 100g | 0.01g | 70×40×10mm |
| M.ES.F0200-X | 200g | 0.01g | 70×40×10mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0100-X | 100g | 0.01g | 70×40×10mm |
| M.ES.F0200-X | 200g | 0.01g | 70×40×10mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|----------------|--------------------|
| M.ES.F0500-Z | 500g | 0.01g | Φ90mm |
| M.ES.F1000-Z | 1000g | 0.1g | Φ90mm |
| M.ES.F2000-Z | 2000g | 0.1g | Φ90mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0100-1 | 100g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F0200-1 | 200g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F0500-1 | 500g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F1000-1 | 1000g | 58×58mm | 0.1g | 140×84×23mm |
| M.ES.F2000-1 | 2000g | 58×58mm | 0.1g | 140×84×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0100-2 | 100g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F0200-2 | 200g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F0500-2 | 500g | 58×58mm | 0.01g | 140×84×23mm |
| M.ES.F1000-2 | 1000g | 58×58mm | 0.1g | 140×84×23mm |
| M.ES.F2000-2 | 2000g | 58×58mm | 0.1g | 140×84×23mm |



手掌称 Pocket digital scale

| 代码 Model | 称量 Capacity | 秤台尺寸 Platform size | 精度 Accuracy | 外形尺寸 Dimensions |
|--------------|----------------|-----------------------|----------------|--------------------|
| M.ES.F0500-Z | 100g | 50×40mm | 0.01g | 90×50×18mm |
| M.ES.F1000-Z | 200g | 50×40mm | 0.01g | 90×50×18mm |



测金机 (水密度计)
Gold detecting machine (water density meter)

主要针对珠宝业、珠宝检测中心、银行业、典当业、矿业、贵金属回收、贵金属材料研究实验室等领域，快速的显示贵金属K值、%含量、密度值。

The instrument serves jewelry industry, jewelry testing centers, banking, pawnbroking, mining, precious metal recovery, and precious metal research laboratories, providing rapid display of karat value (K), percentage purity (%), and density value for precious metals.



| 型号 Model | M.RH.AR300K | M.RH.AR600K | M.RH.AR900K | M.RH.AR120K | M.RH.AR1200K | M.RH.AR1200K |
|--|-----------------------|-------------|-------------|-------------|--------------|--------------|
| 最大称重 Max weight | 300g | 600g | 900g | 120g | 1200g | 2000g |
| 电压 Voltage | AC100V~240V 50HZ/60HZ | | | | | |
| 称重标准偏差 Weighing standard deviation | 0.005g | 0.005g | 0.01g | 0.001g | 0.01g | 0.01g |
| 最小测量产品参考重量 Mini measured product reference weight | 4g | 4g | 5g | 2g | 5g | 5g |
| 密度可读性 Density readability | 0.001g/cm³ | 0.001g/cm³ | 0.001g/cm³ | 0.0001g/cm³ | 0.01g/cm³ | 0.01g/cm³ |
| 水槽尺寸 Tank size | 153×107×93mm | | | | | |
| 机器尺寸 Machine size | 425×175×325mm | | | | | |
| 重量 Weight | 4.5KG | | | | | |

密度计
Density meter

主要针对高分子聚合物领域的密度测量，密度精度高，即时显示密度值，操作顺畅方便、省时，具有更好的测量稳定性与可靠性，适合要求较高的场合。

Primarily designed for density measurement in the polymer materials field, it delivers high-density precision, instant display of density values, smooth and user-friendly operation, and time-efficient workflows. It features enhanced measurement stability and reliability, making it suitable for demanding applications.



| 型号 Model | M.RH.DH300 | M.RH.DH600 | M.RH.DH900 | M.RH.DH1200 | M.RH.DH2000 | M.RH.DH3000 | M.RH.DE120 | M.RH.DE200 | | | |
|---------------------------|-----------------------|------------|------------|-------------|-------------|---------------------|------------|------------|--|--|--|
| 最大称重 Max weight | 300g | 600g | 900g | 1200g | 2000g | 3000g | 120g | 200g | | | |
| 电压 Voltage | AC100V~240V 50HZ/60HZ | | | | | | | | | | |
| 称重精度 Weighing accuracy | 0.005g | 0.01g | | | 0.001g | | | | | | |
| 密度精度 Density accuracy | 0.001g/cm³ | | | | | 0.0001g/cm³ | | | | | |
| 密度范围 Density range | 0.001-99.999g/cm³ | | | | | 0.0001-99.9999g/cm³ | | | | | |
| 水槽尺寸 Tank size | 153×107×93mm | | | | | | | | | | |
| 机器尺寸 Machine size | 425×175×325mm | | | | | | | | | | |
| 重量 Weight | 4.5KG | | | | | | | | | | |

铸造工艺流程 Casting Process

